

EasyKeys 0637

EasyKeys Replacement Key for Hafele 0637 Instruction Manual

Brand: EasyKeys | Model: 0637

1. INTRODUCTION

This manual provides essential information for the proper use and care of your EasyKeys Replacement Key for Hafele 0637. Please read these instructions carefully before use to ensure correct application and longevity of your key.

2. PRODUCT IDENTIFICATION

Crucial for ensuring compatibility, verify your lock code and manufacturer match the product. The EasyKeys replacement key is specifically cut for Hafele locks requiring the 0637 code.

Where to Find Your Lock Code




On the Key



On the Lock Face



**On a Label Inside/
Behind the Lock**



**On the
Cabinet/Door Label**



Important Notes

- Order by Manufacturer → Lock codes are manufacturer-specific.
- Key Cuts Differ → Even if codes look similar, they vary by brand.

Figure 2.1: To confirm you have the correct key, locate the code on your existing key, the lock cylinder, or a label near the lock mechanism. Ensure the code matches '0637' and the manufacturer is 'Hafele'.



Figure 2.2: The EasyKeys replacement key is designed to match the Hafele 0637 specification. The key features a specific cut pattern for compatibility with Hafele locks requiring the 0637 code.

3. SETUP

1. **Verify Code:** Before inserting, ensure the key code '0637' on your replacement key matches the code required by your Hafele lock.
2. **Clear Obstructions:** Ensure the lock mechanism is clear of any debris or obstructions that might prevent smooth key insertion.

4. OPERATING INSTRUCTIONS

1. **Insert Key:** Gently insert the key into the lock cylinder, ensuring the correct orientation.
2. **Turn Key:** Turn the key smoothly to engage the lock or unlock mechanism. Do not force the key if it resists turning, as this can damage both the key and the lock.
3. **Remove Key:** After the lock has engaged or disengaged, remove the key.

5. MAINTENANCE

- **Cleanliness:** Keep the key clean and dry. Avoid exposing it to corrosive substances or harsh chemicals.
- **Lubrication:** If the lock mechanism becomes stiff, a small amount of graphite lubricant can be applied directly to the lock cylinder, not to the key itself.
- **Storage:** Store the key in a safe place to prevent loss, bending, or other damage.

6. TROUBLESHOOTING

- **Key Does Not Insert Fully:** Check for debris or foreign objects inside the lock cylinder. Ensure the key is oriented correctly.
- **Key Inserts But Does Not Turn:** Verify that the key code '0637' matches your specific lock. The lock mechanism may be jammed or damaged. Do not force the key, as this can cause further damage.
- **Key Feels Loose or Wobbly:** This may indicate wear on the lock cylinder or the key itself. If issues persist, consider having the lock inspected by a professional.



7. SPECIFICATIONS





Feature	Detail
Brand	EasyKeys
Model Name	0637
Manufacturer	Hafele
Part Number	0637-hafele-key-526238
Lock Type	Cam
Material	Brass
Color	Brass
Item Dimensions (L x W x H)	0.5 x 0.5 x 1 inches
Item Weight	0.25 Pounds (4 ounces)
Included Components	Key
Special Features	Adjustable Fit, Custom Cut Key, Durable

8. WARRANTY AND SUPPORT

For support or inquiries regarding your EasyKeys Replacement Key, please contact the manufacturer, EasyKeys Inc. USA, directly. Refer to your purchase documentation for specific warranty details and contact information.

Related Documents - 0637

	<p>MTD Model Series 830 Lawnmower Parts List and Diagrams</p> <p>Comprehensive parts list and specifications for the MTD Model Series 830 lawnmower. This document details all components with their respective part numbers and descriptions, referencing original exploded view diagrams for assembly guidance.</p>
	<p>SkyRC S60 AC Balance Charger/Discharger Instruction Manual</p> <p>Comprehensive instruction manual for the SkyRC S60 AC Input Professional Balance Charger/Discharger, detailing features, operation, safety, specifications, and troubleshooting.</p>

 <p>The image shows the cover of a Vanguard parts manual. It features the Vanguard logo at the top left, the text 'Parts Manual' at the top right, and a photograph of a black commercial engine in the center. Below the engine, there is a small line of text: 'Vanguard 356447-0637-G1'.</p>	<p>Vanguard 356447-0637-G1 Parts Manual Briggs & Stratton</p> <p>Official parts manual for the Vanguard 356447-0637-G1 commercial engine by Briggs & Stratton. Features detailed diagrams, part numbers, and component breakdowns for air cleaner, carburetor, crankshaft, cylinder, and more.</p>
 <p>The image shows the cover of a Jay R. Smith PG-25 product guide. It has a yellow background with the text 'PG-25' in large, bold, black letters. Below this, it says 'SMITH YELLOW PAGES • PG-25 PRODUCT GUIDE' and 'www.jayrsmith.com'. At the bottom, there is a photograph of a building and the text 'MORRIS GROUP INTERNATIONAL'.</p>	<p>Jay R. Smith PG-25 Product Guide: Fixture Supports, Drains, and Plumbing Components</p> <p>Explore the Jay R. Smith PG-25 Product Guide, featuring a comprehensive catalog of fixture supports, roof drains, floor drains, sanitary drains, cleanouts, and other plumbing solutions for commercial and industrial applications. Includes technical specifications and ordering information.</p>
 <p>The image shows the cover of a Smith Fixture Support Selection Guide. It has a white background with the word 'SMITH' in large, bold, black letters at the top. Below it, the text reads 'FIXTURE SUPPORT Selection Guide For WALL HUNG FIXTURES BY WHITEHALL'. At the bottom, there are several small logos and the text 'WHITEHALL'.</p>	<p>Whitehall Fixture Supports: Selection Guide by Jay R. Smith Mfg. Co.</p> <p>Comprehensive selection guide for Whitehall wall-hung fixture supports, featuring detailed tables of urinal, basin, scrub sink, sink, water closet, corner lavatory, and ligature-resistant supports with specifications and figure numbers from Jay R. Smith Mfg. Co.</p>
 <p>The image shows the cover of an Acumed Screw Removal System guide. It features a white background with the word 'ACUMED' in bold, black letters at the top left. Below it is a photograph of a long, thin, blue and silver surgical instrument. At the bottom right, there is a small line of text: 'Acumed® Screw Removal Techniques'.</p>	<p>Acumed Screw Removal System: Surgical Techniques and Product Guide</p> <p>Explore the Acumed Screw Removal System, a comprehensive guide for orthopedic surgeons detailing techniques for Acutrak screws and plate screws, instrument usage, and ordering information. Features specialized tools for efficient screw extraction.</p>