

[Manuals.plus](#) /

> [AMEIFU](#) /

> AMEIFU PC-450 Dehumidifier Instruction Manual

AMEIFU PC-450

AMEIFU PC-450 Dehumidifier Instruction Manual

Model: PC-450 | Brand: AMEIFU

[Instructions](#) [Setup](#) [Operation](#) [Product Overview](#) [Safety](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. PRODUCT OVERVIEW

The AMEIFU PC-450 Dehumidifier is designed to efficiently remove excess moisture from small to medium-sized spaces, such as bathrooms, walk-in closets, bedrooms, and offices. It helps create a more comfortable and healthier environment by reducing humidity, which can prevent issues like mold, mildew, and musty odors. This compact and portable unit features multiple operating modes, a timer function, and an automatic shut-off for convenience and safety.



Image: The AMEIFU PC-450 Dehumidifier effectively reduces humidity from 80% to 50% in areas up to 1100 sq.ft, improving

2. IMPORTANT SAFETY INSTRUCTIONS

Please read all instructions carefully before using the dehumidifier. Keep this manual for future reference.

- Ensure the unit is placed on a stable, level surface to prevent tipping and water spillage.
- Do not block the air inlet or outlet. Maintain at least 10 cm (4 inches) clearance around the unit for proper airflow.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the dehumidifier from the power outlet before cleaning, maintenance, or when not in use.
- Keep out of reach of children and pets.
- Do not operate the unit if the power cord or plug is damaged, or if the unit malfunctions or has been dropped.
- Use only the original power adapter provided with the unit.
- This appliance is intended for residential use only.

3. PACKAGE CONTENTS & PRODUCT DIAGRAM

3.1. Package Contents

- AMEIFU PC-450 Dehumidifier Unit
- Power Adapter
- User Manual

3.2. Product Diagram




Image: Front view of the AMEIFU PC-450 Dehumidifier with key dimensions: 12 inches (height), 9 inches (width), and 6 inches (depth).

The dehumidifier consists of a main unit with a control panel on top, an air inlet/outlet, and a removable water tank at the bottom. The water tank is transparent for easy monitoring of the water level.

4. SETUP

1. **Unpack the Unit:** Carefully remove the dehumidifier and all accessories from the packaging.
2. **Placement:** Place the dehumidifier on a firm, level surface in the desired location. Ensure there is adequate space around the unit (at least 10 cm or 4 inches) for proper air circulation. Avoid placing it near heat sources or in direct sunlight.
3. **Power Connection:** Connect the power adapter to the DC input port on the back of the dehumidifier. Plug the other end of the power adapter into a suitable electrical outlet (100-240V AC, 50/60Hz).

4. **Water Tank:** Ensure the water tank is correctly inserted into the unit. The unit will not operate if the water tank is not properly in place.

5. OPERATING INSTRUCTIONS



Image: Detailed view of the control panel with buttons for Power, Timer, Light, RGB, and Fan Speed settings.

1. **Power On/Off:** Press the **Power Button** (🔌) to turn the dehumidifier on or off.
2. **Timer Function:** Press the **Timer Button** (🕒) to set an operating time. Available settings include 1H, 2H, 4H, 8H, 12H, 24H, 48H, and 72H. The unit will automatically shut off after the set time.
3. **Light Control:**
 - Press the **Light Button** (💡) to cycle through different brightness levels for the ambient light.
 - Press the **RGB Button** (🌈) to change the color of the ambient light. Long press to turn off the light.



Image: The dehumidifier operating in a bedroom, showcasing its low noise sleep mode and adjustable multi-colored night light for a soothing atmosphere.

4. **Fan Speed / Operation Mode:** Press the **Fan Speed Button** (🌀) to select between 3 airflow levels: Low, Middle, and High. This also corresponds to different operation modes (Sleep, Normal, Performance).



Image: Illustration demonstrating the three adjustable fan speeds (low, middle, high) to achieve customized moisture control.

5. **Automatic Shut-off:** The dehumidifier is equipped with an automatic shut-off feature. When the water tank is full, the unit will automatically stop operating to prevent overflow. The indicator light will change to alert you that the tank needs to be emptied.

6. MAINTENANCE

6.1. Emptying the Water Tank

1. When the water tank is full, the dehumidifier will automatically shut off, and an indicator light will illuminate (or change color, typically red).
2. Carefully pull out the water tank from the bottom of the unit.
3. Pour out the collected water.
4. Slide the empty water tank back into the dehumidifier until it clicks securely into place. The unit will resume operation automatically if it was on before.




Image: The dehumidifier illustrating its auto shut-off protection feature, showing the water tank in normal operation (blue light) and when full (red light).

6.2. Cleaning the Unit

- Wipe the exterior of the dehumidifier with a soft, damp cloth. Do not use abrasive cleaners or solvents.

- Regularly check the air inlet and outlet for dust or debris. Use a soft brush or vacuum cleaner to gently clean these areas to maintain optimal performance.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit does not turn on	No power supply; Water tank not properly inserted; Water tank is full.	Check power connection; Re-insert water tank correctly; Empty water tank.
Dehumidification is weak	Room temperature too low; Air inlets/outlets blocked; Unit size not suitable for room.	Ensure room temperature is above 41°F (5°C); Clear any obstructions; Ensure unit is used in recommended area size.
Unit is noisy	Unit not on a level surface; Obstruction in fan.	Place on a stable, level surface; Check for and remove any obstructions.
Water leaks	Water tank not properly inserted.	Re-insert water tank correctly until it clicks into place.

8. SPECIFICATIONS

Feature	Detail
Brand	AMEIFU
Model Name	PC-450
Color	White
Capacity (Water Tank)	0.8 Gallons (approx. 3.0 Liters)
Dehumidification Capacity	0.8 Gallons per Day
Product Dimensions (D x W x H)	1.0"D x 1.0"W x 1.0"H (Note: Actual dimensions from image are approx. 6"D x 9"W x 12"H)
Item Weight	6.76 pounds (3.07 Kilograms)
Recommended Uses	Residential (bathrooms, walk-in closets, bedrooms)
Material	Acrylonitrile Butadiene Styrene (ABS)
Special Feature	Bucket Storage, Auto Shut-off, Timer, RGB Light

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included in your product packaging or contact AMEIFU customer service directly. Keep your purchase receipt as proof of purchase for any warranty claims.

For further assistance, please visit the AMEIFU Store on Amazon:[AMEIFU Store](#)

© 2024 AMEIFU. All rights reserved.