

[Manuals.plus](#) /

› [FZF](#) /

› FZF Dehumidifier H13-1 User Manual

FZF H13-1

FZF Dehumidifier H13-1 User Manual

Model: H13-1

1. INTRODUCTION

Thank you for choosing the FZF H13-1 Dehumidifier. This device is designed to reduce excess moisture in your home, creating a more comfortable and healthier environment. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your dehumidifier. Please read it thoroughly before use and retain it for future reference.



Image: FZF Dehumidifier demonstrating humidity reduction in a bathroom setting.

2. SAFETY INSTRUCTIONS

To prevent injury to the user or others and property damage, the following instructions must be followed. Failure to observe these instructions may result in improper operation, causing damage.

- Always ensure the power supply matches the voltage rating on the dehumidifier.
- Do not operate the unit with a damaged power cord or plug.
- Keep the dehumidifier upright during operation and transport.
- Do not block the air inlet or outlet. Maintain at least 20 cm (8 inches) clearance from walls or other objects.
- Do not use the unit in areas where flammable gases or liquids are stored.
- Unplug the unit before cleaning, maintenance, or when not in use for extended periods.
- Do not immerse the unit or its electrical components in water.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental

capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

- Children should be supervised to ensure that they do not play with the appliance.

3. PRODUCT OVERVIEW

3.1 Components

The FZF H13-1 Dehumidifier features a compact design with essential components for effective moisture removal.



Image: Control panel and LED ambient light of the FZF H13-1 Dehumidifier.

- **Control Panel:** Power button, Mode selection, Ambient light control.
- **Air Inlet/Outlet:** For air circulation.
- **Water Tank:** Removable 68 oz (2 liter) capacity tank for collected water.
- **Drain Port:** For continuous drainage option.
- **Power Cord:** For electrical connection.

- **Hidden Concave Handle:** For easy portability.

3.2 Key Features

- **Semiconductor Dehumidification:** Efficient moisture removal for small to medium spaces (200-850 sq.ft).
- **Dual Core Engine:** Enhances dehumidification performance.
- **Two Operating Modes:** Normal mode and Sleep mode for quiet operation.
- **7 LED Ambient Light:** Cycle through colors or turn off.
- **Automatic Shut-Off:** Unit stops when the water tank is full.
- **Continuous Drainage:** Option to connect a drain hose for uninterrupted operation.
- **Portable Design:** Lightweight with a hidden handle for easy relocation.



Image: Internal view highlighting dual semiconductors and water tank capacity.

4. SETUP

4.1 Unpacking

- Carefully remove the dehumidifier from its packaging.
- Check for any shipping damage. If damaged, do not operate and contact customer support.
- Ensure all accessories are present: dehumidifier unit, power cable, and drain hose.

4.2 Placement

- Place the dehumidifier on a flat, stable surface.
- Ensure there is at least 20 cm (8 inches) of space around the air inlet and outlet for proper airflow.
- Avoid placing the unit near heat sources or in direct sunlight.
- This semiconductor dehumidifier is suitable for small rooms, bedrooms, bathrooms, closets, and small basements. It is not designed for large basements or very large areas.



Image: Front and rear view of the dehumidifier, illustrating its compact design and the included drainage hose.

4.3 Power Connection

- Plug the power cord into a grounded electrical outlet.

5. OPERATING INSTRUCTIONS

5.1 Power On/Off

- Press the "**ON/OFF**" button on the control panel to turn the unit on or off.

5.2 Mode Selection

The dehumidifier offers two operating modes:

- **Normal Mode:** Provides efficient dehumidification with a noise level below 40dB.
- **Sleep Mode:** Designed for quiet operation, ensuring a silent sleeping environment. In this mode, the ambient light is turned off, and noise is reduced.



Image: Comparison of Normal (Daytime) and Sleep modes, highlighting noise levels and light status.

5.3 Ambient Light Control

The unit features a 7-color LED ambient light belt.

- When the unit is turned on, the ambient light defaults to a cycling color display.

- In Sleep Mode, the ambient light is automatically turned off.
- Refer to the control panel image for the specific button to control the ambient light, if available.

6. MAINTENANCE

6.1 Emptying the Water Tank

The dehumidifier will automatically stop operation when the 68 oz (2 liter) water tank is full. The red light will illuminate.

1. Gently pull out the water tank directly from the bottom of the unit.
2. Manually pour out the accumulated water.
3. Reinsert the water tank firmly into the unit until it clicks into place.

6.2 Continuous Drainage Setup

For continuous operation without needing to empty the water tank, use the included drain hose.

1. Locate the drain port at the bottom of the back of the dehumidifier.
2. Unplug the rubber stopper (piston) from the drain port.
3. Install the provided 3.8 ft drainage hose into the drain port.
4. Place the other end of the drainage hose into a suitable drain, bucket, or container, ensuring it is lower than the drain port on the unit for gravity drainage.

OPTIONAL CONTINUOUS DRAINAGE



Image: Dehumidifier demonstrating the continuous drainage setup with the hose.

6.3 Cleaning the Unit

- Always unplug the dehumidifier before cleaning.
- Wipe the exterior of the unit with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Clean the water tank regularly to prevent mold and mildew growth. Rinse it with clean water and dry thoroughly before reinserting.
- Periodically check the air inlet and outlet for dust accumulation and clean with a soft brush or vacuum cleaner attachment.

7. TROUBLESHOOTING

If you encounter issues with your FZF H13-1 Dehumidifier, please refer to the following common problems and solutions.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Unit does not turn on.	No power, power cord loose, water tank full.	Check power connection. Ensure water tank is not full and correctly installed.
Dehumidifier not collecting water effectively.	Room humidity too low, room temperature too low, air inlets/outlets blocked, unit too small for space.	Ensure humidity is above 45% and temperature is above 5°C (41°F). Clear any obstructions. Note that this is a semiconductor dehumidifier suitable for small spaces, not large basements.
Water tank full indicator (red light) is on, but tank is not full.	Water tank not installed correctly, small white float in tank is stuck.	Check if the water tank is installed correctly. Gently shake the tank to free the float.
Unit is noisy.	Unit not on a flat surface, fan obstruction.	Place on a stable, flat surface. Check for any obstructions in the fan area. Use Sleep Mode for quieter operation.

Important Note: Semiconductor dehumidifiers typically have a smaller dehumidification capacity and are best suited for small rooms or closets. This model collects approximately 20 ounces of water per week under typical conditions. Its strength lies in energy efficiency and quiet operation, rather than speed or high water collection capacity compared to compressor dehumidifiers.

8. SPECIFICATIONS

Feature	Detail
Brand	FZF
Model Name	H13-dehumidifier
Model Number	H13-1
Color	White
Material	Plastic
Capacity (Water Tank)	2 Liters (68 OZ)
Dehumidification Capacity	Approx. 1 Pint per Day (20 ounces per week)
Recommended Coverage Area	200-850 sq.ft (for semiconductor type)
Wattage	75 watts
Item Dimensions (D x W x H)	13.7D x 23.3W x 32H Centimetres
Item Weight	2.54 Kilograms
Special Features	Automatic Shutoff, Portable, Quiet Operation, Removable Tank, 7 LED Ambient Light
Included Components	Charge Cable, Manual, Drainage Hose

9. WARRANTY INFORMATION

The FZF H13-1 Dehumidifier comes with a **1-Year Warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from misuse, accident, alteration, or unauthorized repair. Please retain your proof of purchase for warranty claims.

10. CUSTOMER SUPPORT

For any questions, concerns, or technical assistance regarding your FZF H13-1 Dehumidifier, please contact FZF customer support.

- **Manufacturer:** FZF
- Please refer to the product packaging or the official FZF website for the most current contact information.

© 2023 FZF. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question