



[Manuals.plus](#) /

> [MaxMat](#) /

> MaxMat Extra Large Commercial Floor Mat User Manual

MaxMat MXM-RIB0035GY

MaxMat® Extra Large Commercial Floor Mat User Manual

Model: MXM-RIB0035GY

1. INTRODUCTION

This manual provides essential information for the proper use, care, and maintenance of your MaxMat® Extra Large Commercial Floor Mat. Designed for high-traffic areas, this durable mat effectively traps dirt and moisture, contributing to cleaner and safer floors in commercial and residential settings.

Please read this manual thoroughly before initial use to ensure optimal performance and longevity of your product.

2. PRODUCT OVERVIEW

The MaxMat® Commercial Floor Mat is engineered for heavy-duty use, featuring a robust construction that withstands significant foot traffic. Its design focuses on superior dirt and moisture control, ensuring your entryways remain clean and safe.

Key Features:

- **Heavy-Duty Durability:** Built for high-traffic areas, offering reliable performance and long-lasting use.
- **Superior Dirt & Moisture Control:** Effectively traps debris and absorbs moisture, keeping floors clean and safe.
- **Slip-Resistant Backing:** Sturdy rubber base prevents shifting, enhancing safety in busy entryways.
- **Low-Profile Design:** Slim profile fits perfectly under low-clearing doors.
- **Easy Maintenance:** Simple to clean by shaking, vacuuming, or hosing down.
- **Versatile Usage:** Suitable for both indoor and outdoor environments.

Product Components:

- **Surface Material:** Natural Fibers with ribbed grooves for effective scraping.
- **Backing Material:** Polyvinyl Chloride (PVC) rubber backing for slip resistance and moisture barrier.
- **Border:** Durable rubber border.



Figure 2.1: The MaxMat Commercial Floor Mat, showcasing its ribbed surface and durable rubber backing when partially rolled.



Figure 2.2: The MaxMat Commercial Floor Mat installed in a commercial building entryway, demonstrating its large coverage and low-profile design.

Dirt and Mud Barrier



Figure 2.3: Detailed view of the mat's ribbed grooves designed to scrape off dirt and debris, and the rubber backing that prevents leaks and protects floors.



Figure 2.4: The mat's low-profile design allowing it to fit seamlessly under most doors, preventing obstruction.

3. SETUP

Setting up your MaxMat® is a straightforward process. Follow these steps for optimal placement:

1. **Unpack:** Carefully unroll the mat from its packaging.
2. **Flatten:** Allow the mat to lay flat for a few hours, or overnight, to remove any creases from packaging. Placing heavy objects on the corners can help expedite this process.
3. **Placement:** Position the mat in your desired high-traffic area, such as an entryway, lobby, or industrial space. Ensure the floor surface beneath is clean and dry for maximum slip resistance.
4. **Adjust:** Verify that the mat lies completely flat and does not obstruct door movement.



Figure 3.1: The MaxMat Commercial Floor Mat securely placed on an outdoor patio, demonstrating its non-slip backing and readiness for use.

4. OPERATING

The MaxMat® is designed to function passively by trapping dirt and moisture from foot traffic. No active operation is required.

- Encourage individuals to wipe their feet thoroughly on the mat upon entry to maximize its dirt-trapping effectiveness.
- Regularly check the mat for accumulated dirt and debris to determine when cleaning is necessary.

5. MAINTENANCE

Proper maintenance ensures the longevity and effectiveness of your MaxMat® Commercial Floor Mat. The mat is designed for easy cleaning.

Cleaning Instructions:

1. **Shake Off:** For light dirt, simply take the mat outside and shake off excess debris.
2. **Vacuum:** Use a vacuum cleaner to remove embedded dirt and dust from the mat's surface.
3. **Hose Down:** For a deeper clean, hose down the mat with water. Allow it to air dry completely before placing it back on the floor.
4. **Spot Clean:** For spills or stubborn stains, use a mild soap and water solution with a soft brush, then rinse thoroughly and air dry.

Note: Avoid using harsh chemicals or bleach, as these can damage the mat's material and affect its performance.



Figure 5.1: Illustration of cleaning methods for the MaxMat, showing both vacuuming and sweeping to remove accumulated dirt.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your MaxMat®.


Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Mat is not laying flat.	Creases from packaging.	Allow mat to lay flat for an extended period. Place heavy objects on affected areas to help flatten.
Mat is shifting or sliding.	Floor surface is wet or dirty; mat not fully flattened.	Ensure the floor beneath the mat is clean and dry. Verify the mat is laying completely flat.
Mat is not trapping dirt effectively.	Mat is saturated with dirt/moisture; insufficient foot wiping.	Clean the mat thoroughly. Encourage users to wipe their feet more vigorously.


7. SPECIFICATIONS

Attribute	Detail
Brand	MaxMat
Model Number	MXM-RIB0035GY
Size	5' x 3' (Mud Trapper) / 36"L x 60"W
Color	Charcoal Grey
Material	Natural Fibers (Surface), Polyvinyl Chloride (Backing)
Weave Type	Machine Made
Item Weight	2 Pounds
Pile Height	Low Pile
Indoor/Outdoor Usage	Indoor (suitable for covered outdoor areas)
Water Resistance Level	Water Resistant
Pattern	Solid
Shape	Mud Trapper (Rectangular)

Dimensions



Low Profile Design



Low-profile design fits perfectly under low-clearing doors, making it ideal for entryways, patios, garages, and more.

Cut for your Perfect Fit



You can cut it to fit any corner or odd shape you need, without worrying about fraying edges!

Figure 7.1: Dimensional diagram of the MaxMat, indicating its 3 feet by 5 feet size and low-profile design.

8. SAFETY INFORMATION

Adhere to the following safety guidelines to prevent accidents and ensure safe use of your MaxMat®:

- Avoid using harsh chemicals for cleaning, as they may degrade the mat's materials and reduce its lifespan.
- Always shake off excess dirt or vacuum the mat before hosing it down to prevent clogging drains.
- While the mat features a slip-resistant backing, exercise caution when walking on it, especially when wet, as it may not prevent all slips or falls.
- Ensure the mat is placed on a dry, flat surface to maintain its slip-resistant properties.
- Keep the mat away from open flames or extreme heat sources.



Figure 8.1: Illustrations highlighting the safety benefits of the MaxMat, including preventing slips and trapping mud to keep floors clean.

9. WARRANTY AND SUPPORT

MaxMat is committed to providing high-quality products. For any questions, concerns, or support needs regarding your MaxMat® Commercial Floor Mat, please contact our customer service team.

While specific warranty details are not provided in this manual, please refer to your purchase documentation or the MaxMat official website for the most current warranty information.

For further assistance, please visit the [MaxMat Store on Amazon](#) or contact customer support through your retailer.