

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [MOUNTO](#) /

› [MOUNTO AM20 1/5hp Air Mover Blower Fan User Manual](#)

MOUNTO AM20

MOUNTO AM20 1/5hp Air Mover Blower Fan User Manual

Model: AM20

INTRODUCTION

Thank you for choosing the MOUNTO AM20 Air Mover. This compact yet powerful radial fan is designed for efficient air circulation, drying, and cooling in various settings. With its 1/5hp motor and 800 CFM airflow, it is suitable for both residential and commercial applications, including drying carpets, floors, and other surfaces in small areas like kitchens, bathrooms, and crawl spaces. Please read this manual thoroughly before operation to ensure safe and effective use.

SAFETY INFORMATION


Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and personal injury.

- Read all instructions before operating the air mover.
- Do not operate any fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Do not route cord under furniture or appliances. Arrange cord away from traffic area and where it will not be tripped over.
- Do not immerse the air mover in water or other liquids.
- Do not use the air mover in wet environments where standing water is present.
- Keep children and pets away from the air mover during operation.
- Always unplug the air mover before cleaning or performing any maintenance.
- Ensure the power source matches the voltage requirements of the air mover (120V/60Hz).

PRODUCT OVERVIEW

The MOUNTO AM20 Air Mover is designed for portability and efficiency. Key features include a 1/5hp

motor, 3-speed settings, and dual built-in power outlets for daisy-chaining multiple units.



This image shows the MOUNTO AM20 Air Mover with its key components labeled, including the 1/5 HP motor, carrying handle with integrated cord wrap, compact design, 2 built-in power outlets, 3 speed settings, and high volume rate of 800 CFM.

The unit features a convenient carrying handle and an integrated cord wrap for easy transport and storage. Its compact design makes it ideal for use in confined spaces.

MAXIMIZE YOUR STORAGE AND TRANSPORTATION CAPACITY



HASSLE FREE STORAGE & MOBILITY

Can be stacked up to 4 units high for storage or transportation



COMPACT AND LIGHT WEIGHT

The best solution for drying small, hard-to-reach spaces such as closets, corners or under counters



INCREASE YOUR EARNING POTENTIAL

A complete water damage solution



This image illustrates the stackable design of the MOUNTO AM20 Air Mover, allowing up to 4 units to be stacked for efficient storage and transportation.

The durable roto-molding plastic construction ensures longevity, while its lightweight nature (approximately 11.31 lbs) enhances portability.

SETUP

1. **Unpacking:** Carefully remove the air mover from its packaging. Inspect for any damage that may have occurred during shipping.
2. **Placement:** Position the air mover on a stable, level surface in the area requiring air circulation or drying. Ensure the intake and exhaust vents are clear of obstructions.
3. **Power Connection:** Unwind the 10ft power cord and plug it into a standard 120V/60Hz grounded electrical outlet.

OPERATING INSTRUCTIONS

The MOUNTO AM20 Air Mover offers three speed settings and multiple operating positions for versatile

use.



This image shows the MOUNTO AM20 Air Mover operating in a room, illustrating its use for air circulation, cooling, and drying.

1. **Power On:** Plug the unit into a suitable power outlet.
2. **Select Speed:** Use the 3-speed switch to select your desired airflow intensity (Low, Medium, High).
3. **Adjust Position:** The air mover can be operated in three different angles to direct airflow precisely where needed:
 - **0° Straight Up:** Ideal for carpet and floor drying.
 - **45° Tilted:** Suitable for air circulation and wall drying.
 - **90° Upward:** Effective for paint and wall drying.

3 ADJUSTABLE BLOWING ANGLE

Drying, Cooling & Air Circulation



0° STRAIGHT UP
CARPET & FLOOR DRYING



45° TILTED BLOWING
AIR CIRCULATION & WALL DRYING



90° UPWARD BLOWING
PAINT & WALL DRYING



This image displays the MOUNTO AM20 Air Mover in its three adjustable blowing angles: 0° straight up for carpet and floor drying, 45° tilted for air circulation and wall drying, and 90° upward for paint and wall drying.

Daisy-Chain Functionality: The MOUNTO AM20 is equipped with two built-in power outlets (maximum 12 Amps total). This allows you to connect up to five units together or power other equipment, maximizing coverage for larger areas.

BUILT IN POWER OUTLET (MAX 12AMPS)

Provide Power Input for Daisy Chain more Air Movers or other Equipment



This image shows three MOUNTO AM20 Air Movers connected in a daisy-chain configuration using their built-in power outlets, demonstrating how to provide power input for multiple air movers or other equipment.

Specific Applications: The compact size and adjustable angles make it particularly effective for drying in tight spaces.

CRAWL SPACE DRYING



This image depicts the MOUNTO AM20 Air Mover positioned inside a kitchen cabinet, illustrating its suitability for crawl space drying and use in other cramped areas.

4. **Power Off:** To turn off the unit, set the speed switch to the 'OFF' position and unplug the power cord from the wall outlet.

MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your air mover.

- **Cleaning:** Periodically wipe down the exterior of the unit with a soft, damp cloth. Ensure the air intake and exhaust grilles are free from dust, debris, and obstructions. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** When not in use, store the air mover in a cool, dry place. Wrap the power cord neatly around the integrated cord wrap. The stackable design allows for efficient storage of multiple units.
- **Inspection:** Before each use, inspect the power cord and plug for any signs of damage. If damage is found, do not use the unit and contact customer support.

TROUBLESHOOTING

If you encounter issues with your MOUNTO AM20 Air Mover, refer to the following common problems and

solutions:

Problem	Possible Cause	Solution
Air mover does not turn on.	No power supply. Damaged power cord/plug. Unit switch is off.	Check if the unit is properly plugged into a live outlet. Inspect cord and plug for damage; do not use if damaged. Ensure the speed switch is set to a speed setting (1, 2, or 3).
Low airflow.	Blocked intake/exhaust. Incorrect speed setting.	Clear any obstructions from the grilles. Increase the speed setting.
Unusual noise during operation.	Debris inside unit. Unit not on a stable surface.	Unplug and carefully check for foreign objects. If unable to remove, contact support. Place the unit on a flat, stable surface.

If the problem persists after trying these solutions, please contact MOUNTO customer support.

SPECIFICATIONS

Detailed technical specifications for the MOUNTO AM20 Air Mover:

The image shows a blue portable air mover with a black control panel. Dimensions are indicated with arrows: a width of 12 in (30.5cm) for the front view, a height of 13.2 in (33.5cm) for the front view, and a width of 11.0 in (28cm) for the side view. A 10 FT power cord is shown extending from the unit. The control panel includes a power switch, a speed selector dial, and two outlets. Text on the panel reads: 'TOTAL OUTPUT: 14.5AMPS MAX WITH THE UNIT OFF', 'AUXILIARY OUTPUT: 115 WATT CIGARETTE LIGHTER', and 'TOTAL OUTPUT: 9.5AMPS MAX WITH THE UNIT ON'.

Model:	AM20	Input:	120V/60HZ
Power:	1/5HP	Current:	1.6AMPS
Air Volume:	800CFM	Noise Level:	65DB
Weight:	9.5LB	Cord Length:	10FT

This image provides a visual representation of the MOUNTO AM20 Air Mover's dimensions and a table of its key specifications, including model, power, air volume, weight, input voltage, current, noise level, and cord length.

Specification	Value
Model Name	AM20
Brand	MOUNTO
Motor Power	1/5 HP
Air Flow Capacity	800 CFM (Cubic Feet Per Minute)
Number of Power Levels	3
Voltage	120 Volts
Frequency	60 Hz
Current	1.6 Amps
Wattage	150 watts
Noise Level	65 Decibels
Product Dimensions (L x W x H)	12"D x 11"W x 13"H (approx. 30.5cm x 28cm x 33.5cm)
Item Weight	11.31 pounds (approx. 5.13 kg)
Cord Length	10 ft
Material	Dual Roto-Molding Plastic
Indoor/Outdoor Usage	Indoor, Outdoor
Control Method	Touch (Switch)
Special Feature	Manual 3-Speed, Stackable, Dual Outlet

DIMENSIONS


Weight
9.5lb



This image provides a detailed view of the MOUNTO AM20 Air Mover, highlighting its physical dimensions: 13.2 inches (33.5 cm) in height, 12 inches (30.5 cm) in width, and 11.0 inches (28 cm) in depth, with a weight of 9.5 lbs.

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your purchase or contact MOUNTO customer service directly. Keep your purchase receipt as proof of purchase for any warranty claims.

Contact Information: Please visit the official MOUNTO website or refer to your product packaging for the most current customer support contact details.