

[manuals.plus](#) /

- › [Retevis](#) /
- › [Retevis EZTalk 62 Two-Way Radio Instruction Manual](#)

**Retevis EZTalk 62**

## Retevis EZTalk 62 Two-Way Radio Instruction Manual

### INTRODUCTION

---

Welcome to the instruction manual for your Retevis EZTalk 62 Two-Way Radio. This manual provides essential information on how to set up, operate, and maintain your device. Please read it thoroughly before using the radio to ensure optimal performance and safety.

The Retevis EZTalk 62 is a high-performance two-way radio designed for reliable communication over long distances. Key features include a powerful 5W output, a long antenna for stable signal, a 2200mAh battery for extended use, IP67 waterproofing, and specialized functions like one-touch mute and integrated hunting calls. Its user-friendly navigation menu allows for convenient operation in various outdoor environments.

# IP67 Waterproof

Fearless of rainy days, hunting freely



Figure 1: Retevis EZTalk 62 demonstrating long-range communication.

## PACKAGE CONTENTS

Ensure all items are present in your package:

- EZTalk 62 Two-Way Radio x1
- 2200mAh Li-ion Battery x1
- Type-C Charging Cable x1
- Wrist Strap x1
- Belt Clip x1
- User Manual x1
- Charger x1

## SETUP

### Battery Installation and Charging

To prepare your radio for use, first install the battery and then charge it fully.

- Battery Installation:** Align the 2200mAh Li-ion battery with the battery compartment on the back of the radio. Gently push until it clicks into place. Ensure it is securely fastened.
- Charging:** The EZTalk 62 offers two charging methods: via the included charging base or directly via the Type-C port.
  - Using the Charging Base: Place the radio into the charging base. The indicator light on the base will show the charging status.
  - Using the Type-C Cable: Connect the Type-C charging cable to the radio's Type-C port and a compatible USB power adapter.
- Allow the battery to charge completely before initial use. A full charge provides up to 20 hours of work time and 68 hours of standby time.



Figure 2: Battery compartment and 2200mAh battery.

# Easy to Operate

Finish operations through the navigation menu, using 2 way radio handily



Figure 3: Type-C charging and charging base options.

Your browser does not support the video tag.

Video 1: Demonstrates battery installation and charging methods for the Retevis EZTalk 62.

## OPERATING INSTRUCTIONS

### Power On/Off

To power on the radio, rotate the power/volume knob clockwise until you hear a click. To power off, rotate it counter-clockwise until it clicks.

### Basic Communication

To transmit, press and hold the Push-to-Talk (PTT) button on the side of the radio. Speak clearly into the microphone. Release the PTT button to receive.

### Menu Navigation

The EZTalk 62 features a navigation menu for accessing various settings and functions directly on the device, eliminating the need for computer programming for basic operations.

# Powerful Flashlight

Bring convenience for using hunting walkie talkies at night



Figure 4: Navigating the menu on the Retevis EZTalk 62.

## Special Features

- **One-Touch Mute:** Activate the mute function to silence messages and indicators, useful for discreet operation in environments where noise could be disruptive, such as hunting.



Figure 5: One-touch mute function.

- **Hunting Calls:** The radio includes pre-programmed hunting calls for various animals (elk, deer, duck, hare, roe deer, wild boar, wolf). Select the appropriate call to attract target animals.



Figure 6: Hunting calls feature.

Your browser does not support the video tag.

Video 2: Demonstrates menu navigation and various features of the Retevis EZTalk 62.

Your browser does not support the video tag.

Video 3: Shows the hunting call feature in action, attracting animals.

- **NOAA Weather Alert:** Stay informed about changing weather conditions with the integrated NOAA Weather Alert feature, helping to reduce risks during outdoor activities.



Figure 7: NOAA Weather Alert feature.

- **Powerful Flashlight:** A built-in flashlight provides convenience for using the radio in low-light conditions or at night.



Figure 8: Powerful flashlight feature.

- **Key Lock:** Prevent accidental button presses by activating the key lock function.



Figure 9: Key Lock function.

- **Adjustable Backlight:** Customize the display backlight intensity for comfortable viewing in various lighting conditions.



Figure 10: Adjustable Backlight setting.

## MAINTENANCE

---

### Waterproofing (IP67)

The Retevis EZTalk 62 is IP67 rated, meaning it is protected against dust ingress and can withstand immersion in water up to 1 meter for 30 minutes. This makes it suitable for use in rainy conditions and humid environments. However, it is important to ensure all port covers are securely closed before exposing the radio to water.

# Built-with 2200mAh Battery

20-hour work time effectively supports long-term hunting activities outdoors



Figure 11: IP67 Waterproof feature in action.

Your browser does not support the video tag.

Video 4: Demonstrates the IP67 waterproof capability of the Retevis EZTalk 62 by submerging it in water.

## General Care

- Clean the radio with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.
- Avoid exposing the radio to extreme temperatures or direct sunlight for prolonged periods.
- Store the radio in a dry, cool place when not in use.

## TROUBLESHOOTING

If you encounter issues with your Retevis EZTalk 62, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Radio does not power on.	Low or depleted battery. Battery not installed correctly.	Charge the battery fully. Reinstall the battery, ensuring it clicks into place.
Cannot transmit or receive.	Incorrect channel or frequency. Out of range. Antenna not properly attached.	Verify channel and frequency settings. Move closer to the other radio. Ensure antenna is securely screwed on.
Poor audio quality.	Low battery. Obstructions between radios. Volume too low.	Charge the battery. Move to an open area. Adjust volume.
Keypad is unresponsive.	Key lock is activated.	Deactivate the key lock function.

If the problem persists, please contact Retevis customer support.

## SPECIFICATIONS

---

Detailed technical specifications for the Retevis EZTalk 62:

Feature	Detail
Brand	Retevis
Model Number	EZTalk 62
Color	Camouflage
Number of Channels	16
Special Feature	2200 mAh Li-ion Battery
Voltage	7.4 Volts (DC)
Water Resistance Level	IP67 (Waterproof)
Number of Batteries	1 Lithium-ion (included)
Item Weight	285 Grams
Sound Level	60 Decibels
Compatible Devices	Headset

## WARRANTY AND SUPPORT

---

Retevis offers a 2-year warranty for the radio body and a 1-year warranty for accessories, along with a 30-day no-reason return policy. For warranty claims or technical support, please contact Retevis through Amazon. We aim to respond within 12 hours. Beyond the warranty period, maintenance services are still available, with buyers responsible for associated costs.

