

## Decaura GB10NK

# Decaura 12-inch Handicap Grab Bar User Manual

Model: GB10NK | Brand: Decaura

## 1. INTRODUCTION

Thank you for choosing the Decaura 12-inch Handicap Grab Bar. This stainless steel safety grab bar is designed to provide reliable support and stability in various areas of your home, particularly in bathrooms, showers, and stairways. It is engineered for durability and ease of installation, ensuring enhanced safety for seniors, pregnant women, children, and individuals with disabilities.


### Key Features:

- **Strong Construction:** Withstands up to 250kg (500lbs) of pulling force.
- **Durable Material:** Made of SS304 stainless steel, corrosion-resistant and easy to clean.
- **Wide Application:** Suitable for bathtubs, showers, toilets, stairway aisles, kitchens, living rooms, and laundry rooms.
- **Versatile Use:** Can also function as a bathroom towel rack or kitchen pendant.
- **Easy Installation:** Designed for straightforward wall-mounted installation on various surfaces.

## 2. SAFETY INFORMATION

Please read all instructions carefully before installation and use. Improper installation or use can lead to injury.

- **Weight Capacity:** This grab bar is designed to withstand up to 250kg (500lbs) of pulling force when properly installed. Do not exceed this weight limit.
- **Secure Installation:** Ensure the grab bar is securely fastened to a structural stud or appropriate blocking within the wall. Do not install into drywall alone without proper anchors or backing, as this will not provide adequate support and may lead to failure.
- **Regular Inspection:** Periodically check all screws and mounting points to ensure they remain tight and secure.
- **Cleanliness:** Keep the grab bar clean and dry to prevent slips.



**Sturdy, safe & secure**

Supports up to 500 pounds

The grab bar is designed to support up to 500 pounds when correctly installed.

### **3. PACKAGE CONTENTS**

Verify that all components are present before beginning installation:

- 1 x Decaura 12-inch Grab Bar
- Mounting Hardware (screws, wall anchors)
- Installation Manual



Included components: grab bar, mounting plates, screws, and wall anchors.

## 4. INSTALLATION

### Tools Required:

- Pencil
- Drill
- Drill Bit (appropriate size for anchors/screws)
- Hammer (for wall anchors)
- Screwdriver (Phillips head recommended)
- Level (optional, for precise alignment)

### Installation Steps:

1. **Disassemble the Grab Bar:** Separate the grab bar from its mounting flanges by twisting or unscrewing the decorative covers.
2. **Position and Mark:** Hold the mounting flange against the wall at the desired installation height and location. Use a pencil to mark the positions for the drill holes. Ensure the location is on a wall stud

or solid blocking for maximum security.

3. **Drill Pilot Holes:** Using an appropriate drill bit, drill pilot holes at the marked locations. The size of the drill bit should match the wall anchors provided, or be slightly smaller than the screws if drilling directly into a wood stud.
4. **Insert Wall Anchors (if applicable):** If installing into drywall or tile without a stud, gently tap the plastic wall anchors into the drilled holes with a hammer until flush with the wall surface.
5. **Attach Mounting Flanges:** Align the mounting flanges with the drilled holes. Insert the screws through the flange holes and tighten them securely into the wall anchors or directly into the studs using a screwdriver.
6. **Reassemble Grab Bar:** Slide the grab bar over the attached mounting flanges.
7. **Secure Decorative Covers:** Twist or screw the decorative covers back onto the mounting flanges to conceal the screws and provide a finished look.
8. **Test Stability:** Gently apply pressure to the grab bar to ensure it is firmly mounted and does not wobble.

**Important Note on Drywall Installation:** The included dowels and screws are suitable for solid walls. For drywall installations, it is crucial to locate and mount the grab bar directly into wall studs or use heavy-duty, toggle-style drywall anchors specifically designed for high-load applications. Installing into drywall alone with standard anchors will not provide sufficient support for safety grab bars.



Visual guide for the installation process.

## 5. USAGE

The Decaura grab bar is designed to provide a secure handhold for balance and support. It can be installed in various orientations to suit specific needs.

### Versatile Application:

This grab bar can be installed horizontally, vertically, or diagonally to provide optimal support depending on the user's needs and the specific location.

## Apply It From Any Angle




The grab bar can be applied from any angle: horizontal, diagonal, or vertical.

Common areas for installation include:

- **Bathroom:** Near toilets, inside showers, and next to bathtubs for assistance with standing, sitting, and preventing slips.
- **Stairways:** Along staircases to provide additional support and stability.
- **Other Areas:** Kitchens, living rooms, or laundry rooms where extra balance support may be beneficial.

# Wide Application



Examples of wide application: toilet, shower, stairway, and bathtub.

## Suitable for All Groups:

This grab bar is designed to provide safety and assistance for a wide range of users, including:

- Seniors
- Pregnant women
- Children
- Individuals with disabilities



## Suitable for All Groups of People



Pregnant women



Elderly



Kids



Disable

The grab bar is suitable for all groups of people, enhancing safety and independence.

### 6. MAINTENANCE

To ensure the longevity and continued performance of your Decaura grab bar, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the grab bar regularly with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the stainless steel finish.
- **Drying:** After cleaning, dry the grab bar thoroughly to prevent water spots and maintain its brushed nickel appearance.
- **Inspection:** Periodically inspect the grab bar and its mounting points for any signs of looseness, corrosion, or damage. If any issues are found, re-tighten screws or contact customer support if damage is present.

### 7. TROUBLESHOOTING

If you encounter any issues with your grab bar, refer to the table below for common problems and solutions.

Problem	Possible Cause	Solution
Grab bar feels loose or wobbly after installation.	Improper installation; screws not fully tightened; not mounted into a stud/solid backing; incorrect anchors used for wall type.	Re-tighten all screws. If still loose, remove and re-install ensuring it is mounted into a wall stud or using appropriate heavy-duty anchors for your wall material. Consult a professional if unsure.
Difficulty cleaning the surface.	Using abrasive cleaners or hard water stains.	Use only a soft, damp cloth with mild soap. For stubborn water spots, a vinegar-water solution can be used, followed by thorough rinsing and drying.
Corrosion or rust spots appear.	Exposure to harsh chemicals; prolonged moisture; damage to the protective finish.	Ensure the bar is dried after each use. Avoid contact with strong cleaning agents. If corrosion persists, the finish may be compromised, and replacement might be necessary.

## 8. SPECIFICATIONS

Attribute	Detail
Brand	Decaura
Model Number	GB10NK
Material	Stainless Steel (SS304)
Color	Brushed Nickel
Product Dimensions	12-inch (30cm) Length x 1-inch (2.5cm) Diameter
Weight Capacity	Up to 250kg (500lbs)
Item Weight	12 ounces
Included Components	Grab bar, installation kits (screws, anchors)
UPC	601549834509



## Product Size

Unit:mm

Φ25\*300



Product dimensions: 300mm (12-inch) length, 25mm (1-inch) diameter.

### 9. WARRANTY AND SUPPORT






Decaura is committed to providing high-quality products. For information regarding product warranty, returns, or technical support, please refer to the purchase documentation or contact Decaura customer service directly through the retailer where the product was purchased.

For further assistance, please visit the official Decaura store or contact their support team.

#### Decaura US Seller Information:

- Seller Name: Decaura US
- Seller ID: AQ5ZAIK47RK4Q

© 2025 Decaura. All rights reserved.

 <p>Installation Manual Decaura® Rain Shower Set For model codes: 8580XCH, 8580XBK, 8580-2XCH, 8580-2XBK (in different shower head size)</p> <p>Notes: Read this manual carefully before installation. It contains important information for proper installation and use of the product.</p> <p>Instructions:</p> <ol style="list-style-type: none"><li>1. Shut off the water supply to the shower area.</li><li>2. Remove the old shower head and arm.</li><li>3. Install the new shower head and arm.</li><li>4. Turn on the water supply and test the shower head.</li></ol> <p>Warranty Terms:</p> <p>1. Limited warranty against material and workmanship defects.<li>2. Excludes damage caused by misuse, neglect, or accidents.</li><li>3. See dealer for details and limitations.</li></p>	<p><a href="#">Decaura Rain Shower Set Installation Manual - Model Codes 8580XCH, 8580XBK, 8580-2XCH, 8580-2XBK</a></p> <p>Comprehensive installation manual for Decaura Rain Shower Sets, including model codes 8580XCH, 8580XBK, 8580-2XCH, and 8580-2XBK. Provides step-by-step instructions, parts list, and warranty information.</p>
 <p>Decaura® Installation Manual Wall Top Assemblies</p>	<p><a href="#">Decaura Wall Top Assemblies Installation Manual</a></p> <p>Comprehensive installation guide for Decaura Wall Top Assemblies, detailing parts, step-by-step instructions for round and square sets, warranty terms, and other conditions.</p>
 <p>Installation Manual Decaura® Square Rain Shower Set For model codes: 8557, 8557-2, 8557-3, 8557-4 (in different shower head size)</p> <p>Notes: Read this manual carefully before installation. It contains important information for proper installation and use of the product.</p> <p>Instructions:</p> <ol style="list-style-type: none"><li>1. Shut off the water supply to the shower area.</li><li>2. Remove the old shower head and arm.</li><li>3. Install the new shower head and arm.</li><li>4. Turn on the water supply and test the shower head.</li></ol> <p>Warranty Terms:</p> <p>1. Limited warranty against material and workmanship defects.<li>2. Excludes damage caused by misuse, neglect, or accidents.</li><li>3. See dealer for details and limitations.</li></p>	<p><a href="#">Square Rain Shower Set Installation Manual</a></p> <p>Installation manual for the Square Rain Shower Set, including model codes 8557, 8557-2, 8557-3, and 8557-4. Provides instructions on working pressure, temperature, cleaning, and warranty terms.</p>
 <p>Installation Manual Decaura® Round Shower Head Set For model codes: 8562, 8562-2, 8562-3, 8560-2 (in different shower head size)</p> <p>Notes: Read this manual carefully before installation. It contains important information for proper installation and use of the product.</p> <p>Instructions:</p> <ol style="list-style-type: none"><li>1. Shut off the water supply to the shower area.</li><li>2. Remove the old shower head and arm.</li><li>3. Install the new shower head and arm.</li><li>4. Turn on the water supply and test the shower head.</li></ol> <p>Warranty Terms:</p> <p>1. Limited warranty against material and workmanship defects.<li>2. Excludes damage caused by misuse, neglect, or accidents.</li><li>3. See dealer for details and limitations.</li></p>	<p><a href="#">Decaura Round Shower Head Set Installation Manual</a></p> <p>Comprehensive installation manual for Decaura Round Shower Head Sets, including model codes 8562, 8562-2, 8562-3, and 8560-2. Provides detailed instructions, parts list, warranty information, and step-by-step assembly guidance.</p>
 <p>Installation Manual Decaura® Basin Mixer For model codes: 71611CH, 71611BK, 71611SG, 71631CH, 71631BK, 71631SG</p> <p>Notes: Read this manual carefully before installation. It contains important information for proper installation and use of the product.</p> <p>Instructions:</p> <ol style="list-style-type: none"><li>1. Shut off the water supply to the basin area.</li><li>2. Remove the old basin mixer tap.</li><li>3. Install the new basin mixer tap.</li><li>4. Turn on the water supply and test the basin mixer tap.</li></ol> <p>Warranty Terms:</p> <p>1. Limited warranty against material and workmanship defects.<li>2. Excludes damage caused by misuse, neglect, or accidents.</li><li>3. See dealer for details and limitations.</li></p>	<p><a href="#">Decaura Basin Mixer Tap Installation Manual - Model 71611/71631 Series</a></p> <p>Comprehensive installation guide for Decaura Basin Mixer Taps, including parts list, step-by-step instructions, and warranty information for models 71611CH, 71611BK, 71611SG, 71631CH, 71631BK, 71631SG.</p>

**Pull Out Sink Mixer**

For Models 55705CH, 55705BK, 57305CH, 57305BK



**Introduction**

1. Before installation, please read this manual carefully.
2. Please make sure the water supply is turned off before installation.
3. Please make sure the water supply is turned off before installation.
4. Please make sure the water supply is turned off before installation.
5. Please make sure the water supply is turned off before installation.

**Warranty Terms**

1. The warranty is valid for 1 year from the date of purchase.
2. The warranty is valid for 1 year from the date of purchase.
3. The warranty is valid for 1 year from the date of purchase.

[Decaura Pull Out Sink Mixer Installation Manual](#)

Official installation guide for Decaura Pull Out Sink Mixers (Models 55705CH, 55705BK, 57305CH, 57305BK), detailing parts, instructions, and warranty information.