

KUAFU CH-214

KUAFU 60 Inch Landscape Rake Instruction Manual

Model: CH-214

1. INTRODUCTION

This manual provides essential instructions for the assembly, operation, maintenance, and safety of your KUAFU 60 Inch Landscape Rake. Designed for use with 2-inch receiver ATV, UTV, or SxS vehicles, this rake is suitable for various landscaping tasks, including grading, spreading, and clearing debris. Please read this manual thoroughly before use to ensure safe and efficient operation.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety instructions may result in serious injury or property damage.


- Avoid contact with moving parts during operation.
- Always wear appropriate protective gear, including safety glasses, gloves, and sturdy footwear, when assembling, operating, or maintaining the rake.
- Use the landscape rake only for its intended purpose to prevent injury and damage to the equipment.
- Ensure all connections are secure before operating the equipment.
- Keep bystanders, especially children and pets, away from the work area.
- Operate the ATV/UTV/SxS and rake at a safe speed, especially on uneven terrain or slopes.

3. PRODUCT COMPONENTS


The KUAFU 60 Inch Landscape Rake consists of a main accessory tool bar, hardened steel tines, and a hitch system designed for a 2-inch receiver. All components are constructed from high-quality, powder-coated steel for durability.

PRODUCT LIST

1x60	Inch Landscape Rake
------	---------------------



A diagram showing 1x60 inch landscape rake teeth. The teeth are arranged in a row, curving backwards. They are black and have a 1x60 inch profile.



A diagram showing the mounting hardware and instruction. It includes a row of 12 teeth, a row of 12 mounting brackets, a row of 12 mounting bolts, a row of 12 mounting nuts, a row of 12 mounting washers, and a row of 12 mounting spacers. The hardware is shown in a row, with the teeth and brackets on the left, and the bolts, nuts, washers, and spacers on the right.


Mounting hardware and instruction



A diagram showing the mounting hardware and instruction. It includes a row of 12 teeth, a row of 12 mounting brackets, a row of 12 mounting bolts, a row of 12 mounting nuts, a row of 12 mounting washers, and a row of 12 mounting spacers. The hardware is shown in a row, with the teeth and brackets on the left, and the bolts, nuts, washers, and spacers on the right.

1x60

Inch Landscape Rake



Mounting hardware and instruction



Figure 3.1: Product List. This image displays the main components included with the KUAFU 60 Inch Landscape Rake, such as the 60-inch rake bar, individual hardened steel tines, and all necessary mounting hardware (bolts, nuts, washers, pins).

21 Pieces Hardenedrake Tines



Fits for 2 Inch receiver



MORE DETAILS

Crafted from high-quality steel

With powder coated finished



Figure 3.2: Product Details. This image highlights the 21 hardened steel tines and the robust connection point designed to fit a 2-inch receiver. The construction features high-quality, powder-coated steel for enhanced durability.

4. SETUP AND INSTALLATION

The landscape rake requires assembly before use. All mounting hardware and instructions are included in the package. Follow

these steps for proper installation:

1. **Unpack Components:** Carefully remove all parts from the packaging. Verify that all components listed in Section 3 are present.
2. **Attach Tines:** Secure each hardened steel tine to the main accessory tool bar using the provided bolts, washers, and nuts. Ensure all tines are oriented correctly and tightened securely.
3. **Assemble Hitch System:** Connect the hitch attachment to the main tool bar. This system is designed to fit into a standard 2-inch receiver on your ATV, UTV, or SxS. *Note: Some users may find that the rake's female hitch attachment requires a male 2-inch square tube adapter (not included) to connect to their vehicle's female receiver. Ensure compatibility before proceeding.*
4. **Secure to Vehicle:** Slide the assembled rake's hitch into your vehicle's 2-inch receiver. Insert the hitch pin and secure it with the cotter pin. Double-check all connections for tightness and stability.




Figure 4.1: Easy Installation. This diagram illustrates the straightforward installation process. Attach the tines to the main bar, then secure the assembly to your vehicle's receiver by tightening the screws in the corresponding positions.



Figure 4.2: Fitment. The landscape rake is designed to fit vehicles with a 2-inch receiver, such as ATVs, UTVs, and SxSs, utilizing a 48-inch or 60-inch accessory tool bar and a 3-point hitch system.

5. OPERATING INSTRUCTIONS

Once properly installed, the KUAFU 60 Inch Landscape Rake can be used for various tasks. Always operate your vehicle and the attached rake responsibly.

- **Vehicle Compatibility:** Ensure your ATV, UTV, or SxS has a 2-inch receiver for proper attachment.
- **Task Versatility:** The rake is suitable for grading gravel driveways, preparing seedbeds, spreading soil, or clearing pine straw and other light debris from lawns and fields.
- **Operation Speed:** Adjust your vehicle's speed according to the terrain and the task. Slower speeds are generally recommended for precise grading or heavy debris, while faster speeds can be used for light raking over even surfaces.
- **Maneuvering:** Be mindful of the rake's width (60 inches) when turning or navigating tight spaces.

VERSATILE APPLICATION

Residential gardens



Commercial landscapes



Landscape Rake



Figure 5.1: Versatile Application. The landscape rake is a versatile tool suitable for a wide range of tasks in both residential gardens and commercial landscapes, including grading and debris clearing.

Your browser does not support the video tag.

Video 5.1: Landscape Rake in Action. This video demonstrates the KUAFU 60 Inch Landscape Rake being used to clear debris, showcasing its effectiveness and ease of use when attached to a utility vehicle.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your landscape rake.

- **Cleaning:** After each use, remove any accumulated dirt, debris, or vegetation from the tines and frame. A stiff brush or hose can be used.
- **Inspection:** Periodically inspect all bolts, nuts, and pins for tightness. Re-tighten as necessary. Check the tines for any signs of bending, cracking, or excessive wear. Replace damaged tines promptly.
- **Rust Prevention:** The rake is powder-coated, but prolonged exposure to moisture can lead to rust. Store the rake in a dry, covered area when not in use. Touch up any scratches or chips in the paint with rust-inhibiting paint.
- **Lubrication:** No specific lubrication points are typically required for this type of rake, but ensure any moving parts on your hitch system are free of obstruction.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your landscape rake.

- **Bent Tines:** If tines become bent during operation, inspect the extent of the damage. Minor bends may be carefully straightened using appropriate tools. Severely bent or broken tines should be replaced to maintain effective raking.
- **Hitch Connection Issues:** If the rake does not fit your vehicle's 2-inch receiver, verify that your receiver is indeed 2 inches. As noted in the setup section, an adapter (male 2-inch square tube) may be required if the rake's attachment is also female. Ensure the hitch pin aligns correctly and is fully secured.
- **Ineffective Raking:** Ensure the rake is properly lowered and making sufficient contact with the ground. Adjust vehicle speed

and terrain engagement as needed. Check for excessive debris buildup on the tines.

8. SPECIFICATIONS

Key specifications for the KUAFU 60 Inch Landscape Rake, Model CH-214:

Feature	Specification
Brand	KUAFU
Model Number	CH-214
Product Dimensions (W x H)	60"W x 12"H (1525mm W x 305mm H)
Head Size	60 inches
Head Material	Alloy Steel
Color	Black
Fitment	2 Inch Receiver ATV UTV SxS (48" or 60" accessory tool bar & 3 point hitch system)




Figure 8.1: Product Dimensions. This image provides a detailed view of the landscape rake's dimensions, including its overall width of 60-1/8 inches (1525mm) and height of 12-1/8 inches (305mm).

9. WARRANTY AND SUPPORT

For specific warranty information regarding your KUAFU 60 Inch Landscape Rake, please refer to the documentation provided with your purchase or contact the manufacturer directly. For technical support or replacement parts, please reach out to KUAFU customer service through their official channels.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question