

IK.903.311.66

Generic HJÄLPA Shelf 60 x 55 cm Instruction Manual

Model: IK.903.311.66

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Generic HJÄLPA shelf, measuring 60 x 55 cm. The HJÄLPA interior organizers are designed to maximize available space and keep items organized, including rails, baskets, hooks, and shelves. Please read this manual carefully before beginning assembly or use to ensure safe and correct installation.

SAFETY INFORMATION

- **Wall Attachment:** For safety, it is crucial to secure the shelf to the wall using the appropriate fasteners for your wall material. Different wall materials require different types of fastening devices. Consult a local specialist if you are unsure.
- **Weight Limit:** Do not exceed the maximum load capacity of 37 kg per shelf. Overloading can cause the shelf to collapse, leading to injury or damage.
- **Assembly:** Assemble the product on a soft, clean surface to prevent scratches. Ensure all screws and fittings are tightened securely before use. Periodically check and re-tighten fittings as necessary.
- **Children:** Keep small parts and packaging materials away from children during assembly to prevent choking hazards.
- **Stability:** Ensure the shelf is level and stable after assembly. Uneven weight distribution can affect stability.

PACKAGE CONTENTS

Please verify that all components listed below are present before starting assembly. If any parts are missing or damaged, contact your retailer.

- 1x Shelf board (60 x 55 cm)
- 2x Shelf brackets
- Screws and wall plugs (quantity as per assembly diagram)
- Assembly instructions leaflet



Image: All components of the HJÄLPA shelf, including the shelf board, two brackets, and a bag of screws and wall plugs, are laid out on a light-colored floor, ready for assembly.

SETUP AND ASSEMBLY

Tools required: Phillips head screwdriver, drill, spirit level, measuring tape, pencil.

1. **Attach Brackets to Shelf:** Place the shelf board on a soft, flat surface. Position the two shelf brackets on the underside of the shelf, ensuring they are evenly spaced and aligned with the edges. Use the provided short screws to secure the brackets to the shelf board. Do not overtighten.



Image: A close-up view shows a metal bracket being attached to the underside of the white HJÄLPA shelf board using a screwdriver and short screws.

2. **Mark Wall Positions:** Decide on the desired height for your shelf. Use a spirit level and pencil to mark two points on the wall where the brackets will be mounted. Ensure these marks are level and correspond to the spacing of the brackets on the shelf.
3. **Drill Holes:** Using a drill, create pilot holes at the marked positions. The drill bit size should match the diameter of the provided wall plugs. Insert the wall plugs into the drilled holes.
4. **Mount Shelf to Wall:** Align the holes in the shelf brackets with the wall plugs. Insert the longer screws through the brackets and into the wall plugs. Tighten the screws firmly until the shelf is securely fastened to the wall. Do not overtighten, as this can damage the wall or the shelf.



Image: The white HJÄLPA shelf is shown fully assembled and securely mounted on a plain white wall, ready for use.

OPERATING INSTRUCTIONS

Once assembled and securely mounted, your HJÄLPA shelf is ready for use. Place items evenly across the shelf surface. Avoid concentrating heavy items in one spot. Remember the maximum load capacity of 37 kg per shelf. This shelf is designed for interior use only.

MAINTENANCE

To keep your HJÄLPA shelf in good condition:

- **Cleaning:** Wipe clean with a damp cloth and a mild cleaner. Dry with a clean cloth. Avoid abrasive cleaners or scouring pads, as these can damage the surface.
- **Inspection:** Periodically check all screws and fittings to ensure they remain tight. Re-tighten if necessary.
- **Damage:** If the shelf or brackets become damaged, discontinue use and replace the affected components or the entire unit.

TROUBLESHOOTING

- **Shelf is wobbly after assembly:**
Solution: Ensure all screws securing the brackets to the shelf and the shelf to the wall are fully tightened. Verify that the wall plugs are correctly installed and suitable for your wall material. Use a spirit level to check if the shelf is level.

- **Difficulty drilling into the wall:**

Solution: Ensure you are using the correct drill bit for your wall material (e.g., masonry bit for concrete, wood bit for studs). If you encounter unexpected resistance, consult a professional.

- **Shelf appears uneven:**

Solution: Re-check your wall markings with a spirit level before drilling. Adjust the mounting points if necessary. Ensure the brackets are aligned correctly on the shelf.

SPECIFICATIONS

Brand	Generic
Model Number	IK.903.311.66
Assembled Width	56.4 cm (Frame width: 60 cm)
Assembled Depth	52.8 cm (Frame depth: 55 cm)
Thickness	2.2 cm
Max. Load per Shelf	37 kg
Material	<i>(Material information not provided, typically particleboard/fiberboard with foil finish)</i>

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided at the time of purchase or contact your retailer directly. The manufacturer's warranty terms and conditions apply. Keep your proof of purchase for any warranty claims.