

Generic IK.293.321.84

GRIMO Door with Hinges, 50x229 cm, Dark Blue

User Manual

Model: IK.293.321.84 | Brand: Generic

1. INTRODUCTION

This user manual provides comprehensive instructions for the installation, operation, maintenance, and troubleshooting of your GRIMO Door with Hinges. Please read this manual thoroughly before beginning installation or use to ensure proper function and longevity of your product. Keep this manual for future reference.

2. SAFETY INFORMATION

- Always handle the door with care to prevent injury or damage.
- Ensure proper support when installing to prevent the door from falling.
- Keep small children and pets away from the installation area.
- Do not hang or swing on the door.
- Use appropriate personal protective equipment (e.g., gloves) during installation.

3. PRODUCT OVERVIEW

The GRIMO Door with Hinges is a pre-assembled door designed for various interior applications. It features a dark blue finish and comes with pre-attached hinges for ease of installation.



Figure 3.1: Front view of the GRIMO Door with Hinges, showcasing its dark blue finish and overall design.




Figure 3.2: A detailed close-up of the GRIMO Door's surface texture and edge, highlighting the quality of the finish.

4. SETUP AND INSTALLATION

This door is designed for straightforward installation. While assembly is not required, proper installation into your door frame is crucial.

4.1 Tools Required (Not Included)

- Drill
- Screwdriver (Phillips head recommended)
- Level
- Measuring Tape
- Pencil

4.2 Installation Steps

1. **Prepare the Door Frame:** Ensure your door frame is clean, level, and free of obstructions. Verify that the frame dimensions accommodate the door (Width: 49.5 cm, Height: 229.4 cm).
2. **Position the Door:** Carefully lift the door and align its hinges with the pre-drilled holes or markings on your door frame. It may be helpful to have a second person assist with this step.
3. **Secure the Hinges:** Using appropriate screws (not included, ensure they are suitable for your frame material), attach the hinges securely to the door frame. Start with the top hinge, then the bottom, and finally the middle hinges.
4. **Check Alignment:** Once the door is loosely secured, open and close it a few times to check for smooth operation and proper alignment. Use a level to ensure the door is plumb.
5. **Tighten All Screws:** Once satisfied with the alignment, fully tighten all screws on the hinges. Do not overtighten.
6. **Install Door Handle/Knob:** Follow the instructions provided with your chosen door handle or knob to install it onto the door.

5. OPERATING THE DOOR

The GRIMO Door operates like any standard hinged door. To open, push or pull the door using the installed handle or knob. To close, gently push the door until it rests against the door frame. Avoid slamming the door to prevent damage to the door, frame, or hinges.

6. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your GRIMO Door.

6.1 Cleaning

- Wipe the door surface with a soft, damp cloth.
- For stubborn marks, use a mild, non-abrasive cleaner.
- Avoid using harsh chemicals, abrasive pads, or solvents, as these can damage the finish.
- Dry the surface immediately after cleaning to prevent water spots.

6.2 Hinge Care

- Periodically check the hinge screws for tightness. Tighten if necessary, but do not overtighten.
- If hinges begin to squeak, apply a small amount of silicone-based lubricant to the hinge pins.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Door squeaks when opening/closing	Dry or dirty hinges	Apply silicone lubricant to hinge pins. Clean hinges if necessary.
Door does not close properly	Misaligned hinges or loose screws	Check hinge screws for tightness and adjust if loose. Realign hinges if necessary.
Door rubs against frame	Improper installation or frame issues	Verify door frame is plumb and square. Adjust hinge shims if needed. Consult a professional if frame issues persist.

8. SPECIFICATIONS

Feature	Detail
Product Name	GRIMO Door with Hinges
Model Number	IK.293.321.84
Brand	Generic
Color	Dark Blue
Width	49.5 cm (19.49 inches)
Height	229.4 cm (90.31 inches)
Thickness	1.9 cm (0.75 inches)
Assembly Required	No (Pre-assembled with hinges)
Manufacturer	ProTuning

9. WARRANTY AND SUPPORT

For warranty information, please refer to the terms and conditions provided by your retailer or point of purchase. As this product is manufactured by ProTuning and sold under the Generic brand, any specific warranty details would typically be provided at the time of purchase.

If you encounter issues not covered in the troubleshooting section or require further assistance, please contact the retailer from whom you purchased the product. They will be able to provide guidance or direct you to the appropriate support channels.

