

[Manuals.plus](#) /

› [HENYU](#) /

› Golf Rangefinder with Slope - 1200 Yard Laser Range Finder for Golfing & Hunting, High-Precision Flag Locking Vibration, 7X Magnification, USB-C Rechargeable, Built-in Magnetic Strip Red Button

HENYU SH003-R2

HENYU Golf Rangefinder User Manual

Model: SH003-R2

Brand: HENYU

INTRODUCTION

This manual provides detailed instructions for the HENYU Golf Rangefinder, Model SH003-R2. This high-precision laser rangefinder is designed for accurate distance measurement in golfing, hunting, and other outdoor activities. It features advanced optical zoom, flag locking technology, slope compensation, and a magnetic mount for convenience.

PRODUCT OVERVIEW AND PACKAGE CONTENTS

The HENYU Golf Rangefinder comes with the following items:

- Laser Rangefinder
- Portable Soft Case
- Packing Box
- Hand Rope
- User Manual
- Mountaineering Buckle
- Charge Cable (USB-C)
- Lens Cloth

Toggle Between M/Y



Image: Illustration of all items included in the HENYU Golf Rangefinder package, including the rangefinder, soft case, charging cable, and accessories.

Device Components

The rangefinder features a multi-coated lens, a 7X optical zoom, and a USB-C charging port. It also includes a built-in magnetic strip for easy attachment.



Image: Front view of the HENYU Golf Rangefinder, showing the objective lens and laser emitter.

The New **Accuracy** For Golfing



Slope Switch



Flag Lock



7X Magnification



1200 Yards



Magnetic Strip



Chargeable



Image: Rear view of the HENYU Golf Rangefinder, showing the eyepiece and control buttons.

SETUP

Charging the Device

The rangefinder is equipped with a 1050mAh rechargeable battery.

1. Connect the provided USB-C charging cable to the rangefinder's charging port.

2. Connect the other end of the cable to a compatible USB power source.
3. The indicator light will show red during charging and turn green when fully charged.
4. A full charge typically takes 1.5 to 2 hours and provides up to 40,000 uses.



40000 TIMES

Use for each full charge



1050mAh
Battery capacity



10s
Auto-Off



1.5-2H
Charging Times

 In charging  Fully charging

Image: Close-up of the HENYU Golf Rangefinder showing the USB-C charging port and charging indicator light.

Initial Power On

Press the power button (usually the larger button on top) to turn on the device. The display will activate.

OPERATING INSTRUCTIONS

Power On/Off

To power on, press the power button. The device will automatically power off after 10 seconds of inactivity to conserve battery.

Adjusting Focus

Rotate the eyepiece to adjust the focus until the display and target appear clear.

Switching Units (Meters/Yards)

To switch between meters (M) and yards (Y), long press the "M" button (mode button) for 2 seconds.



Image: Diagram illustrating how to switch between meter and yard units on the rangefinder by long-pressing the mode button.

Measurement Modes

The rangefinder offers multiple measurement modes for various applications. Press the "M" button (mode button) repeatedly to cycle through the modes.

1. **Standard Measurement:** Measures direct line-of-sight distance to the target.
2. **Flag Locking with Vibration:** This mode is designed for golf. Aim at the flagpole, and the device will lock onto it, ignoring background objects. The rangefinder will vibrate twice when the flag is successfully locked. Long press the power button for quick locking.

FLAGPOLE LOCK MODE



Image: Visual representation of the Flagpole Lock Mode, showing the view through the rangefinder with a flagpole targeted and indicating vibration feedback.

3. **Slope Compensation:** When enabled, this mode calculates the actual playing distance by adjusting for elevation changes (uphill or downhill). This provides a more accurate distance for club selection. The slope function can be toggled on or off via a dedicated switch.

Slope Compensation

Calculate actual yardage using slope compensation for more accurate swings and hits.



Image: Diagram explaining slope compensation, showing measured distance versus ballistic distance with elevation changes, and the location of the slope switch on the device.

- 4. **Continuous Scanning:** Allows for continuous measurement as you pan across multiple targets.
- 5. **Speed Measurement:** Measures the speed of a moving object.

Magnetic Mount

The built-in magnetic strip allows the rangefinder to be securely attached to metal surfaces, such as a golf cart frame or club.

PORTABLE. COMPACT. MAGNETIC

Ergonomic Design
Lightweight

Cool gifts for golfer

SIZE : 4.5x 2.8x 1.7in

WEIGHT : 0.34lb



Image: The HENYU Golf Rangefinder attached to a golf cart using its magnetic strip, demonstrating its portability and convenience.

MAINTENANCE

- Use the provided lens cloth to gently clean the optical lenses. Do not use abrasive materials.
- Keep the device dry. Avoid exposure to extreme temperatures or direct sunlight for prolonged periods.
- Store the rangefinder in its protective soft case when not in use.
- Do not attempt to disassemble or repair the device yourself. Contact customer support for assistance.

Your browser does not support the video tag.

Video: A short preview video demonstrating the physical handling and features of the HENYU Golf Rangefinder.

TROUBLESHOOTING

Problem	Solution
Device does not power on.	Ensure the battery is charged. Connect to a USB-C power source and check the charging indicator.
Inaccurate measurements.	Ensure the lens is clean. Re-aim at the target. If using Flag Lock, ensure the flag is clearly visible. Check if Slope Compensation is enabled/disabled as desired.
Display is blurry.	Rotate the eyepiece to adjust the focus.
Cannot switch between meters/yards.	Ensure you are long-pressing the "M" button for at least 2 seconds.

SPECIFICATIONS

Feature	Detail
Brand	HENYU
Model Name	SH003-R2
Color	Red Button
Magnification	7X
Measuring Range	3 to 1200 yards
Accuracy	Within 0.5 yards
Battery Capacity	1050mAh
Charging Port	USB-C
Auto-Off	10 seconds (approx.)
Item Weight	114 Grams (0.25 lbs)
Water Resistance	Waterproof (IP65)

WARRANTY AND SUPPORT

HENYU provides a 2-year warranty and lifetime technical support for this product.

For technical assistance, warranty claims, or returns/exchanges on defects, please contact:

Email: grailpartzoage@yahoo.com



Image: Visual summary of HENYU's warranty and support, including 24 months unconditional warranty, 24 hours technical support, and returns/exchanges on defects.

© 2024 HENYU. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

