

[Manuals.plus](#) /

› [FLYMOOO](#) /

› FLYMOOO Bath Filter for Tub with 8 Stages & 2,500 Gallons Filtration, Model GLQ Instruction Manual

FLYMOOO GLQ

FLYMOOO Bath Filter for Tub Instruction Manual

Model: GLQ

INTRODUCTION

The FLYMOOO Bath Filter is designed to enhance your bathing experience by improving the quality of your bath water. This filter features an 8-stage filtration system engineered to reduce various contaminants, contributing to softer skin and hair. It is suitable for most common bathtub faucets and is intended for home or travel use.

PRODUCT FEATURES

- **8-Stage Filtration System:** Utilizes activated carbon, zeolite, KDF 55, and other materials to purify water.
- **Contaminant Reduction:** Designed to efficiently eliminate heavy metals, chlorine, and odors from water.
- **Improved Water Quality:** Aims to provide cleaner, softer water for bathing, which may benefit skin and hair.
- **Durable Material:** Constructed from high-quality ABS plastic for pressure and heat resistance.
- **Easy Installation:** Designed for quick and simple setup on most standard bathtub faucets without requiring tools.
- **High Capacity:** Offers a filtration capacity of approximately 2,500 gallons, typically lasting 4-6 months depending on usage and water quality.

EFFECTIVE **8 STAGE** FILTRATION



Figure 1: Diagram of the 8-stage filtration system, detailing the various media used to purify water.

PACKAGE CONTENTS

- FLYMOOO Bath Filter Unit
- Filter Cartridge (pre-installed)
- Flexible Hanging Straps (various lengths for different faucet types)
- Optional Water Diverter/Funnel Attachment

EASY TO INSTALL

suitable for most bathtub faucets



Figure 2: Exploded view of the filter, illustrating its components and overall dimensions.

SETUP INSTRUCTIONS

1. **Unpack Components:** Carefully remove all items from the packaging.
2. **Select Hanging Strap:** Choose the appropriate flexible hanging strap (short or long) that best fits your bathtub faucet. The straps are designed to secure the filter to the faucet spout.
3. **Attach Filter:** Hook the chosen strap onto the designated points on the filter unit. Then, loop the strap around your bathtub faucet spout to securely hang the filter. Ensure the filter is positioned directly under the water flow.
4. **Optional Diverter:** If your faucet has a diverter or if you wish to direct water more precisely into the filter, you may insert the optional funnel attachment into the top opening of the filter.
5. **Activate Filter:** Before first use, run hot water through the filter for approximately 2-3 minutes. This activates the filtration media and flushes out any loose particles.

DIMENSIONAL DISPLAY

precision-engineered, dimensions are a perfect match



Figure 3: Visual guide for installing the filter on various faucet types.

Your browser does not support the video tag.

Video 1: Detailed demonstration of the unboxing, assembly, and installation process for the FLYMOOO Bath Filter.

OPERATING INSTRUCTIONS

Once installed and activated, simply turn on your bathtub faucet as usual. The water will flow through the filter, undergoing the 8-stage purification process before entering your tub. Ensure the water stream is directed into the filter's opening for optimal performance.



Figure 4: The FLYMOOO Bath Filter in operation, filtering water into the tub.

MAINTENANCE

The filter cartridge has a lifespan of approximately 2,500 gallons or 4-6 months, whichever comes first. The filter is designed for single-use and should be replaced entirely once its capacity is reached. There are currently no replacement cartridges available for purchase separately; the entire unit must be replaced.

- **Replacement:** Replace the entire filter unit every 4-6 months or after 2,500 gallons of use.
- **Cleaning:** The exterior of the filter can be wiped clean with a damp cloth as needed. Do not attempt to clean or reuse the internal filter media.

TROUBLESHOOTING

- **Slow Water Flow:** If water flow becomes significantly slower, the filter may be nearing the end of its lifespan or may be clogged. Replace the filter unit.
- **Water Overflowing Filter:** Ensure the filter is correctly positioned directly under the faucet spout. If the water flow is too strong for the filter's intake, try reducing the water pressure from the faucet.
- **No Improvement in Water Quality:** Verify that the filter is properly installed and that water is flowing through the filtration media. If issues persist, the filter may need replacement.

SPECIFICATIONS

Attribute	Detail
Brand	FLYMOOO
Model Name	GLQ
Product Dimensions	4.5"L x 4.5"W x 3.6"H
Material	Acrylonitrile Butadiene Styrene, KDF 55, activated carbon, alkaline ceramic balls
Capacity	2500 Gallons
Purification Method	Activated Carbon
Special Feature	Portable

WARRANTY AND SUPPORT INFORMATION

For warranty claims or product support, please refer to the contact information provided at the point of purchase or on the product packaging. Specific warranty details and customer service contacts may vary. Please note that some users have reported difficulty finding dedicated customer support or replacement parts for this product. It is recommended to retain your purchase receipt for any potential claims.