

Monster M172

Monster Sparkle Bluetooth Speaker User Manual

Model: M172

INTRODUCTION

Thank you for purchasing the Monster Sparkle Bluetooth Speaker. This manual provides essential information for setting up, operating, and maintaining your speaker. Please read this manual thoroughly before using the product to ensure proper function and safety.





Image: The Monster Sparkle Bluetooth Speaker, showcasing its vibrant full-screen LED lighting.

SAFETY INFORMATION

To ensure safe operation and prevent damage, please observe the following precautions:

- Do not expose the speaker to extreme temperatures, direct sunlight, or excessive humidity.
- Avoid dropping or subjecting the speaker to strong impacts.
- Do not disassemble, repair, or modify the speaker yourself. Refer all servicing to qualified personnel.
- Keep the speaker away from medical devices, as it may cause interference.
- Use only the provided charging cable or a certified equivalent.
- Ensure the charging port cover is securely closed when the speaker is exposed to water to maintain IPX5 water resistance.

PACKAGE CONTENTS

Verify that all items are present in the package:

- Monster Sparkle Bluetooth Speaker
- USB-C Charging Cable
- 3.5mm AUX Audio Cable
- User Manual (this document)

PRODUCT OVERVIEW

Familiarize yourself with the components and controls of your Monster Sparkle speaker.



Image: Rear view of the speaker highlighting the input/output ports including MIC IN, AUX IN, USB, RESET, and USB-C charging port.




Image: Exploded view diagram illustrating the speaker's internal components: a 2-inch tweeter, a 5.25-inch subwoofer, and a passive radiator.

Control Panel Functions:



Image: Detailed view of the speaker's top control panel, showing buttons for power, volume, track control, light effects, Bass Boost, and Bluetooth pairing.

- **Power Button:** Press and hold to turn the speaker On/Off.
- **Play/Pause Button:** Press to play or pause audio.
- **Previous Track Button:** Press to go to the previous track.
- **Next Track Button:** Press to go to the next track.
- **Volume Down Button:** Press to decrease volume.
- **Volume Up Button:** Press to increase volume.
- **Bluetooth Pairing/Disconnecting Button:** Press to initiate Bluetooth pairing or disconnect.
- **Bass Boost Button:** Press to activate or deactivate Bass Boost mode.
- **Light On/Off Button:** Press to cycle through light modes or turn lights On/Off.

SETUP

1. Charging the Speaker

Before first use, fully charge the speaker. Connect the USB-C charging cable to the speaker's USB-C port and the other end to a USB power adapter (not included) or a computer's USB port. The charging indicator will show the charging status. A full charge takes approximately 2 hours and provides up to 24 hours of playtime (at 50% volume with lights off).

24 HOURS PLAYTIME

24+ Hours Playtime on 50% Volume off Lights



Image: The Monster Sparkle speaker illustrating its 24-hour battery life, with a battery charge indicator.

2. Powering On/Off

Press and hold the Power button on the control panel for 2-3 seconds to turn the speaker On or Off.

3. Bluetooth Pairing

To connect your device via Bluetooth:

1. Turn on the Monster Sparkle speaker. It will automatically enter Bluetooth pairing mode, indicated by a flashing light.
2. Enable Bluetooth on your smartphone, tablet, or other device.
3. Search for "Monster Sparkle" in the list of available Bluetooth devices and select it to connect.
4. Once connected, you will hear an audible confirmation, and the light indicator will become solid.

WIRELESS BLUETOOTH 5.3

Stable Connection & Longer Distance Transmission



Image: A smartphone wirelessly connected to the Monster Sparkle speaker via Bluetooth 5.3, demonstrating stable connection.

OPERATING INSTRUCTIONS

Basic Audio Playback

- Play/Pause:** Press the Play/Pause button.
- Volume Control:** Press the Volume Up (+) or Volume Down (-) buttons.
- Next/Previous Track:** Press the Next Track or Previous Track buttons.
- Bass Boost:** Press the Bass Boost button to toggle enhanced bass on or off.

Light Effects Control

The speaker features 6 full-panel lighting effects. Press the Light On/Off button to cycle through the different lighting modes or to turn the lights off.

6 FULL SCREEN LED EFFECTS

Light up the Night



Image: The Monster Sparkle speaker showcasing its dynamic full-screen LED lighting, with examples of different color patterns.

Wireless Stereo Pairing (TWS)

You can pair two Monster Sparkle speakers together for a true wireless stereo experience with 160W total sound output.

1. Ensure both speakers are powered on and not connected to any Bluetooth device.
2. On one speaker (this will be the primary speaker), press and hold the Bluetooth Pairing button until you hear a pairing tone.
3. The two speakers will automatically connect to each other. Once connected, you will hear a confirmation sound.
4. Now, connect your device to the primary speaker via Bluetooth as described in the "Bluetooth Pairing" section.

TRUE WIRELESS STEREO PAIRING

Pair 2 Speakers to Get 160W Powerful Stereo



Image: Two Monster Sparkle speakers positioned to demonstrate True Wireless Stereo Pairing, creating an immersive audio experience.

AUX/USB/TF Card Playback & Microphone Input

- **AUX Input:** Connect an external audio device (e.g., TV, laptop) using the provided 3.5mm AUX cable to the AUX IN port. The speaker will automatically switch to AUX mode.
- **USB Playback:** Insert a USB flash drive into the USB port to play audio files directly from the drive.
- **TF Card Playback:** Insert a TF (microSD) card into the designated slot to play audio files.
- **Microphone Input:** Connect a 6.35mm microphone to the MIC IN port for karaoke or public speaking.

Emergency Power Bank Function

The speaker's large-capacity battery can be used to charge your mobile devices. Connect your device to the speaker's USB port using a compatible charging cable.

MAINTENANCE

Cleaning

Wipe the speaker with a soft, dry cloth. Do not use abrasive cleaners, alcohol, or chemical solvents, as these may damage the surface.

Storage

Store the speaker in a cool, dry place away from direct sunlight and extreme temperatures when not in use for extended periods. It is recommended to charge the battery at least once every three months to maintain its lifespan.

Water Resistance (IPX5)

The Monster Sparkle speaker is IPX5 water-resistant, meaning it can resist water splashes, sprays, and rain. It is not designed to be submerged in water. Ensure all port covers are securely closed before exposing the speaker to water.



Image: The Monster Sparkle speaker positioned outdoors near a pool, illustrating its IPX5 water-resistant capability against splashes and rain.

TROUBLESHOOTING

If you encounter issues with your speaker, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Speaker does not turn on.	Low battery; Power button not held long enough.	Charge the speaker fully. Press and hold the Power button for 2-3 seconds.
Cannot pair via Bluetooth.	Speaker not in pairing mode; Device Bluetooth off; Too far from speaker.	Ensure speaker is in pairing mode (flashing light). Turn on Bluetooth on your device. Move device closer to speaker (within 10 meters).
No sound.	Volume too low; Incorrect input mode; Device not connected.	Increase speaker and device volume. Check if the correct input mode (Bluetooth, AUX, USB, TF) is selected. Reconnect the device.
Sound distortion.	Volume too high; Low battery; Interference.	Lower the volume. Charge the speaker. Move away from other electronic devices.
TWS pairing fails.	Speakers already connected to other devices; Not in TWS pairing mode.	Disconnect both speakers from any Bluetooth devices. Ensure both speakers are in TWS pairing mode (refer to "Wireless Stereo Pairing" section).

SPECIFICATIONS

Detailed technical specifications for the Monster Sparkle Bluetooth Speaker (Model: M172).

Feature	Detail
Model Name	M172
Speaker Type	Portable Bluetooth Speaker
Audio Output Mode	Stereo
Speaker Maximum Output Power	80 Watts (Peak 120W)
Tweeter	2 inches
Subwoofer	5.25 inches
Connectivity Technology	Bluetooth 5.3, AUX, USB, TF Card
Battery Life	Up to 24 Hours (at 50% volume, lights off)
Charging Time	Approximately 2 Hours
Water Resistance	IPX5
Product Dimensions (L x W x H)	5D x 37W x 22H Centimetres
Item Weight	2.4 Kilograms
Material	Metal
Color	Dark Black

TAKE IT WHEREVER YOU GO

Easy-Grip Handle for Convenient Carry




Image: The Monster Sparkle speaker with its dimensions clearly marked: 14cm width, 12cm depth, and 24cm height.

WARRANTY AND SUPPORT

Monster products are designed and manufactured to the highest quality standards. For warranty information or technical support, please refer to the warranty card included in your package or visit the official Monster website. Keep your purchase receipt as proof of purchase.

For further assistance, you may contact Monster customer service through their official channels.



[Monster Sparkle High Power Speaker MS22119 Quick Start Guide](#)

Quick start guide for the Monster Sparkle High Power Speaker (Model: MS22119), covering power, charging, pairing, volume control, music modes, microphone usage, light and bass boost features, stereo pairing, reset functions, and LED indicator guide.

lang:en score:21 filesize: 611.49 K page_count: 8 document date: 2025-06-18



[FSW Refrigeration & Air Conditioning Product Guide | HVAC/R Components](#)

Explore the FSW Product Guide, a comprehensive resource for Refrigeration & Air Conditioning components. Find detailed specifications for tubes, fittings, valves, compressors, evaporators, and more, essential for HVAC/R professionals.

lang:en score:21 filesize: 48.51 M page_count: 378 document date: 2025-07-22



[\[pdf\]](#)


Dutch XD Series The economic spectrophotometers Lovibond Gebruiksaanwijzing Enkele methode M172

Fluoride 2 L nl lovibond ix pim assets Wasseranalytik BookOfMethods Publication Einzelmethode |||

Fluoride 2 L / M172 Fluoride 2 L 0.1 - 2 mg/L FSPADNS **M172** F Instrumentspecifieke informatie De test kan op de volgende apparaten worden uitgevoerd. Bovendien worden de vereiste cuvette en het absorptiebereik van de fotometer aangegeven.

Toestellen MD 600, MD 610, MD 640, MultiDirect, SpectroDir...

lang:nl score:20 filesize: 3.49 M page_count: 5 document date: 2024-04-27



[FSW Refrigeration & Air Conditioning Product Guide | HVAC/R Components & Solutions](#)

Explore the FSW Product Guide, a comprehensive resource for refrigeration and air conditioning professionals. Featuring a wide array of components from leading brands like Tecumseh, Danfoss, Kelvion, and Friga-Bohn, this guide covers tubes, fittings, compressors, evaporators, and more for HVAC/R applications.

lang:en score:17 filesize: 58.01 M page_count: 355 document date: 2021-09-14



[\[pdf\] Test Report SAR Rating](#)

Measurement Report Kent RF Exposure Info Shenzhen Monster Creative Technology Co Ltd MS22119

HIGH POWER SPEAKER 2AVD2 2AVD2MS22119 ms22119

MPE Report Report No.:STS2505156H01 Issued for Shenzhen Monster Creative Technology Co., Ltd. Room 1602, Building A, Fencheng Zhigu Building, Xixiang Street, Bao an District, Shenzhen, Guangdong, China Product Name: HIGH POWER SPEAKER Brand Name: MONSTER Model Name: MS22119 Series Model s : M1... lang:en **score:17** filesize: 1.7 M page_count: 9 document date: 2025-07-22

SHENZHEN ETS TEST SERVICES CO., LTD.

100, Building A, Fencheng Zhigu Building, Xixiang Street, Bao an District, Shenzhen, Guangdong, China

Differences Description

We Shenzhen Monster Creative Technology Co., Ltd. state:

Product: HIGH POWER SPEAKER
Model Names: MS22119, M172, BS2109, MS22150, BS21011, MS22132
Trade Name: MONSTER
FCC ID: 2AVD2-MS22119

PCB board, structure and internal of these model(s) are the same,
Only different in model name, So no additional models were tested.

Signature

Date: 2025-07-21
Name: Wang run long
Title: R & D Manager
Company: Shenzhen Monster Creative Technology Co., Ltd.
Address: Room 1602, Building A, Fencheng Zhigu Building, Xixiang Street, Bao an District, Shenzhen, Guangdong, China

[\[pdf\]](#)

Differences Description simple Model Difference Shenzhen Monster Creative Technology Co Ltd MS22119 HIGH POWER SPEAKER 2AVD2 2AVD2MS22119 ms22119

Differences Description We Shenzhen Monster Creative Technology Co., Ltd. state:
Product HIGH POWER SPEAKER Model Name MS22119, **M172**, BS2109, MS22150, BS21011, MS22132 Trade Name: MONSTER FCC ID: 2AVD2-MS22119 PCB board, structure and internal of these model s are the same, Only different in model ... lang:tl **score:17** filesize: 44.89 K page_count: 1 document date: 2025-07-21

Shenzhen Monster Creative Technology Co., Ltd.

(2025-07-21)
Eurofins Electrical and Electronic Testing NA, Inc.
914 West Patapsco Avenue
Baltimore, MD 21230

RE: CONFIDENTIALITY REQUEST FOR HIGH POWER SPEAKER / MS22119,
MS22150, BS2109, BS21011, MS22132 FCC ID: 2AVD2-MS22119
To Whom It May Concern

This letter serves as an official request for confidentiality under sections 0.457 and 0.459 of CFR 47. We have requested that the

• **Specs**

• **Block diagram**

• **Operation & Test Data**

requested to be submitted with this application be permanently withheld from public review.

These materials contain trade secrets and proprietary information and are not

intended for release to the public. The public disclosure of this information might

be harmful to the company and its business interests in some circumstances.

Please contact me if there is any information you may need.

Sincerely,

Name: Wang run long

[\[pdf\] Confidentiality Request Letter](#)

Please produce a letter on your company letterhead with the following information administrorr Long term Confidentiality Letter Shenzhen Monster Creative Technology Co Ltd MS22119 HIGH POWER SPEAKER 2AVD2 2AVD2MS22119 ms22119

Shenzhen Monster Creative Technology Co., Ltd. 2025.07.21 Eurofins Electrical and Electronic Testing NA, Inc. 914 West Patapsco Avenue Baltimore, MD 21230 RE: CONFIDENTIALITY REQUEST FOR HIGH POWER SPEAKER / MS22119, **M172**, BS2109, MS22150, BS21011, MS22132/ FCC ID: 2AVD2-MS22119 To Whom It Ma... lang:en **score:15** filesize: 60.29 K page_count: 1 document date: 2025-07-21



Radio Test Report

Report No.:STS2505156W01

Issued for

Shenzhen Monster Creative Technology Co., Ltd.
Room 1602, Building A, Fencheng Zhigu Building, Xiangjiang
Street, Bao'an District, Shenzhen, Guangdong, China

Product Name: HIGH POWER SPEAKER

Brand Name: MONSTER

Model Name: MS22119

Series Model(s): M172, BS2109, MS22150, BS21011,
MS22132

FCC ID: 2AVD2-MS22119

Test Standard: FCC Part15.247

The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Shenzhen STS Test Services Co., Ltd.

[pdf] Test Report

Measurement Report Kent Test Shenzhen Monster Creative Technology Co Ltd MS22119 HIGH POWER SPEAKER 2AVD2 2AVD2MS22119 ms22119

Radio Test Report Report No.:STS2505156W01 Issued for Shenzhen Monster Creative Technology Co., Ltd. China Product Name: HIGH POWER SPEAKER Brand Name: MONSTER Model Name: MS22119 Series Model(s): M172, BS2109, MS22150, BS21011, MS22132 FCC ID: 2AVD2-MS22119 Test Standards: FCC Part15.247 The ...

lang:en score:14 filesize: 5.16 M page_count: 95 document date: 2025-07-24

SHENZHEN STS TEST SERVICE CO., LTD. © 2002-2010 Radio Test Services, Inc. All rights reserved. Radio Test Services, Inc. is a registered trademark of Radio Test Services, Inc. in the United States and/or other countries.



UNIVERSITY CENTER

4000 - 4255 Campus Dr. Irvine, CA 92612

171,010 SF Gross Leasable Area

- Draws customers from University of California, Irvine (UCI) which is connected to the center by a pedestrian bridge, supporting 10,000 students and 1,000 faculty and office staff
- Located to 37,000 students and 7,000 faculty/staff
- Caters to professionals working in UCI Research Park, 22 million sf workplace community, home to companies such as Google, Facebook, LinkedIn, Oracle, Qualcomm, Novartis, and UCI Best Applied Innovation @ the Core
- Heavy points of interest that draw customers include University of California, Irvine, University of California, Irvine, and William R. Mason Regional Park. The University Center is a great destination for outdoor enthusiasts from all over Orange County
- Serves affluent communities of Turtle Rock and Turtle Ridge with average home values of \$1.5 million



[pdf]

NCC One Sheets 2022 indd University Center assets ctfaassets net l16b5usqno44 umb media 24118 7e17a043ac632042831c3e9c81b56094 |||

UNIVERSITY CENTER 4100 - 4255 Campus Dr. Irvine, CA 92612 171,010 SF Gross Leasable Area Draws cu ... 19 -7 64 -10 61 -6 M169 4,120 SF 19 19 67 -7 M171

GYUTAN RAMEN 1,495 SF 18 -6 30 -1 M172 715 SF 22 -3 47 -10 34 -3

YOGURT LAND 31 24 -3 25 -1 17 -4 LE DIPOLMAT BAKERY 17 -...

lang:en score:10 filesize: 4.02 M page_count: 2 document date: 2022-01-11