

LUXOAK CBV009

LUXOAK 30" Farmhouse Sliding Barn Door Bathroom Vanity with Sink

Model: CBV009 - Light Grey with Solid White Acrylic Top

			Introduction	Safety Information	Package	
Contents	Setup	Operation	Maintenance	Troubleshooting	Specifications	Warranty & Support

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your LUXOAK 30" Farmhouse Sliding Barn Door Bathroom Vanity with Sink. This vanity combines modern and vintage design elements, featuring an integrated sink, a smooth-gliding barn door, and two independent drawers for organized storage. Constructed from high-quality materials with a light grey wood grain texture, vintage metal rails, and deep handles, it is designed for durability and stability in your bathroom environment.



Figure 1: LUXOAK 30" Farmhouse Sliding Barn Door Bathroom Vanity with Sink.

SAFETY INFORMATION

Upon receiving your vanity, please inspect the item thoroughly to confirm it is intact and free from damage. Do not proceed with assembly if any parts are damaged or missing. Always follow local plumbing and building codes during installation. Ensure the anti-tip device is securely installed to prevent accidental tipping.

PACKAGE CONTENTS

Verify that all components listed below are present before beginning assembly.

- Vanity Cabinet
- Integrated Sink
- Metal Sliding Track
- Assembly Instruction Manual

Note: Faucet, drain, and mirror are not included and must be purchased separately.



Figure 2: Included and Not Included Components.

SETUP AND INSTALLATION

The LUXOAK vanity is designed for straightforward assembly. All parts are labeled to facilitate quick and hassle-free installation. Refer to the separate detailed assembly instructions provided in the package for step-by-step guidance.

Key Installation Steps:

- Unpack and Inspect:** Carefully remove all components from the packaging and inspect for any damage or missing parts.
- Assemble Cabinet Frame:** Follow the numbered instructions to assemble the main cabinet structure. Ensure all fasteners are tightened securely.
- Install Sliding Track:** Attach the metal sliding track for the barn door according to the instructions. Ensure it is level and securely fastened.
- Install Drawers:** Assemble and install the two independent drawers into their designated slots. Test for smooth operation.
- Place Integrated Sink:** Carefully place the integrated sink onto the vanity cabinet. Ensure proper alignment and secure it as per instructions.
- Connect Plumbing:** Connect the faucet and drain (not included) to the integrated sink and your home's plumbing system. Ensure all connections are watertight. It is recommended to consult a qualified plumber for this step.
- Install Anti-Tip Device:** Securely install the anti-tip device to the wall and the vanity cabinet to prevent accidental tipping, especially in households with children or pets.

Dimensions



Tips: All-in-One Package




Figure 3: Product Dimensions and Component Measurements.



Smooth Glide Rails

Deep and Easy-pull Handles



Anti-Tip Drilling

Figure 4: Details of Sliding Rails, Handles, and Anti-Tip Mechanism.

OPERATING INSTRUCTIONS

Sliding Barn Door:

The barn door slides smoothly along the metal track. To access the storage compartment, gently push the door left or right along the track. The door can be positioned to cover either the open storage area or the drawers, providing flexible access and aesthetic appeal.



Figure 5: Smooth Sliding Barn Door Operation.

Drawers:

The vanity features two independent drawers with deep handles. Pull the handles to open the drawers and push to close. These drawers are designed for organizing smaller bathroom essentials.

Independent Drawer Storage

Maximizing Functionality and Efficiency



Figure 6: Independent Drawer Storage.

Integrated Sink:

The integrated solid white acrylic sink is designed for ease of cleaning and features a deep basin to minimize splashing. It includes an overflow to prevent accidental overfilling. Ensure the faucet (not included) is compatible with the sink's design and provides adequate clearance.




Figure 7: Integrated Basin Features.

Your browser does not support the video tag.

Video 1: Overview of the 31" Farmhouse Sliding Barn Door Bathroom Vanity, demonstrating its features and design.

CARE AND MAINTENANCE

To maintain the appearance and longevity of your LUXOAK vanity, follow these care instructions:

- **Cleaning Surfaces:** Wipe all surfaces, including the cabinet and sink, with a soft, damp cloth. For stubborn stains on the acrylic sink, use a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive scrubbing pads, which can damage the finish.
- **Spills:** Promptly wipe up any spills to prevent water damage or staining, especially on the wood grain surfaces.
- **Hardware:** Periodically check and tighten any loose screws on handles, drawer slides, or the barn door track.
- **Avoid Excessive Moisture:** While designed for bathroom use, avoid prolonged exposure to excessive moisture. Ensure proper ventilation in your bathroom.

TROUBLESHOOTING

If you encounter any issues with your vanity, refer to the common problems and solutions below:

- **Sliding Door Sticking or Not Moving Smoothly:**
 - Check the metal track for any debris or obstructions. Clean if necessary.
 - Ensure the track is securely fastened and level. Adjust if needed.
 - Verify that the door rollers are properly seated on the track.
- **Drawers Not Opening or Closing Properly:**
 - Check for items obstructing the drawer slides or preventing full closure.
 - Ensure the drawer slides are properly aligned and securely attached to both the drawer and the cabinet.
 - Verify that the drawers are not overloaded.
- **Water Splashing from Sink:**
 - Ensure the faucet (if installed) is appropriately sized and positioned for the sink basin.
 - Check water pressure; excessively high pressure can cause splashing.

- **Vanity Feels Unstable:**
 - Confirm that the anti-tip device is correctly installed and securely anchored to both the wall and the vanity.
 - Ensure all assembly fasteners are tightened.
 - Verify the vanity is on a level surface. Use shims if necessary to stabilize.

SPECIFICATIONS

Feature	Detail
Brand	LUXOAK
Model Number	CBV009
Color	Light Grey - Solid White Acrylic
Material	Acrylic, Aluminum, Engineered Wood
Product Dimensions (D x W x H)	18.31"D x 29.3"W x 33.66"H
Item Weight	84 pounds
Number of Drawers	2
Number of Shelves	1
Number of Doors	1 (Sliding Barn Door)
Installation Type	Freestanding
Mounting Type	Floor Mount
Weight Capacity Maximum	84 pounds
Top Material Type	Solid White Acrylic Integrated Top
Product Care Instructions	Wipe with Damp Cloth

WARRANTY AND SUPPORT

LUXOAK products are designed for quality and durability. While specific warranty details are not provided in this document, the product is typically covered by a 30-day easy return policy from the date of purchase. For any questions, concerns, or assistance with your vanity, please contact customer support through the retailer where the product was purchased. Ensure you have your purchase details and model number (CBV009) available for faster service.

Manufacturer: boliyang

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question