

[Manuals.plus](#) /

> [SUuim](#) /

> SUuim 24-Bottle Freestanding Wine Cooler Refrigerator Instruction Manual, Model B0D2HM2GYN

SUuim B0D2HM2GYN

SUuim 24-Bottle Freestanding Wine Cooler Refrigerator

INSTRUCTION MANUAL - MODEL B0D2HM2GYN

Introduction

Thank you for choosing the SUuim 24-Bottle Freestanding Wine Cooler Refrigerator. This appliance is designed to provide optimal storage conditions for your wine collection, ensuring each bottle is kept at its ideal temperature. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your wine cooler. Please read it thoroughly before use and retain it for future reference.



Image: The SUuim 24-Bottle Freestanding Wine Cooler Refrigerator, showcasing its design with wine bottles and glasses.

Safety Information

To ensure safe operation and prevent injury or damage, please observe the following safety guidelines:

- Avoid contact with children.
- Stay away from sources of fire.
- Store in a dry environment.

UK	Avoid contact with children Stay away from sources of fire Store in a dry environment
DE	Kontakt mit Kindern vermeiden Halten Sie sich von Feuerquellen fern In trockener Umgebung lagern
FR	Tenir hors de portée des enfants Éloignez - vous de la source du feu Stockage dans un environnement sec
IT	Evitare il contatto con i bambini Stai lontano da fonti di fuoco Conservare in ambiente asciutto
ES	Evitar el contacto con los niños Lejos de la fuente del fuego Almacenamiento en un ambiente seco
NL	Vermijd contact met kinderen Blijf uit de buurt van vuurbronnen Bewaren in een droge omgeving
SE	Undvik kontakt med barn Håll dig borta från eldkällor Förvaras i torr miljö
PL	Unikać kontaktu z dziećmi Trzymaj się z dala od źródeł ognia Przechowywać w suchym środowisku

Image: Safety warnings in multiple languages, emphasizing precautions for use.

Product Overview

The SUuim Wine Cooler features a professional compressor for efficient cooling, digital temperature control, and a sleek design. Key components and features include:

- **Digital Touch Control Panel:** For easy temperature adjustment and settings.
- **Blue LED Light:** Illuminates the interior for visibility.
- **Safety Lock:** To prevent unauthorized access or accidental changes.
- **Unit Conversion:** Switch between Celsius and Fahrenheit.
- **Hidden Hinge:** Provides a clean aesthetic.
- **Metal Shelves:** Removable for flexible storage, accommodating most standard 750ml bottles.
- **Door Gasket:** Ensures a tight seal for optimal insulation.
- **Adjustable Feet:** For leveling the appliance on uneven surfaces.
- **Reversible Door:** Allows for left or right-hand opening.

Easy-Touch Control Panel



Blue LED Light



Temperature Control



Safety Lock



Unit Conversion



Image: Detailed view of the easy-touch control panel, showing buttons for light, temperature, safety lock, and unit conversion.



Hidden Hinge



Removable shelves for added space.
Fits most standard 750ml bottles.

Metal Shelf



Door Gasket



Adjustable Feet

Image: Close-up views of key components including the hidden hinge, removable metal shelves, door gasket, and adjustable feet.

Setup and Installation

1. **Unpacking:** Carefully remove all packaging materials. Ensure no parts are missing or damaged.
2. **Placement:** This wine cooler is designed for freestanding or countertop use. Place it on a flat, stable surface away from direct sunlight, heat sources, and excessive moisture. Ensure adequate ventilation around the unit.
3. **Leveling:** Use the adjustable feet at the bottom of the unit to ensure it is perfectly level. This is crucial for proper operation and door alignment.
4. **Initial Settling:** After placement, allow the appliance to stand upright for at least 2-4 hours before plugging it in. This allows the refrigerant to settle.
5. **Door Reversal (Optional):** The door hinge is reversible, allowing you to change the door opening direction from right to left, or vice versa, to suit your space. Refer to the detailed instructions in the separate door reversal guide (if provided) or contact customer support for assistance.
6. **Power Connection:** Plug the unit into a dedicated, grounded 110-120V/60Hz electrical outlet. Do not use extension cords.

24-Bottle Countertop or Freestanding Wine Cooler



Image: The wine cooler positioned on a countertop, demonstrating its suitability for freestanding placement.

Left Right Hinge Reversible



Image: Illustration of the reversible door hinge feature, showing options for left or right-hand opening.

Operating Instructions

The control panel is located on the top front of the unit. It features an easy-touch interface for managing settings.

Easy-Touch Control Panel



Blue LED Light



Temperature Control



Safety Lock



Unit Conversion



Image: Detailed view of the easy-touch control panel, showing buttons for light, temperature, safety lock, and unit conversion.

1. **Power On/Off:** Press the power button () to turn the unit on or off.
2. **Temperature Adjustment:** Use the + and - buttons to set your desired temperature. The temperature range is 39°F to 72°F (3.9°C to 22.2°C). The default setting is 54°F (12.2°C).
3. **Blue LED Light:** Press the light button () to turn the interior LED light on or off.
4. **Unit Conversion:** Press the °C/°F button to switch the temperature display between Celsius and Fahrenheit.
5. **Safety Lock:** The lock button () can be used to prevent accidental changes to settings. Press and hold to activate/deactivate.

Recommended Wine Serving Temperatures:

Precise Temperature Control from 39-72°F



Image: A guide to precise temperature control, illustrating recommended serving temperatures for various wine types.

- **Sparkling Wine:** 45-48°F (7-9°C)
- **White Wine:** 44-57°F (6-14°C)
- **Light Red Wine:** 55-60°F (13-16°C)
- **Full-Bodied Red Wine:** 60-65°F (16-18°C)

Maintenance and Care

- **Cleaning the Interior:** Unplug the unit before cleaning. Use a soft cloth dampened with a mild detergent solution to clean the interior surfaces. Avoid abrasive cleaners.
- **Cleaning the Exterior:** Wipe the exterior with a soft, damp cloth. For stainless steel surfaces, use a specialized stainless steel cleaner.
- **Shelves:** The metal shelves are removable for easy cleaning or to adjust storage space. Clean them with mild soap and water.
- **Door Gasket:** Regularly check and clean the door gasket to ensure a proper seal. A dirty or damaged gasket can affect cooling efficiency.
- **Defrosting:** This unit features a "no frost" design, minimizing the need for manual defrosting. If ice buildup occurs, unplug the unit and allow it to melt naturally, then wipe away excess water.

- **Power Outage:** In case of a power outage, keep the door closed to maintain the internal temperature for as long as possible.
- **Vacation:** For long vacations, unplug the unit, clean it, and leave the door slightly ajar to prevent odors.

Troubleshooting

Before contacting customer support, please review the following common issues and solutions:

Problem	Possible Cause	Solution
Unit does not operate.	Not plugged in; circuit breaker tripped; power outage.	Ensure plug is secure; check circuit breaker; verify power supply.
Temperature is not cold enough.	Door not closed properly; excessive door opening; high ambient temperature; unit overloaded; poor ventilation.	Check door seal; reduce frequency of door opening; ensure proper ventilation; do not overload; adjust ambient temperature if possible.
Unit is noisy.	Unit not level; vibrating against wall; normal compressor operation.	Adjust leveling feet; move unit away from walls; some noise from compressor is normal.
Vibration.	Unit not level.	Adjust leveling feet.

Low-noise Operation



Image: The wine cooler in a home environment, highlighting its low-noise operation.

Specifications

Feature	Detail
Appliance Type	Wine Cabinet / Wine Cellar
Model Number	B0D2HM2GYN
Product Dimensions (W x D x H)	17.3 x 18.5 x 26.8 inches (43.9 x 47 x 68.1 cm)
Bottle Storage Capacity	24 bottles (standard 750ml)
Temperature Range	39°F - 72°F (3.9°C - 22.2°C)
Default Temperature	54°F (12.2°C)
Net Weight	54.03 lb (24.5 kg)
Gross Weight	61.73 lb (28 kg)

Feature	Detail
Input Power	110-120V / 60Hz
Rated Wattage	44W
Cooling System	Compressor-based
Defrost Type	No Frost
Control Type	LED Digital Touch
Material	One-piece stainless steel + tempered glass

Product Size

Unit: inch



Image: Product dimensions diagram, indicating width, depth, and height in inches.

Warranty and Support

SUuim is committed to providing high-quality products and customer satisfaction. This product comes with a global warranty, ensuring support regardless of your location.

- **100% Satisfaction Guarantee:** We strive for your complete satisfaction with our products.
- **Global Warranty:** Our products are covered by a global warranty, providing support wherever you are.
- **Customer Support:** If you have any questions about your order, product operation, or require assistance, please feel free to contact us.

For service and support, please refer to the contact information provided with your purchase or visit the official SUuim website.