

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Fanbulous](#) /

› [Fanbulous 62-Inch Nickel Ceiling Fan with Remote and LED Light \(Model YW62\)](#)

Fanbulous YW62

Fanbulous 62-Inch Nickel Ceiling Fan with Remote and LED Light (Model YW62)

Instruction Manual

INTRODUCTION

Thank you for choosing the Fanbulous 62-inch Nickel Ceiling Fan. This modern ceiling fan features a quiet DC motor, 8 dual-finish blades (nickel and oak gray), an integrated LED light with three color temperature options, and a convenient remote control. Designed for both indoor and outdoor use, it provides efficient airflow and customizable comfort. Please read this manual thoroughly before installation and operation to ensure safe and proper use.

IMPORTANT SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or personal injury, always follow these instructions:

- Read all instructions carefully before beginning installation.
- Installation must be performed by a qualified electrician.
- Ensure the installation site can support the fan's weight.
- Disconnect power at the circuit breaker before wiring.
- Do not operate the fan with damaged blades or housing.
- Avoid direct exposure to rain for outdoor installations.

PACKAGE CONTENTS

Verify all components are present before beginning assembly.

Your browser does not support the video tag.

Video: Unboxing the Fanbulous 62-inch Ceiling Fan, showing all included components such as the motor, blades, downrods, remote control, and installation hardware.

- Fan Motor Assembly
- 8 Fan Blades (Dual Finish: Nickel and Oak Gray)
- LED Light Kit
- Remote Control with Wall Cradle (2 AAA batteries included)
- Downrods (5", 10", 15" options)
- Mounting Bracket and Hardware
- User Manual

SPECIFICATIONS

Feature	Detail
Model Name	YW62
Size	62 Inch
Color	Nickel
Number of Blades	8
Motor Type	DC Reversible Motor
Light Wattage	24W LED (1800LM)
Color Temperatures	3000K (Warm), 4000K (Neutral), 6000K (White)
Fan Speeds	6 Adjustable Speeds
Timer Settings	1H, 2H, 4H
Noise Level	Below 35 dB
Voltage	120 Volts
Indoor/Outdoor Usage	Indoor, Outdoor (Avoid direct rain exposure)

Fanbulous

6-Speed Reversible Motor

Cool in summer, warm in winter



Summer Forward
Deliver Cool Air

Winter Reverse
Warm Air Circulation



Image: Detailed dimensions and mounting options for the 62-inch Fanbulous ceiling fan.

SETUP AND INSTALLATION

Professional installation by a licensed electrician is recommended. Ensure power is OFF at the circuit breaker before starting.

1. Mounting the Bracket

1. Securely attach the mounting bracket to a ceiling joist or an outlet box rated for fan support.
2. Use appropriate screws and washers provided.

2. Assembling the Downrod and Motor

1. Select the desired downrod length (5", 10", or 15").
2. Feed the electrical wires from the motor through the downrod.
3. Attach the downrod to the fan motor assembly.

3. Wiring Connections

1. Connect the fan's electrical wires to the household wiring according to local electrical codes.
2. Ensure all connections are secure and insulated.
3. Install the remote control receiver module as per the wiring diagram in the full manual.

Fanbulous

Remote Control

Multi function, enjoy a smart life



6 Wind Speeds



3 Color Temperature Adjustable



Reversible DC Motor



Timer Setting 1/2/4 Hours



Super Quiet



Image: Close-up of the fan motor and downrod connection points.

4. Attaching Fan Blades

1. Attach each of the 8 blades to the motor housing using the provided screws.
2. Choose between the nickel or oak gray finish side of the blades.

Double-Sided Fan Blade

Suitable for variety decoration styles



Image: Dual-sided fan blades with nickel and oak gray finishes.

5. Installing the LED Light Kit

1. Connect the LED light kit wires to the corresponding wires from the fan motor.
2. Secure the light kit to the bottom of the fan motor.

OPERATING INSTRUCTIONS

The Fanbulous ceiling fan is operated using the included remote control.

Fanbulous

3-Color Temperature

Meet your needs in different scenarios



Image: Fanbulous remote control with various functions.

Remote Control Functions:

- **FAN ON/OFF:** Turns the fan on or off.
- **1-6 Buttons:** Adjusts fan speed from 1 (lowest) to 6 (highest).
- **LIGHT ON/OFF:** Turns the LED light on or off.
- **Color Temperature Adjustment:** Quickly toggle the light switch to cycle through 3000K (Warm), 4000K (Neutral), and 6000K (White) light. The light has a memory function if left off for more than 10 seconds.
- **F/R Button:** Changes the fan's rotation direction (Forward for summer, Reverse for winter).
- **1H/2H/4H Buttons:** Sets the fan timer for 1, 2, or 4 hours.
- **ALL OFF:** Turns off both the fan and the light.



Image: Visual representation of the three adjustable light color temperatures.

Details of Ceiling Fans



**Quiet
Reversible Motor**



**24W Integrated
LED Light**



**High-quality
8-Blades Design**

Image: Illustration of summer (downward airflow) and winter (upward airflow) modes.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Use a soft, damp cloth to clean the fan blades and motor housing. Do not use abrasive cleaners or solvents.
- **Blade Inspection:** Periodically check the blade attachments for tightness. Loose blades can cause wobbling and noise.
- **Light Maintenance:** The LED light is integrated and designed for long life. No bulb replacement is necessary.
- **Remote Batteries:** Replace AAA batteries in the remote control as needed.

TROUBLESHOOTING

If you experience issues with your Fanbulous ceiling fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power, loose wiring, remote battery dead	Check circuit breaker, verify wiring connections, replace remote batteries.
Fan wobbles	Loose blades, unbalanced blades, loose mounting bracket	Tighten blade screws, ensure blades are balanced, check mounting bracket security.

Light does not work	Loose wiring, LED driver issue	Check light kit wiring connections. If issue persists, contact customer support.
Remote not working	Dead batteries, remote not paired	Replace batteries. Refer to the full manual for remote pairing instructions.

WARRANTY AND SUPPORT

The Fanbulous 62-inch Nickel Ceiling Fan comes with a **2-year customer support warranty**. For any questions, technical assistance, or warranty claims, please contact Fanbulous customer service. Our dedicated team is ready to assist you.

Contact Information: Refer to the contact details provided in your purchase documentation or visit the official Fanbulous website.