

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [VEVOR](#) /

› VEVOR 2-Pack Garage Shelving Wall Mounted Instruction Manual

VEVOR Wall Mount Shelves 1000

VEVOR Garage Shelving Wall Mounted Instruction Manual

Model: Wall Mount Shelves 1000

1. INTRODUCTION

Thank you for choosing the VEVOR 2-Pack Garage Shelving Wall Mounted system. This heavy-duty storage solution is designed to help you organize your garage, home office, kitchen, or study room efficiently. With a robust construction and a high load capacity, it provides a reliable storage option for various items, including tools, equipment, and household goods. Please read this manual thoroughly before installation and use to ensure safe and proper operation.

2. SAFETY INSTRUCTIONS

Always follow these safety guidelines to prevent injury or damage to the product:

- Ensure the installation surface is a **concrete or wood wall**. This product is **not suitable for metal walls**.
- Verify that the wall studs are **18 inches on center** for proper installation.
- Do not exceed the maximum load capacity of **500 lbs per shelf** (when weight is evenly distributed). The total capacity for the 2-pack is 1000 lbs.
- Wear appropriate personal protective equipment (PPE) during installation, such as gloves and eye protection.
- Keep children and pets away from the installation area.
- Double-check all connections and screws are securely tightened after installation.
- Distribute weight evenly on the shelves to maintain stability.

3. PACKAGE CONTENTS

Before beginning installation, please verify that all components are present:

Component	Quantity
Hooks	4
Left Brackets	4
Right Brackets	4


Component	Quantity
Beams	8
Shelves (Wire Grids)	8
Positioning Paper	Included
Cable Ties	Included
Wrench	Included
Other necessary hardware (screws, anchors)	Included

WHAT CAN YOU GET?

All accessories included at once



Positioning Paper



4 x Hooks



Cable Ties



Wrench

Figure 3.1: All Hardware Included

4. SPECIFICATIONS

Feature	Detail
Model Number	Wall Mount Shelves 1000
Material	High-quality Metal (Stainless Steel)
Product Dimensions (W x D x H)	72.05" x 24.41" x 7.87" (1830 x 620 x 200 mm) per layer
Number of Shelves	2 (each pack contains components for 2 shelves)
Max. Load Capacity per Shelf	500 lbs (227 kg) (evenly distributed)
Total Load Capacity (2-pack)	1000 lbs
Net Weight	60.6 lbs (27.5 kg) per pack
Mounting Type	Wall Mount
Installation Hole Spacing	18 inches (on center studs)
Special Feature	Rust Resistant, Reinforced Construction





Figure 4.1: Product Dimensions and Specifications

500 LBS HIGH LOAD CAPACITY

Enough to store 10 cases



Surface Treatment,
Anti-rust Design

**Place items on the wall to keep the
space clean and organized**

Figure 4.2: Load Capacity Illustration

5. SETUP AND INSTALLATION

The VEVOR garage shelving features a modular assembly design for straightforward installation. Follow these steps carefully:

1. **Prepare the Wall:** Identify the desired location for your shelving unit. Ensure the wall is concrete or wood and that the studs are 18 inches on center. Use a stud finder if necessary.

INSTALL IN NO TIME

NOTE: The Installation Hole Spacing is 18 inch



Figure 5.1: Step 1 - Drill Holes

2. **Mark Drill Points:** Use the provided positioning paper to accurately mark the drill points on the wall. Ensure the paper is level and aligned correctly.
3. **Drill Holes:** Drill holes at the marked positions. The size of the drill bit should match the provided anchors/screws.
4. **Install Brackets:** Place the left and right brackets onto the wall, aligning them with the drilled holes. Insert the appropriate anchors (if needed for concrete) and tighten the screws securely.

REINFORCED STRUCTURE, HIGHER STABILITY

Reinforced Beams & Steel Wires



High-quality Metal




Figure 5.2: Step 2 - Install Brackets

5. **Attach Beams:** Connect the beams to the installed brackets. Ensure they are firmly attached and stable.

WIDELY APPLICABLE

Mount all tools on the wall



Laundry



Garage



Studio



Kitchen



Shopping Mall



Figure 5.3: Step 3 - Attach Beams

- Place Shelves:** Lay the wire grid shelves onto the beams. The reinforced front-side beams and steel wires provide additional stability.
- Complete Installation:** Ensure all components are securely fastened. The lower tool rack can be separated from other organizers if desired.



Product Specifications

Number of Layers: 2

Max. Load Capacity: 500 lbs / 227 kg per layer

Shelving Surface Size: 36 x 12 in / 91.5 x 30.5 cm per layer

Bracket Height: 8 in / 20 cm

Main Material: Steel

Net Weight: 60.6 lbs / 27.5 kg (including all accessories)

Product Size(W x D x H): 71.7 x 24.4 x 7.9 in/1830 x 620 x 200 mm per layer

Figure 5.4: Step 4 - Complete Installation

8. **Attach Hooks:** If desired, attach the included hooks to the shelving unit for hanging tools or other items.

Note: The shelves are designed with a slight 2-degree upward tilt to prevent items from slipping off.



Figure 5.5: Reinforced Construction and Shelf Angle

6. USAGE GUIDELINES

Once installed, your VEVOR garage shelving is ready for use. Consider the following guidelines:

- **Load Distribution:** Always distribute the weight evenly across the shelf surface to maximize stability and prevent damage.
- **Weight Limit:** Do not exceed the 500 lbs (227 kg) per shelf capacity. Overloading can lead to structural failure.
- **Item Placement:** Place heavier items closer to the wall and distribute lighter items towards the front.
- **Versatile Use:** These shelves are ideal for organizing screwdrivers, handheld power tools, batteries, chargers, and various other items in garages, laundry rooms, studios, kitchens, and even commercial spaces.

500 LBS/PER LAYER HIGH LOAD CAPACITY

Shelving Surface Size:

36 x 12 in / 91.5 x 30.5 cm

Bracket Height: 8 in / 20 cm



Figure 6.1: Wide Range of Applications

7. MAINTENANCE

Regular maintenance will ensure the longevity and continued performance of your shelving unit:

- **Cleaning:** Wipe down the shelves periodically with a damp cloth to remove dust and dirt. Avoid abrasive cleaners that could damage the sandblasted surface.
- **Inspection:** Periodically inspect all screws and connections to ensure they remain tight. Re-tighten any loose fasteners.
- **Rust Prevention:** The shelves are rust-resistant, but in high-humidity environments, ensure good ventilation to prevent moisture buildup.
- **Damage Check:** Check for any signs of damage, bending, or corrosion. If significant damage is found, discontinue use and consider replacement.

8. TROUBLESHOOTING

If you encounter issues during or after installation, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Shelf feels unstable after installation.	Screws not fully tightened; incorrect wall type; uneven load distribution.	Ensure all screws are tightened. Verify installation on concrete or wood wall. Redistribute weight evenly.
Cannot align holes with wall studs.	Wall studs are not 18 inches on center.	This product is designed for 18-inch on-center studs. If your studs are different (e.g., 16 or 24 inches), modifications may be required, or the product may not be suitable for your wall. Consult a professional if unsure.
Missing components from package.	Packaging error.	Refer to the "Package Contents" section and contact VEVOR customer support for assistance.

Problem	Possible Cause	Solution
Shelf appears to sag under load.	Overloaded; weight not evenly distributed.	Reduce the load to below 500 lbs per shelf. Redistribute items to ensure even weight distribution.

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact VEVOR customer service. You can typically find contact details on the VEVOR official website or through your purchase platform.

Visit the VEVOR Store: [VEVOR Official Store](#)

For customer support inquiries, refer to the contact information provided at the time of purchase or on the product packaging.

