

[Manuals.plus](#) /

› [UBeesize](#) /

› UBeesize 12-inch Ring Light with Overhead Phone Mount and 62-inch Tripod Instruction Manual

## UBeesize TBC001

# UBeesize 12-inch Ring Light with Overhead Phone Mount and 62-inch Tripod Instruction Manual

Model: TBC001

## INTRODUCTION

---

This manual provides comprehensive instructions for the UBeesize 12-inch Ring Light with Overhead Phone Mount and 62-inch Tripod. Designed for content creators, photographers, and live streamers, this versatile lighting and mounting solution enhances video recording, cooking tutorials, photography, and live streaming experiences. Please read this manual thoroughly before operating the device.

## PACKAGE CONTENTS

---

Ensure all items are present before beginning assembly:

- 12-inch Ring Light
- 62-inch Tripod Stand
- Adjustable Metal Rod (Overhead Arm)
- Phone Holder (for Ring Light)
- Additional Phone Clip (for Overhead Arm)
- Bluetooth Remote Shutter
- Power Cable with Controller

## SETUP INSTRUCTIONS

---

Follow these steps to assemble your UBeesize Ring Light and Tripod:

1. **Unpack Components:** Carefully remove all items from the packaging.
2. **Set up the Tripod:**
  - Extend the tripod legs outwards until stable.
  - Adjust the height of the main pole by loosening the locking clips, extending to desired height, and then securing the clips.

### 3. Attach the Ring Light:

- Locate the screw mount at the top of the tripod.
- Screw the 12-inch ring light onto this mount until secure.

### 4. Install the Overhead Arm:

- Attach the adjustable metal rod (overhead arm) to the designated clamp on the tripod's main pole. Tighten the knob to secure it.
- Attach the additional phone clip to the end of the overhead arm.

### 5. Mount Phone Holders:

- Insert your smartphone into the phone holder located within the ring light.
- Insert a second smartphone or accessory into the phone clip on the overhead arm, if desired.

6. **Connect Power:** Plug the USB power cable into a compatible USB power source (e.g., wall adapter, power bank, computer USB port).



Figure 1: Step-by-step assembly of the ring light, tripod, and overhead arm for versatile shooting angles.

Video 1: Official UBeesize video demonstrating the assembly and features of the 12-inch Ring Light with Tripod and Overhead Phone Mount.

## OPERATING INSTRUCTIONS

Maximize your content creation with the following operational guidelines:

### Ring Light Controls

- **Power On/Off:** Use the 'on/off' button on the inline controller to power the ring light.
- **Color Modes:** Cycle through 3 color modes (White, Natural, Warm) using the mode button on the controller to match your environment.
- **Brightness Levels:** Adjust between 10 brightness levels using the '+' and '-' buttons on the controller.
- **Light Quality:** The 12-inch ring light features CRI 95+ for true-to-life color reproduction and includes a diffuser to soften harsh light, reduce glare, and minimize shadows.

### Adjusting Angles and Positions

- **Ring Light Tilt:** The ring light can be tilted 180 degrees to achieve desired angles.
- **Overhead Arm:** The metal rod allows for easy switching between overhead shots and angled views. Adjust its length

and angle using the knobs.

- **Phone Holder Rotation:** The phone holders offer 360-degree rotation for flexible horizontal or vertical shooting.
- **Tripod Height:** The 62-inch tripod can be adjusted to various heights, from desk-level to full standing height, for diverse shooting scenarios.

## Bluetooth Remote Shutter

- **Pairing:** Activate Bluetooth on your smartphone and pair with the provided remote.
- **Functionality:** Use the remote to capture photos or start/stop video recording hands-free.



Figure 2: Illustration of the 3 light modes and 10 brightness levels, highlighting CRI 95+ for accurate color reproduction.




Figure 3: Demonstrates the Bluetooth remote shutter for convenient hands-free photo and video capture.

## MAINTENANCE

Proper care ensures the longevity of your UBeesize Ring Light:

- **Cleaning:** Use a soft, dry cloth to wipe down the ring light and tripod. Avoid abrasive cleaners or solvents.
- **Storage:** When not in use, collapse the 62-inch tripod to its compact 16-inch size for easy storage and travel. Store in a dry, cool place away from direct sunlight.
- **Battery:** The Bluetooth remote uses a small button-cell battery. Replace when necessary.

## TROUBLESHOOTING

---

If you encounter any issues, refer to these common solutions:

- **Light not turning on:** Ensure the USB power cable is securely connected to both the ring light and a functional power source.
- **Bluetooth remote not connecting:** Check if the remote's battery is functional and if Bluetooth is enabled on your smartphone. Ensure the remote is within range.
- **Instability:** Ensure the tripod legs are fully extended and locked, and all knobs on the arms and mounts are tightened.

## SPECIFICATIONS

---

<b>Brand</b>	UBeesize
<b>Model Number</b>	TBC001
<b>Product Dimensions</b>	14"L x 16"W x 75"H
<b>Ring Light Size</b>	12 inches
<b>Tripod Height</b>	Up to 62 inches
<b>Connectivity Technology</b>	Bluetooth 4.0
<b>Color Modes</b>	3 (White, Natural, Warm)
<b>Brightness Levels</b>	10
<b>CRI</b>	95+
<b>Compatible Devices</b>	Phones, Cameras, Lights, Devices with Bluetooth capability

## WARRANTY AND SUPPORT

---

Your UBeesize 12-inch Ring Light is covered by a **1-year manufacturer warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

For technical support, warranty claims, or general inquiries, please visit the official UBeesize website or contact their customer service team. Keep your purchase receipt as proof of purchase.