

Moni i-Size Multi

Moni i-Size Multi Car Seat (40-87 cm) Instruction Manual

Model: i-Size Multi

1. INTRODUCTION

This manual provides essential information for the safe and correct use of your Moni i-Size Multi Car Seat. Please read all instructions carefully before installation and use. Keep this manual in a safe place for future reference.

1.1 Safety Warnings

- Always ensure the car seat is correctly installed and secured in the vehicle.
- Never leave a child unattended in the car seat.
- Ensure the child is properly secured with the 3-point safety harness.
- This car seat is designed for children with a body height of 40 to 87 cm (Group 0+), from birth up to 13 kg.
- Always install the car seat in a rear-facing position, as this is the safest way to travel for infants.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage.

2. PRODUCT OVERVIEW

The Moni i-Size Multi Car Seat is designed to provide safety and comfort for your infant. It features an adjustable headrest, a removable canopy, and a 3-point safety harness.



Figure 2.1: Moni i-Size Multi Car Seat with footmuff attached.

2.1 Key Features

- **i-Size Certified:** Meets the latest European safety standards for child car seats.
- **Rear-Facing Installation:** Designed for rear-facing use from 40 to 87 cm body height.
- **Adjustable Headrest:** Memory foam headrest adjusts to your child's height.
- **3-Point Safety Harness:** Equipped with shoulder pads and lower buckles for secure fastening.
- **Removable Canopy:** Provides protection from sun and elements.
- **Ergonomic Carry Handle:** Adjustable in 3 positions for easy transport.
- **Soft Support Cushion:** Full-body support cushion for newborns.
- **Compatibility:** Can be used with Moni Kali, Tokyo, Rio, Ciara, and Rafaello strollers (strollers not included).



Figure 2.2: Car seat interior showing the 3-point harness and infant insert.

3. SETUP AND INSTALLATION

The Moni i-Size Multi Car Seat is installed using the vehicle's 3-point safety belt. Always ensure the car seat is installed rear-facing.

3.1 Preparing the Car Seat

1. Place the car seat on a flat, stable surface.
2. Adjust the carry handle to the upright position for stability during installation.
3. Ensure the infant support cushion is correctly positioned for newborns.



Figure 3.1: Detail of the adjustable headrest and harness system.

3.2 Vehicle Installation (Rear-Facing)

1. Place the car seat on the vehicle seat in a rear-facing position. Ensure it is stable and level.
2. Route the lap portion of the vehicle's 3-point safety belt through the blue belt guides located on both sides of the car seat base.
3. Buckle the vehicle's safety belt.
4. Pull the shoulder portion of the vehicle's safety belt firmly to remove any slack.
5. Route the shoulder portion of the vehicle's safety belt through the blue belt guide at the back of the car seat.
6. Press the car seat firmly into the vehicle seat while pulling the vehicle's safety belt tight to ensure a secure fit. The car seat should not move more than 2.5 cm (1 inch) in any direction at the belt path.
7. Check that the vehicle's safety belt is not twisted and lies flat against the car seat and child.



Figure 3.2: Side view showing the carry handle and canopy positions.

4. OPERATING THE CAR SEAT

4.1 Securing Your Child

1. Place your child in the car seat.
2. Bring the two buckle tongues together and insert them into the buckle until you hear a click.
3. Pull the harness adjustment strap at the front of the car seat to tighten the harness. Ensure the harness straps are snug against your child's shoulders and hips, with no slack.
4. The chest clip (if present) should be positioned at armpit level.
5. To loosen the harness, press the harness release button (usually located near the adjustment strap) and pull the shoulder straps outwards.



Figure 4.1: Front view of the car seat with the harness system.

4.2 Adjusting the Headrest and Harness

The headrest and harness system can be adjusted simultaneously to accommodate your growing child.

1. Locate the headrest adjustment lever, typically at the back or top of the headrest.
2. Squeeze the lever and slide the headrest up or down until the shoulder straps are at or just below your child's shoulders when rear-facing.

3. Release the lever to lock the headrest in place.

4.3 Adjusting the Carry Handle

The ergonomic carry handle has three adjustable positions:

- **Carry Position:** Handle upright for carrying.
- **Rebound Position:** Handle rotated towards the child's feet, used during vehicle installation to prevent rebound in a collision.
- **Storage/Feeding Position:** Handle rotated fully back, behind the child's head, for stability when the car seat is on the floor or for easier access to the child.

To adjust, press the buttons on both sides of the handle simultaneously and rotate the handle to the desired position.

4.4 Adjusting the Canopy

The canopy can be adjusted by pulling it forward or pushing it back. It is also removable for cleaning or if not needed.

5. MAINTENANCE

5.1 Cleaning the Fabric Cover

The fabric cover of the Moni i-Size Multi Car Seat is removable and washable.

- To remove the cover, unfasten all snaps, elastic loops, and harness straps as instructed in the product manual (refer to specific diagrams if available).
- Wash the cover in cold water (30°C) on a gentle cycle. Do not bleach, tumble dry, or iron. Air dry only.
- Ensure the cover is completely dry before reattaching it to the car seat.

5.2 Cleaning the Harness and Buckle

- Wipe the harness straps with a damp cloth and mild soap. Do not immerse the harness straps in water, as this can weaken the webbing.
- Clean the buckle by rinsing it under warm water. Do not use detergents or lubricants.

5.3 Cleaning the Plastic Parts

Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.

6. TROUBLESHOOTING

6.1 Car Seat Feels Loose After Installation

- Ensure the vehicle's safety belt is routed correctly through all blue belt guides.
- Press down firmly on the car seat while tightening the vehicle's safety belt to remove all slack.
- Check that the vehicle's safety belt is not twisted.

6.2 Harness is Difficult to Tighten or Loosen

- Check for any twists in the harness straps.
- Ensure the harness adjustment strap is not obstructed.
- Make sure the buckle tongues are fully inserted into the buckle.

6.3 Canopy Does Not Stay in Position






- Check if the canopy attachment points are securely fastened.
- Ensure no fabric is caught in the adjustment mechanism.

7. SPECIFICATIONS

Feature	Detail
Model	i-Size Multi
Brand	Moni
Recommended Child Height	40 - 87 cm
Recommended Maximum Weight	13 kg
Group	0+
Installation Direction	Rear-facing
Installation Method	Vehicle's 3-point safety belt
Product Dimensions (L x W x H)	42 x 33 x 73 cm
Item Weight	3 kg (3000 Grams)
Material Type	Polyester Foam
Material Composition	100% polyester
Batteries Required	No

8. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided at the time of purchase or contact your retailer. Keep your proof of purchase for any warranty claims.

	<p>Moni Serengeti i-Size Car Seat Instruction Manual</p> <p>Comprehensive instruction manual for the Moni Serengeti i-Size car seat, covering installation, usage, safety features, and maintenance for children from 40-150 cm.</p>
	<p>Moni i-Maxx LSA05AB i-Size Baby Car Seat (40-150 cm)</p> <p>Information about the Moni i-Maxx LSA05AB i-Size baby car seat, approved under ECE R129/03, suitable for children weighing 0-36 kg and heights 40-150 cm. Includes usage guidelines, specifications, and manufacturer details.</p>
	<p>Moni i-Maxx LSA05AB i-Size Baby Car Seat (40-150 cm)</p> <p>Information on the Moni i-Maxx LSA05AB i-Size baby car seat, approved under ECE R129/03 for children 0-36 kg and 40-150 cm height. Features ISOFIX and midnight black color.</p>
	<p>Moni ARMOR GJ999 Baby Car Seat Instruction Manual</p> <p>Comprehensive instruction manual for the Moni ARMOR GJ999 baby car seat. Covers installation, safety features, maintenance, and warranty for this child safety restraint system, suitable for Groups 1, 2, and 3 (9-36kg).</p>
	<p>Moni RIO Baby Stroller User Manual Safety & Usage Guide</p> <p>Comprehensive user manual for the Moni RIO baby stroller (Model 8200). Learn about assembly, safe usage, features, and maintenance for your child's comfort and safety.</p>



[Moni Aston Car Seat G301 Instruction Manual](#)

Comprehensive instruction manual for the Moni Aston car seat (Item No. G301), covering installation, usage, safety, and maintenance for children weighing 9-36 kg.