

Inficon 724-202-G1

INFICON D-TEK Stratus Refrigerant Leak Detector and Portable Monitor User Manual

Model: 724-202-G1

1. INTRODUCTION

The INFICON D-TEK Stratus is an advanced refrigerant leak detector and portable monitor designed for efficient and accurate leak detection. This device combines the precision of D-TEK Select detectors with the broad area scanning capability of a portable monitor, offering a comprehensive solution for identifying refrigerant leaks.

It features an infrared sensor, dual operating modes (Cloud Hunting and Pinpoint), and a robust design for field use. This manual provides essential information for the proper setup, operation, and maintenance of your D-TEK Stratus unit.

2. KEY FEATURES

- **Dual Operating Modes:** Cloud Hunting mode for locating the general area of highest concentration and Pinpoint mode for precise leak identification.
- **Advanced Infrared Sensor:** Redesigned for enhanced performance and an extended lifespan of over 2,000 hours.
- **High Sensitivity:** Detects leaks as small as 0.03 oz./year (1 g/year) without degradation over time.
- **Versatile Refrigerant Detection:** Compatible with CFCs, HCFCs, HFCs, HFOs, and A2Ls. Optional sensors are available for CO2 and flammable refrigerants.
- **Field Replaceable Components:** Sensor, battery, filters, and probe are easily replaceable in the field.
- **Lithium-Ion Battery:** Provides extended operation with quick charge capability.
- **User-Friendly Interface:** Large, easy-to-read LCD display and intuitive controls.
- **Automatic and Manual Zero Modes:** For optimal calibration in various environments.

3. PACKAGE CONTENTS

Upon opening the package, verify that all the following items are included:

Includes

- | | | |
|------------------------------|--|------------------------|
| ✓ D-TEK Stratus | ✓ AC wall charger
<small>*US & International</small> | ✓ Earbuds |
| ✓ Lithium ion battery | ✓ DC car charger | ✓ Spare filters |
| ✓ Extra-long probe | ✓ Infrared sensor | ✓ Carry case |



Image: The INFICON D-TEK Stratus device shown with its complete set of accessories, including the main unit, various international AC wall chargers, a DC car charger, earbuds, spare filters, an extra-long probe, an infrared sensor, a lithium-ion battery, and a durable carry case.

- D-TEK Stratus Unit
- Infrared Sensor (pre-installed or separate)
- Lithium-Ion Battery (pre-installed or separate)
- AC Wall Charger (US & International adapters)
- DC Car Charger
- Extra-Long Probe
- Earbuds
- Spare Filters
- Carry Case

4. SETUP

4.1 Initial Charging

Before first use, fully charge the lithium-ion battery. Connect the provided AC wall charger or DC car charger to the micro USB power input port on the device. The charging indicator on the display will show the charging status.

4.2 Sensor and Filter Installation

Ensure the infrared sensor and filter are correctly installed. The sensor is typically pre-installed. Filters are located at the probe tip and should be clean and free of debris for optimal performance.





Image: The INFICON D-TEK Stratus device, showing its main body, flexible probe, and digital display indicating a refrigerant concentration of 1345 ppm. This image highlights the device's ergonomic design and clear interface.

4.3 Device Overview

Familiarize yourself with the device's controls and components:

Leak Detector and Portable Monitor



Image: A detailed view of the INFICON D-TEK Stratus, with labels pointing to key components such as the probe tip/filter, headphone jack, volume button, battery cover, eject button, micro USB power input, SENS/ZERO button, and Mode/Max button. The power button is indicated as not visible in this view.

- **Power Button:** Turns the device on/off.
- **Mode/Max Button:** Toggles between Cloud Hunting and Pinpoint modes, and displays maximum readings.
- **SENS/ZERO Button:** Adjusts sensitivity and performs manual zeroing.
- **Headphone Jack:** For connecting earbuds for audio alerts.
- **Volume Button:** Adjusts audio alert volume.
- **Micro USB Power Input:** For charging the device.
- **Eject Button:** Releases the sensor module for replacement.
- **Battery Cover:** Provides access to the battery compartment.
- **Probe Tip/Filter:** The detection point, containing a replaceable filter.


5. OPERATING INSTRUCTIONS

5.1 Powering On and Initial Calibration

1. Press and hold the Power button to turn on the device.
2. Allow the device to warm up and perform its automatic zeroing process in a clean, leak-free environment. This ensures accurate readings.


5.2 Operating Modes

The D-TEK Stratus offers two distinct operating modes for efficient leak detection:



Dual Modes for Faster Leak Detection

✓
Cloud Hunting Mode
Finds the area of highest concentration



✓
Pinpoint Mode
Pinpoints the leak



Image: This graphic illustrates the two primary operating modes of the INFICON D-TEK Stratus. The top section shows "Cloud Hunting Mode" with a digital display indicating 1345 ppm, used for finding areas of highest concentration. The bottom section shows "Pinpoint Mode" with a color-coded bar graph, used for precisely locating the leak source.

5.2.1 Cloud Hunting Mode

- Use this mode to quickly scan large areas and identify the general vicinity of a refrigerant leak.

- The display will show refrigerant concentration in parts per million (ppm).
- Move the probe slowly through the suspected area. Higher readings indicate proximity to a leak.

5.2.2 Pinpoint Mode

- Once the general leak area is identified using Cloud Hunting, switch to Pinpoint mode for precise leak location.
- In this mode, the device provides a more focused indication, often with a visual bar graph or escalating audio tone, to guide you directly to the leak source.
- Move the probe very slowly and methodically around suspected leak points.

5.3 Adjusting Sensitivity and Zeroing

- **Sensitivity:** Press the SENS/ZERO button to cycle through sensitivity levels. Adjust sensitivity based on the size of the suspected leak and environmental conditions.
- **Manual Zero:** If the device is alarming in a clean environment, move the probe to an area free of refrigerants and press and hold the SENS/ZERO button to perform a manual zero.

6. SENSOR INFORMATION

The D-TEK Stratus utilizes an advanced infrared sensor for detecting a wide range of refrigerants. The sensor has an expected lifespan of over 2,000 hours.

6.1 Compatible Refrigerants

The standard infrared sensor detects:

- CFCs (Chlorofluorocarbons)
- HCFCs (Hydrochlorofluorocarbons)
- HFCs (Hydrofluorocarbons)
- HFOs (Hydrofluoroolefins)
- A2Ls (Mildly Flammable Refrigerants)

6.2 Optional Sensors

For detecting other gases, optional sensors are available and can be easily interchanged:

Versatile Leak Detection

Easily switch between refrigerant, CO₂, and flammable sensors




Image: This image displays three different sensor modules for the INFICON D-TEK Stratus. The red sensor is for CFCs, HCFCs, HFCs, HFOs, and A2Ls (included refrigerant sensor). The silver sensor is for flammable refrigerants (requires optional sensor). The green sensor is for CO₂ (requires optional sensor).

This illustrates the device's versatility with interchangeable sensors.

- **CO₂ Sensor:** Required for detecting Carbon Dioxide.
- **Flammable Refrigerants Sensor:** Required for detecting flammable refrigerants.

7. BATTERY INFORMATION

The D-TEK Stratus is powered by a rechargeable Lithium-Ion battery, providing approximately 9 hours of continuous operation on a full charge. The battery is designed for quick charging.

7.1 Charging

Use only the INFICON-supplied AC wall charger or DC car charger. Connect the charger to the micro USB

port on the device. The battery indicator on the display will show the charging status.

7.2 Battery Replacement

The Lithium-Ion battery is field replaceable. Refer to the maintenance section for instructions on how to safely replace the battery.

8. MAINTENANCE

Regular maintenance ensures the longevity and accuracy of your D-TEK Stratus.

8.1 Filter Replacement

The probe tip contains a filter that prevents contaminants from entering the sensor. Replace the filter regularly, especially if operating in dusty or dirty environments, or if you notice a decrease in sensitivity. Spare filters are included with your unit.

1. Gently unscrew the probe tip.
2. Remove the old filter.
3. Insert a new filter.
4. Screw the probe tip back on securely.

8.2 Sensor Replacement

The infrared sensor is field replaceable. When the sensor reaches the end of its lifespan (indicated by a message on the display or persistent inaccurate readings), it should be replaced.

1. Ensure the device is powered off.
2. Locate the eject button (refer to Device Overview).
3. Press the eject button to release the sensor module.
4. Carefully remove the old sensor.
5. Insert the new sensor module, ensuring it clicks into place.
6. Power on the device and allow it to calibrate with the new sensor.

8.3 Cleaning

Wipe the exterior of the device with a damp cloth. Do not use abrasive cleaners or solvents. Ensure the probe tip and sensor area remain clean and free of obstructions.

9. TROUBLESHOOTING

If you encounter issues with your D-TEK Stratus, consider the following common solutions:

- **Device Not Powering On:**
 - Ensure the battery is fully charged.
 - Check if the battery is correctly installed.
- **Inaccurate Readings or Constant Alarm:**
 - Perform a manual zero in a clean air environment.

- Check and replace the probe tip filter if it is dirty or clogged.
- Verify the sensor is correctly installed and not at the end of its lifespan.
- Ensure the correct sensor type is installed for the refrigerant being detected.

- **No Detection:**

- Increase the sensitivity setting.
- Ensure the probe is moved slowly and methodically.
- Check the sensor for proper installation and remaining lifespan.
- Confirm the presence of refrigerant; test with a known leak source if possible.

- **Short Battery Life:**

- Ensure the battery is fully charged before use.
- Consider replacing the battery if it no longer holds a charge effectively.

For persistent issues, contact INFICON customer support.

10. SPECIFICATIONS

Brand	Inficon
Model Number	724-202-G1
Style	Monitor
Power Source	Battery Powered (Lithium Ion)
Color	Off-White
Product Dimensions	4"D x 8"W x 12"H
Item Weight	2.1 Ounces
Alarm Type	Visual
Operating Humidity	95% RH NC Max
Sensor Type	Infrared
Sensor Life	> 2,000 hours
Sensitivity	0.03 oz./year (1 g/year)
Average Battery Life	9 Hours
UPC	810044830330

11. WARRANTY AND SUPPORT

INFICON stands behind the quality of its products.

Purchase with Confidence




Image: This graphic highlights INFICON's commitment to quality and customer support. It features icons and text indicating a "2 Year Replacement Warranty," "Made in the USA with US and Imported Parts," and "US Technician Support" available via email and phone.

11.1 Warranty Information

The INFICON D-TEK Stratus comes with a **Two-Year Replacement Warranty**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.

11.2 Technical Support

For technical assistance, troubleshooting, or warranty inquiries, please contact INFICON US Technician Support. Support is available via email and phone.

The product is proudly **Made in the USA** with a combination of US and imported parts, reflecting a commitment to quality manufacturing.

Related Documents - 724-202-G1

 Tools for HVAC/R Service Catalog 20 Laboratory Accurate. Toolbox Tough!	INFICON HVAC/R Service Tools Catalog: Leak Detectors, Vacuum Pumps, and More Explore the comprehensive range of INFICON HVAC/R service tools, including advanced refrigerant leak detectors (D-TEK series, TEK-Mate), vacuum pumps (QS5), recovery machines (Vortex Dual), combustion analyzers (FLUE-Mate), and carbon monoxide meters (CO Check).
 Operating Manual D-TEK Stratus® Refrigerant Leak Detector and Portable Monitor	INFICON D-TEK Stratus Refrigerant Leak Detector Operating Manual This operating manual provides comprehensive instructions for the INFICON D-TEK Stratus Refrigerant Leak Detector and Portable Monitor, covering its features, operation, maintenance, and troubleshooting.
 QUICK START GUIDE D-TEK Stratus® Refrigerant Leak Detector and Portable Monitor English • Español • Deutsch • Français • Italiano • 中文 • 日本語 Polski • Polski • Svenska • Türkçe • Nederlands • 한국어	INFICON D-TEK Stratus Refrigerant Leak Detector Quick Start Guide Quick start guide for the INFICON D-TEK Stratus Refrigerant Leak Detector and Portable Monitor, covering operation, modes, battery, sensor, and filter replacement.
 OPERATING MANUAL TEK-Mate® Refrigerant Leak Detector	INFICON TEK-Mate Refrigerant Leak Detector Operating Manual Operating manual for the INFICON TEK-Mate Refrigerant Leak Detector, covering setup, operation, troubleshooting, specifications, and warranty information.
 Operating Manual D-TEK PRO Refrigerant Leak Detector	INFICON D-TEK Pro Refrigerant Leak Detector Operating Manual Comprehensive operating manual for the INFICON D-TEK Pro Refrigerant Leak Detector, covering its features, operation, maintenance, and troubleshooting.
 Quick Start Guide D-TEK 3® Refrigerant Leak Detector English • Español • Deutsch • Français • Italiano • 中文 • 日本語 Polski • Polski • Svenska • Türkçe • Nederlands • 한국어	INFICON D-TEK 3 Refrigerant Leak Detector Quick Start Guide A quick start guide for the INFICON D-TEK 3 Refrigerant Leak Detector, covering setup, operation modes, battery and sensor handling, and charging information.




[\[pdf\]](#) User Manual

Pilot® Plus TruTech Toolstrutechtools â° documents infi inficon 724 202 g1 manual trutechtools content brands |||

Operating Manual Pilot Plus Vacuum Gauge US-English Espaol Franais Italiano Deutsch Svenska INFICON 2 Technology Place East Syracuse, NY 13057 INFICON English

lang:en score:35 filesize: 1.27 M page_count: 0 document date: 0000-00-00




[\[pdf\]](#) Catalog

INFICON Service Tools inficon 724 202 g1 article 1397375822703716 en cc1 resource bakerdist is content Watscocom Gemaire |||

INFICON Service Tools Catalog 25 B w w .inf iconser vicetools - europe.com ser vicetools .europe ... ied Probe length standard probe 38 cm Warranty Two-year ORDERING INFORMATION D-TEK Stratus **724-202-G11** Accessories and Replacement Parts Earbuds 721-607-G1 TEK-Check R134a reference leak ...

lang:de score:27 filesize: 12.46 M page_count: 24 document date: 2019-01-03



[\[pdf\]](#) Catalog

INFICON Service Tools Euro Catalog German inficon media 3729 |||

Werkzeuge fr Heizungs-, Lftungs-, Klte- und Klimatechnik Katalog 28 Werkzeuge, auf die Verlass istTM ... KWs und HFOs CO2-Sensor Sensor fr brennbare Kltemittel Filterkappe Filterpatronen Transportkoffer **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...

lang:de score:23 filesize: 9.99 M page_count: 13 document date: 2021-12-20

[pdf] User Manual Guide



User Guide Pilot Plus multi language 1 3 MB

Pilot® INFICONInficon media 4267 v

2 inline true ko User Multi French German Italian Japanese Spanish Swedish Chinese EnglishPilot®
INFICONPilot® INFICONUser languageinficon koinficon en INFICON1 Entfernen Sie die Stellschraube
mithilfe eines kleinen Schlitzschraubenziehers Siehe Abbildung unten Halten das größere Teil des
Anschlusses mit User languageUser eninficon EnglishUser Frances Alemán Italiano Japonés Español
Sueco Chino InglesaPilot Operating Manual MULTILANGPilot® esinficon InglesaPilotÂ® TruTech
Toolstrutechtools â° documents infiPilot MULTILANGPilot MULTILANGInficon Micron Gauge
ManualPilot® INFICONInficon Gauge1 724 202 g1 manualinficon manualUser estrutechtools content
brands inficon manualtrutechtools User jainficon ja ||| ||| Operating Manual
Pilot Plus Vacuum Gauge US-English Espaol Franais Italiano Deutsch Svenska INFICON 2 Technology
Place East Syracuse, NY 13057 INFICON English . 4 Espaol 7 Franais . 10 Italiano . 13 Deutsch 16
Svenska . 19 . 22 25 074-494-P ||| Operating Manual Pilot Plus Vacuum Gauge US-English Espaol
Franais Italiano Deutsch Svenska INFICON 2 Technology Place East Syracuse, NY 13057 INFICON
English . 4 Espaol 7 Franais . 10 Italiano . 13 Deutsch 16 Svenska . 19 . 22 25 074-494-P ||| Operating
Manual Pilot Plus Vacuum Gauge US-English Espaol Franais Italiano Deutsch Svenska INFICON 2
Technology Place East Syracuse, NY 13057 INFICON English . 4 Espaol 7 Franais . 10 Italiano . 13
Deutsch 16 Svenska . 19 . 22 25 074-494-P ||| Operating Manual Pilot Plus Vacuum Gauge US-English
Espaol Franais Italiano Deutsch Svenska INFICON 2 Technology Place East Syracuse, NY 13057
INFICON English . 4 Espaol 7 Franais . 10 Italiano . 13 Deutsch 16 Svenska . 19 . 22 25 074-494-P |||
Operating Manual Pilot Plus Vacuum Gauge US-English Espaol Franais Italiano Deutsch Svenska
INFICON 2 Technology Place East Syracuse, NY 13057 INFICON English . 4 Espaol 7 Franais . 10
Italiano . 13 Deutsch 16 Svenska . 19 . 22 25 074-494-P

Operating Manual Pilot Plus Vacuum Gauge US-English Espaol Franais Italiano
Deutsch Svenska INFICON 2 Technology Place East Syracuse, NY 13057 INFICON
English

lang:en score:23 filesize: 1.27 M page_count: 0 document date: 2024-03-26



[pdf] Accessories

EMA Memo Syracuse Research Barb Falkowski Eric Mower and Associates INFICON Made in the USA
trutechtools assets images made usa

July 4th, 2020 This letter is to certify that the products listed below are Made in the
USA or Made ... hisper with accessory kit INFION CO Check INFICON Pilot Plus
INFICON Pilot Plus with K16 flange **724-202-G1** 721-202-G1 712-202-G1 717-202-G1
705-202-G1 718-202-G1 711-202-G1 711-203-G1 715-202-G1 7...

lang:en score:23 filesize: 151.27 K page_count: 1 document date: 2020-07-01




[\[pdf\]](#) Catalog

7e942422 ae48 4693 8c17 a2df66198330 inficon v1 attachment |||

Service Tools for HVAC/R Catalog 28 Table Of Contents D-TEK Stratus REFRIGERANT LEAK DETECTOR AND ... HFCs, and HFOs CO2 sensor Flammable refrigerant sensor Filter cap Filter cartridges Carrying case **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...

lang:en **score:22** filesize: 12.4 M page_count: 13 document date: 2021-12-22




[\[pdf\]](#) Catalog

a15638ec 0380 4df7 a061 13b28202a1f4 inficon v1 attachment |||

Service Tools for HVAC/R Catalog 28 B w w.w.inf iconser vicetools - europe.com ser vicetools .eur ... HFCs, and HFOs CO2 sensor Flammable refrigerant sensor Filter cap Filter cartridges Carrying case **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...

lang:en **score:22** filesize: 10.03 M page_count: 24 document date: 2021-12-13



[\[pdf\]](#)

Serviceverktyg för HVAC R INFICON 2022 01 16 — SPECIFIKATIONER Innehåll D TEK Stratus Infraröd sensor Litium jonbatteri Reservfilter AC väggaddare DC billaddare Extralång sond Bärväska 838861da bd11 40fe 9aeb 50c8f8e42dfd inficon v1 attachment |||

Serviceverktyg fr HVAC/R Katalog 28 Innehllsfrteckning D-TEK Stratus LCKDETEKTOR FR KLDMEDIUM MED ... ardsond 43 cm Garanti Tv r BESTLLNINGSINFORMATION D-TEK Stratus endast kldmediesensor ingr **724-202-G1** D-TEK Stratus endast CO2-sensor ingr Tillbehr och reservdelar 724-204-G1 ronsnckor ...

lang:nl **score:22** filesize: 9.99 M page_count: 13 document date: 2021-12-20



[pdf]

9ff1741e 9072 454d 9a7c 7a85fc03324b inficon v1 attachment |||

Herramientas de servicio para sistemas de calefaccin, ventilacin, aire acondicionado y refrigeracin ... de CO2 Sensor de refrigerante inflamable Tapa del filtro Cartuchos de filtro Maletn de transporte **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...

lang:es score:22 filesize: 9.99 M page_count: 13 document date: 2021-12-21




[pdf] Flyer Test Report

A2L Certified Tools bullet 3 8 MB INFICON a2l certified tools flyer eiul55a1 a filename* utf inficon media 10620 v 1 inline true language en |||

A2L tested and certified. Is yours INFICON offers tools certified by independent test labs* for A2L refrigerants to give you confidence and peace of mind. A2L CERTIFIED D-TEK Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR **724-202-G1** D-TEK 3 REFRIGERANT LEAK DETECTOR 721-202-G1 TEK-Mate ...

lang:en score:22 filesize: 3.83 M page_count: 2 document date: 2024-04-22



[pdf]

Servisní nástroje pro systémy HVAC R INFICON 2022 01 11 — SPECIFIKACE Obsahuje D TEK Stratus Infračervený snímač Lithium iontová baterie Náhradní filtry Síťová nabíječka Stejnoseměrná do auta 4c1676ea fbd3 4e3b 8336 c53332c1b4c6 inficon v1 attachment |||

Servisn nástroje pro systmy HVAC/R Katalog 28 Obsah D-TEK Stratus DETEKTOR NIKU CHLADIVA S PENOSNM ... detekuje CFC, HFCF, HFC a HFO Snmac CO2 Snmac holavch chladiv Vko filtru Filtracn vložka Pouzdro **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...

lang:es score:21 filesize: 10.1 M page_count: 13 document date: 2021-12-21

Service Tools for HVAC/R

Catalog 27



[\[pdf\]](#) Catalog

Service Tools Catalog SToolCatalog ARIAL V1 52 2021 04 06T1600 Inficon GetAttachment axd attaNam
7e942422 ae48 4693 8c17 a2df66198330 products inficon 80 |||

Service Tools for HVAC/R Catalog 27 Laboratory Accurate. Toolbox Tough. Table of
Contents D-TEK S ... HFCs, and HFOs CO2 sensor Flammable refrigerant sensor
Filter cap Filter cartridges Carrying case **724-202-G1** 724-204-G1 721-607-G1 703-
080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...
lang:en score:21 filesize: 3.69 M page_count: 24 document date: 2021-05-24

Strumenti per i Tecnici dell'HVAC/R

Catalogo 28



[\[pdf\]](#) Catalog

Strumenti per i Tecnici dell HVAC R Catalogo 28 INFICON 14 gen 2022 — Wey TEK HD Wireless
BILANCIA PER LA RICARICA DI REFRIGERANTE Vortex Dual RECUPERATORE GAS R290 R600a
R441a da28ba17 3474 4884 9ae2 3ce38e7b0998 inficon v1 attachment |||

Strumenti per i Tecnici dell HVAC/R Catalogo 28 Indice D-TEK Stratus RILEVATORE
DI PERDITE DI REFR ... nzia Due anni INFORMAZIONI PER L ORDINE D-TEK
Stratus comprende solo sensore per refrigerante **724-202-G1** D-TEK Stratus
comprende solo sensore di CO2 Accessori e ricambi 724-204-G1 Auricular...
lang:it score:21 filesize: 9.99 M page_count: 13 document date: 2021-12-21

Outils de maintenance Froid et Climatisation


Catalogue 28



[\[pdf\]](#) Catalog

Outils de maintenance Froid et Climatisation INFICON 10 janv 2022 — manuel □ La sensibilité reste
constante pendant toute la utiliser des Duracell® MN1300 pour conserver l homologation sécurité
intrinsèque 56b3d6d2 eb7a 4cef abef 2afe97075258 inficon v1 attachment |||

Outils de maintenance Froid et Climatisation Catalogue 28 Table des matires D-TEK
Stratus DTECTEUR ... ueur de sonde sonde standard 43 cm Garantie Deux ans
INFORMATIONS DE COMMANDE D-TEK Stratus **724-202-G1** comprend uniquement
un capteur de fluide frigorigne D-TEK Stratus comprend uniquemen...
lang:fr score:21 filesize: 10.04 M page_count: 13 document date: 2021-12-21




[\[pdf\]](#) Warranty Catalog

INFICON Service Tools Catalog bullet 11 7 MB Wey TEK® Pro rz stoolcatalog en us 29 letter 2024 fnl
web filename* utf 8 inficon media 3717 v 2 inline true language ko |||

Tools for HVAC/R Service Catalog 29 D-TEK Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR F ... Two-year over-the-counter ORDERING INFORMATION D-TEK Stratus includes refrigerant sensor only **724-202-G1** D-TEK Stratus includes CO2 sensor only Accessories and Replacement Parts 724-204-G1 ...

lang:en score:20 filesize: 11.7 M page_count: 24 document date: 2024-04-25



[\[pdf\]](#)

Werkzeuge für Heizungs Lüftungs Kälte und Klimatechnik 2022 01 14 — TECHNISCHE DATEN Umfang
D TEK Stratus Infrarotsensor Lithium Ionen Batterie Ersatzfilter AC Netzladegerät DC Autoladegerät
Extralange Sonde 67aca703 7526 4791 a98f 9071a1c2a409 inficon v1 attachment |||

Werkzeuge fr Heizungs-, Lftungs-, Klte- und Klimatechnik Katalog 28 Werkzeuge, auf die Verlass ist™ ... KWs und HFOs CO2-Sensor Sensor fr brennbare Kitemittel Filterkappe Filterpatronen Transportkoffer **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...

lang:de score:20 filesize: 9.98 M page_count: 13 document date: 2021-12-20




[\[pdf\]](#) Specifications Guide Warranty

D TEK Stratus Baker Dist ADVANTAGES Sensitivity of 0 03 oz year 1 g Innovative cloud hunting mode with ppm readout helps locate leaks faster than ever Cloud and pinpoint modes is like having two leak detectors in one Detects all CFCs HCFCs HFCs HFOs All new redesigned infrared sensor Longest life the industry inficon 724 202 g1 article 1397375822703716 en ss resource bakerdist content Watscocom Gemaire |||

D-TEK Stratus™ REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR Find profit-crushing leaks in no time ... d probe 15 in. 38 cm Warranty Two-year over-the-counter ORDERING INFORMATION D-TEK Stratus **724-202-G1** Accessories and Replacement Parts Earbuds 721-607-G1 TEK-Check R134a reference leak ...

lang:en score:19 filesize: 4.44 M page_count: 2 document date: 2019-10-10



[\[pdf\]](#) Decleration of Conformity Catalog

INFICON Service Tools Unilog Vortex Dual is s best refrigerant recovery machine yet! Complete 115 V ac 714 202 G1 230 G11 Inficon 711 Catalog assets unilogcorp 267 ITEM DOC |||
 INFICON Service Tools Catalog 25 Table Of Contents D-TEK Stratus Refrigerant Leak Detector and Po ... e length 15 in. 38 cm Warranty Two-year over-the-counter
 ORDERING INFORMATION D-TEK Stratus **724-202-G1** Accessories and Replacement Parts Headphones 032-0430 Premium headphones 032-0427 TE...
 lang:de **score:18** filesize: 12.28 M page_count: 24 document date: 2018-03-08




Service Tools for HVAC/R Catalog 27



[\[pdf\]](#) Catalog

Service Tools Catalog SToolCatalog ARIAL V1 52 2021 04 06T1600 Inficon Reece Digital Assets Pilot Plus VACUUM GAUGE 703 080 G10 TEK Check R1234yf reference leak G12 Wall charger US and international 721 606 G1 12 V dc car 27 eilj48a1 reduced digitalassets reecegroup au m 5f7d0b5cfad74928 original Catalogue for HVACR |||
 Service Tools for HVAC/R Catalog 27 Laboratory Accurate. Toolbox Tough. Table of Contents D-TEK S ... HFCs, and HFOs CO2 sensor Flammable refrigerant sensor Filter cap Filter cartridges Carrying case **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1...
 lang:en **score:18** filesize: 3.69 M page_count: 24 document date: 2021-05-27



[\[pdf\]](#) Specifications Catalog

SPECIFICATION 5 cfm Vacuum Pump Inficon Ferguson 4191057 5237212 specification fergusonprod a bigcontent io v1 static |||
 INFICON Service Tools Catalog 25 Table Of Contents D-TEK Stratus Refrigerant Leak Detector and Po ... d probe 15 in. 38 cm Warranty Two-year over-the-counter
 ORDERING INFORMATION D-TEK Stratus **724-202-G1** Accessories and Replacement Parts Earbuds 721-607-G1 TEK-Check R134a reference leak ...
 lang:de **score:18** filesize: 12.31 M page_count: 24 document date: 2018-09-04



lang:en score:16 filesize: 1.06 M page count: 2 document date: 2023-10-13




[pdf] Catalog

RZ StoolCatalog DE 28 2021 211028 indd D TEK Stratus ® INFICON inficon isappfile d
tekstratusproductsheet de filename* utf 8 Product Sheet German media 8852 TEKStratusProductSheet v
1 |||

D-TEK Stratus KLTEMITTEL-LECKSUCHGERT UND TRAGBARER MONITOR
Finden Sie gewinnschmlernde Lecks im Ha ... KWs und HFOs CO2-Sensor Sensor fr
brennbare Kltemittel Filterkappe Filterpatronen Transportkoffer **724-202-G1** 724-204-
G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1
721-610-G1...

lang:de score:16 filesize: 2.15 M page_count: 2 document date: 2023-05-23



[INFICON HVAC/R Service Tools Catalog: Leak Detectors, Vacuum Pumps, and More](#)

Explore the comprehensive range of INFICON HVAC/R service tools, including
advanced refrigerant leak detectors (D-TEK series, TEK-Mate), vacuum pumps
(QS5), recovery machines (Vortex Dual), combustion analyzers (FLUE-Mate), and
carbon monoxide meters (CO Check).

lang:en score:15 filesize: 8.48 M page_count: 24 document date: 2025-10-12



[pdf] Warranty Catalog

d tek stratus us catalog 29 web filename* utf 8 D TEK Stratus Product Sheet English inficon media 5313
|||

D-TEK Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR Find
profit-crushing leaks in no time. ... Two-year over-the-counter ORDERING
INFORMATION D-TEK Stratus includes refrigerant sensor only **724-202-G1** D-TEK
Stratus includes CO2 sensor only Accessories and Replacement Parts 724-204-G1 ...
lang:en score:15 filesize: 973.33 K page_count: 2 document date: 2024-04-25




[pdf] Warranty Catalog

RZ SToolCatalog ES 28 2021 211028 esp indd D TEK Stratus @ 9 giu 2023 — combina la excelente detección de fugas del detector Select con capacidad búsqueda en nube d tekstratusproductsheet.sp filename*.utf 8 TEKStratusProductSheet.SP inficon.media.8851 Product Sheet Spanish v.1 language.cn

|||


D-TEK Stratus DETECTOR DE FUGAS DE REFRIGERANTE Y MONITOR PORTÁTIL. Evite en un abrir y cerrar de ojos ... de CO2 Sensor de refrigerante inflamable Tapa del filtro Cartuchos de filtro Maletín de transporte **724-202-G1** 724-204-G1 721-607-G1 703-080-G10 703-080-G12 721-606-G1 721-605-G1 721-702-G1 721-610-G1... lang:es score:14 filesize: 4.1 M page_count: 2 document date: 2023-05-24



[pdf] Catalog

WEYTEK sidharvey documents |||

INFICON Service Tools Catalog 25 Table Of Contents D-TEK Stratus Refrigerant Leak Detector and Po ... d probe 15 in. 38 cm Warranty Two-year over-the-counter ORDERING INFORMATION D-TEK Stratus **724-202-G1** Accessories and Replacement Parts Earbuds 721-607-G1 TEK-Check R134a reference leak ... lang:de score:13 filesize: 12.27 M page_count: 24 document date: 2019-03-04



[pdf] User Manual Guide Warranty Catalog

Service Tools for HVAC R Catalog hvacnmore 2020 03 |||

Service Tools for HVAC/R Catalog 26 D-TEK Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR ... #10 2018 208 826.8 -17 in. 43 cm Two-year over-the-counter ORDERING INFORMATION D-TEK Stratus **724-202-G1** includes refrigerant sensor only D-TEK Stratus includes CO2 sensor only 724-204-G1...

lang:en score:13 filesize: 12.6 M page_count: 24 document date: 2020-02-19

[pdf] Datasheet Warranty

D TEK Stratus® inficon dtek stratus datasheet newtrutechtools content brands inficon documents new
srsltid AfrmBOoruSB0eEPQJNBDOLnQyiRyumdfQ6QVdqlvapMquUAR4n8sp 5A Stratus®D newinficon
5Atrutechtools AfrmBOoqb8dKO9 YWjrp5sXIViz3KJOvykdaev NNROnTkXqsu44Ifpq
NNROnTkXqsu44Ifpqtrutechtools AfrmBOopglyXLJ2FnuRcGRN1vTgErsvN9kBtxcUyNRJtiwD43JiMTYI3N
AfrmBOoo sJHsq7am5Xw4uUs3f5dQMZKre8IFqAvVGNog6nV2 0uCnXK1trutechtools
AfrmBOoqKnXm9RnWgVGB HUtergUvUqHL4yxQUEHyYEPmHjUfJMW9 Wtrutechtools
AfrmBOopglyXLJ2FnuRcGRN1vTgErsvN9kBtxcUyNRJtiwD43JiMTYI3Ntrutechtools
AfrmBOoo6EOcpQNBbyulfyAvbhL1GKbrzBTJ ad3U WymDLGbCeJCUqG9
WymDLGbCeJCUqG9trutechtools
AfrmBOoppGBfiLVsw70xqE7OIFUHBdWefOBrz0g4GrM5X6nKt67wfGqDJ
AfrmBOoppGBfiLVsw70xqE7OIFUHBdWefOBrz0g4GrM5X6nKt67wfGqDJtrutechtools
AfrmBOoqd1BwU99e7jsby0LC Gsvsk8j1u2scT0 Aw5IJ xpw1RP6p4

AfrmBOopPb6tdFzO22BEd3IXOWFzCRmmCNzBiBscYYewhHfRh4XF3cCLmrutechtools ||| ||| D-TEK
Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR Find profit-crushing leaks in no
time. D-TEK Stratus combines the excellent leak detection of D-TEK Select and the cloud hunting
capability of a large portable monitor all in one ||| D-TEK Stratus REFRIGERANT LEAK DETECTOR AND
PORTABLE MONITOR Find profit-crushing leaks in no time. D-TEK Stratus combines the excellent leak
detection of D-TEK Select and the cloud hunting capability of a large portable monitor all in one ||| D-TEK
Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR Find profit-crushing leaks in no
time. D-TEK Stratus combines the excellent leak detection of D-TEK Select and the cloud hunting
capability of a large portable monitor all in one ||| D-TEK Stratus REFRIGERANT LEAK DETECTOR AND
PORTABLE MONITOR Find profit-crushing leaks in no time. D-TEK Stratus combines the excellent leak
detection of D-TEK Select and the cloud hunting capability of a large portable monitor all in one ||| D-TEK
Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR Find profit-crushing leaks in no
time. D-TEK Stratus combines the excellent leak detection of D-TEK Select and the cloud hunting
capability of a large portable monitor all in one ||| D-TEK Stratus REFRIGERANT LEAK DETECTOR AND
PORTABLE MONITOR Find profit-crushing leaks in no time. D-TEK Stratus combines the excellent leak
detection of D-TEK Select and the cloud hunting capability of a large portable monitor all in one ||| D-TEK
Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR Find profit-crushing leaks in no
time. D-TEK Stratus combines the excellent leak detection of D-TEK Select and the cloud hunting
capability of a large portable monitor all in one ||| D-TEK Stratus REFRIGERANT LEAK DETECTOR AND
PORTABLE MONITOR Find profit-crushing leaks in no time. D-TEK Stratus combines the excellent leak
detection of D-TEK Select and the cloud hunting capability of a large portable monitor all in one
D-TEK Stratus REFRIGERANT LEAK DETECTOR AND PORTABLE MONITOR Find
profit-crushing leaks in no time. ... Two-year over-the-counter ORDERING
INFORMATION D-TEK Stratus includes refrigerant sensor only **724-202-G1** D-TEK
Stratus includes CO2 sensor only Accessories and Replacement Parts 724-204-G1 ...
lang:en score:12 filesize: 973.33 K page_count: 2 document date: 2024-04-25



[illegible]

RSD Refrigeration Supplies Distributor - Comprehensive Price List

Explore the extensive price list from RSD Refrigeration Supplies Distributor, featuring a wide range of HVAC and refrigeration parts, components, tools, and accessories from leading manufacturers like Acme, Browning, Copeland, Honeywell, and more. Updated June 11, 2021.

lang:en score:10 filesize: 819.63 K page_count: 100 document date: 2021-10-28