

[Manuals.plus](#) /

› [VOOPOO](#) /

› VOOPOO ARGUS P2 Pod System User Manual

## VOOPOO ARGUS P2

# VOOPOO ARGUS P2 Pod System User Manual

Model: ARGUS P2

## 1. INTRODUCTION

---

The VOOPOO ARGUS P2 Pod System is an advanced electronic cigarette device designed for a superior vaping experience. Building upon the popular ARGUS P1, the ARGUS P2 features a futuristic design and incorporates five key 'Super Powers': super capacity, super long lifespan, super output, super-fast charging, and superior flavor. It integrates essential functions such as precise airflow adjustment and supports a wide range of vaping styles from Mouth-to-Lung (MTL) to Direct-to-Lung (DL) with its versatile cartridge options.

# カード型PODに、



# 革命を。


Image 1.1: The VOOPOO ARGUS P2 Pod System device.

## 2. PACKAGE CONTENTS

---

Please check the package contents upon unboxing to ensure all items are present:

- ARGUS P2 Device x 1
- ARGUS Cartridge 0.4Ω x 1
- ARGUS Cartridge 0.7Ω x 1
- Type-C USB Cable x 1
- Neck Strap x 1
- User Manual x 1



◆ ARGUS P2 Pod 本体×1

◆ ARGUS カートリッジ 0.4Ω×1

◆ ARGUS カートリッジ 0.7Ω×1

◆ ネックストラップ×1

◆ USB Type-C ケーブル×1

◆ ユーザーマニュアル×1

Image 2.1: Contents included in the ARGUS P2 package.

### 3. SPECIFICATIONS

Device Size	78 x 48.5 x 17.5 mm
Cartridge Capacity	2.0 ml
Cartridge Material	PCTG
Cartridge Resistance	0.4Ω / 0.7Ω
Device Material	Zinc Alloy + PC
Output Range	5-30 W (3.2-4.2 V)
Battery Capacity	1100 mAh
Charging	Type-C (5V/2A)
Special Features	Fast Charging, Airflow Adjustment, iCOSM Code Technology

## サイズ

78×48.5×17.5(mm)

## 素材

亜鉛合金+樹脂(PC)

## バッテリー

1100mAh

## 出力

5W-30W

## 付属POD

0.4Ω/0.7Ω (2ml)

## 充電

Type-C (5V/2A)



Image 3.1: Visual overview of the ARGUS P2 specifications.

## 4. SETUP

### 4.1 Charging the Device

Before first use, fully charge the device. Connect the provided Type-C USB cable to the charging port on the device and plug the other end into a suitable USB power adapter (5V/2A recommended). The display will indicate charging status.

### 4.2 Filling the Cartridge

1. Remove the cartridge from the device.
2. Locate the silicone plug on the side of the cartridge. Open the plug.
3. Carefully fill the cartridge with your desired e-liquid through the filling port. Avoid overfilling.
4. Securely close the silicone plug.
5. For first-time use or with a new cartridge, allow the e-liquid to soak into the coil for 5-10 minutes before vaping to prevent dry hits.

### 4.3 Installing the Cartridge

Align the filled cartridge with the pod slot on the device and push it firmly until it clicks into place. Ensure a secure connection.



ARGUS G2を、より手軽に。  
革命を起こすカード型POD登場。

大人気の「ARGUS G2」にカード型のコンパクトモデルが登場。コンパクトなのに、バッテリー容量はG2から更にアップ。カートリッジは共通なので、美味しさやコイル持ちは折り紙付き。

一度の充電で、たっぷり長持ち。  
大容量バッテリー内蔵。

コンパクトなボディの中に大容量の1100mAhバッテリーを搭載。一度の充電でたっぷり長持ちします。お持ち運びやロングドライブのお供としてもおすすめです。



Image 4.1: The ARGUS P2 device is available in multiple color options.

## 5. OPERATING INSTRUCTIONS

### 5.1 Power On/Off

To turn the device **on** or **off**, press the power button **five times** rapidly. The screen will display the power status.

### 5.2 Adjusting Output (Power Mode)

The ARGUS P2 features a 'POWER mode' allowing output adjustment from 5W to 30W in 1W increments. This mode is recommended for users who prefer precise control over their vaping experience, matching output to their cartridge and e-liquid preferences.

### 5.3 Adjusting Output (Shift Mode)

For a simpler experience, the device also includes a 'SHIFT mode' with three preset output levels. This mode offers intuitive operation and is highly recommended for beginners.



しっかり使いこなしたい方には、  
1W刻みの出力調整モード。

5Wから30Wまでの間で出力を調整  
できる「POWERモード」を搭載。  
カートリッジやリキッドに合わせて、  
自分好みのセッティングを楽しみたい  
という方におすすめのモードです。

お手軽・簡単に楽しみたい方は、  
3段階の出力調整モード。

POWERモードの他に、3つのプリセットを  
切り替えて出力を調整する「SHIFTモード」  
も搭載。POWERモードよりもお手軽、  
直感的な操作が可能のため、初心者の  
方に超おすすめのモードです。



Image 5.1: The ARGUS P2 offers both precise Power Mode and simplified Shift Mode for output adjustment.

## 5.4 Airflow Adjustment

Adjust the airflow by moving the slider located on the side of the device. This allows customization of the draw resistance and vapor production, from a tighter 'heavy' draw to a looser 'light' draw.



「重め」から「軽め」まで。  
エアフロー調整に対応。

本体側面のスライダーを動かす事で  
エアフローの調整が可能。空気の  
通り道の大きさを調節する事で、  
吸いごたえやミストの量を細かく  
カスタマイズする事が可能です。

あなたの美味しいが見つかる。  
選べる2種類のカートリッジ。

煙量が多く、濃厚な味わいが楽しめる  
0.4Ωと、煙量が控えめで落ち着いた  
味わいの0.7Ω。2種類のPODが付属。  
出力やエアフローを調整しながら、  
自分だけの「美味しい」を追求可能。



Image 5.2: The side slider for airflow adjustment and a view of the two available cartridge types.

## 5.5 Cartridge Options

The ARGUS P2 comes with two types of pods:

- **0.4Ω Pod:** Recommended for higher vapor production and richer flavor (18W-30W).
- **0.7Ω Pod:** Recommended for moderate vapor and a more subdued flavor, ideal for a cigarette-like draw (14W-18W).

You can fine-tune your preferred flavor by adjusting the output and airflow settings.

# 2種類のPODが付属します

0.4Ω



18W-30W

煙量多め

味の濃さ重視

0.7Ω



14W-18W推奨

煙量控えめ

タバコ吸いに最適

Image 5.3: Comparison of the 0.4Ω and 0.7Ω ARGUS P2 pods.

## 6. MAINTENANCE

### 6.1 Cleaning the Device

Regularly clean the device, especially the pod connection area, with a dry cloth or cotton swab to remove any e-liquid condensation or dust. Keep the charging port free from debris.

### 6.2 Cartridge Replacement

Replace the cartridge when you notice a burnt taste, reduced vapor production, or diminished flavor. The lifespan of a cartridge varies depending on usage and e-liquid type.

### 6.3 Leak Prevention (iCOSM Code Technology)

The ARGUS P2 utilizes iCOSM code technology, featuring a unique internal capsule structure designed to prevent e-liquid leakage. To ensure optimal performance and minimize leaks, always ensure the silicone plug is securely closed after filling and the cartridge is properly seated in the device.

Your browser does not support the video tag.

Video 6.1: This video demonstrates the iCOSM CODE 2.0 technology, which is equipped in the ARGUS P2 for enhanced flavor and leak prevention.



革命的な美味しさと、長寿命。  
次世代テクノロジー搭載POD。

「iCosm code」と呼ばれる、最先端技術を採用したARGUS G2と同型の高性能カートリッジが付属。圧倒的な美味しさと、90ml分のチャージサイクルに耐えうる長寿命を実現。

※使用環境によってカートリッジの寿命が前後する場合がございます。

嫌な液漏れとおさらば。  
独自構造で、目指せお漏らしゼロ。

iCosm codeの魅力は美味しさと長寿命だけにあらず。カートリッジ内部に独自のカプセル構造を採用する事で、リキッドの漏出を防止。液漏れが嫌いな方に最適なPODです。

※リキッドの粘度不足により、滲みや漏れが発生する場合がございます。




Image 6.1: Illustration of the iCOSM code technology and its leak-proof design.

## 7. TROUBLESHOOTING

### 7.1 No Vapor or Weak Vapor

- **Check Battery Level:** Ensure the device is sufficiently charged.
- **Cartridge Connection:** Verify that the cartridge is properly installed and making good contact with the device.
- **E-liquid Level:** Ensure there is enough e-liquid in the cartridge.
- **Coil Condition:** If the flavor is burnt or vapor is consistently weak, the coil inside the cartridge may need to be replaced. Install a new cartridge.

### 7.2 Leaking

- **Proper Filling:** Ensure the cartridge is not overfilled and the silicone plug is securely closed after filling.
- **Cartridge Seating:** Make sure the cartridge is firmly seated in the device.

- **Condensation:** A small amount of condensation can accumulate. Regularly clean the inside of the device where the pod sits.

### 7.3 Device Not Turning On

- **Battery Charge:** Connect the device to a charger to confirm it has power.
- **Power On Sequence:** Press the power button five times rapidly to ensure it is being turned on correctly.

## 8. WARRANTY AND SUPPORT

---

This product comes with a standard manufacturer's warranty. Please refer to the warranty card included in your package for specific terms and conditions. For technical support, troubleshooting assistance, or warranty claims, please contact the retailer where you purchased the product or visit the official VOOPOO website for customer service information.

Keep your purchase receipt as proof of purchase for warranty purposes.