

[Manuals.plus](#) /

> [Winado](#) /

> Winado Portable Air Conditioner User Manual

Winado WND-AC-696

Winado Portable Air Conditioner User Manual

Model: WND-AC-696

1. PRODUCT OVERVIEW

The Winado Portable Air Conditioner (Model WND-AC-696) is a versatile 3-in-1 unit designed to provide cooling, fan, and dehumidification functions for rooms up to 300 sq. ft. With 9000 BTU (ASHRAE) / 6000 BTU (SACC) cooling power, it offers efficient climate control. Its portable design, complete with casters and handles, allows for easy movement between different spaces. The unit features Wi-Fi smart control, enabling convenient operation via remote control or smartphone, and includes energy-saving technology for reduced electricity consumption. Maintenance is simplified with a washable filter and a quick-install window kit.




Image: The Winado Portable Air Conditioner, showcasing its sleek design, remote control, and smartphone app interface for smart control.

2. SAFETY INFORMATION

Please read all instructions carefully before operating the appliance. Keep this manual for future reference. Always follow basic safety precautions to reduce the risk of fire, electric shock, or injury.

- Ensure the power supply matches the voltage specified on the rating label.
- Do not operate the unit with a damaged cord or plug.
- Do not insert fingers or objects into the air inlet or outlet.
- Keep the unit away from flammable materials and open flames.
- Always unplug the unit before cleaning or servicing.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

3. COMPONENTS AND FEATURES




Image: Diagram illustrating the 3-in-1 functionality of the Winado Portable Air Conditioner: Fan, Dehumidify, and Air Conditioner modes.

Key Components:

- **Control Panel:** Located on top of the unit for manual operation.
- **Air Outlet:** Adjustable louvers for directing airflow.
- **Air Inlet:** Located on the back, with a washable filter.
- **Exhaust Hose Connection:** For expelling hot air.
- **Drain Port:** For continuous drainage in dehumidifier mode.
- **Casters:** For easy mobility.
- **Remote Control:** For convenient operation from a distance.
- **Window Kit:** For exhaust hose installation.




Image: A detailed view of the control panel buttons, including WiFi, Timer, Speed, Up, Down, Mode, Sleep, and Power functions.

4. SETUP AND INSTALLATION

Unpacking:

1. Carefully remove the air conditioner from its packaging.
2. Check for any shipping damage. If damaged, contact your retailer immediately.
3. Keep the original packaging for future storage or transportation.

Window Kit Installation:

The included window kit is designed for most standard vertical and horizontal sliding windows.

1. Assemble the window slider kit by connecting the panels as needed to fit your window opening.
2. Open the window and place the assembled window slider kit into the window opening. Extend the panels to fit snugly and secure them.
3. Attach the exhaust hose to the unit's exhaust port.
4. Connect the other end of the exhaust hose to the window slider kit adapter. Ensure a tight seal to prevent hot air from re-entering the room.



Image: Visual guide for installing the portable air conditioner's exhaust hose in both vertical sliding windows and horizontal sliding windows.

Placement:

- Place the unit on a flat, stable surface.
- Ensure there is at least 20 inches (50 cm) of space around the unit for proper airflow.
- Position the unit near a window for exhaust hose installation.

5. OPERATING INSTRUCTIONS

Control Panel and Remote Control:

The unit can be operated using the control panel on top of the unit or the included remote control. The functions are identical.

- **Power Button:** Turns the unit ON or OFF.
- **Mode Button:** Cycles through Cooling, Fan, and Dehumidifier modes.
- **Up/Down Buttons:** Adjusts temperature settings (61-88°F / 16-31°C) or timer settings.
- **Speed Button:** Adjusts fan speed (High, Low).
- **Timer Button:** Sets the auto-on or auto-off timer (1-24 hours).
- **Sleep Mode:** Activates quiet operation for comfortable sleeping.
- **WiFi Button:** Activates WiFi pairing mode for smart control via smartphone app.




Image: The portable AC unit operating in a bedroom, highlighting its 24-hour timer and quiet sleep mode for peaceful rest.

Smart Control (Wi-Fi):

Download the Winado app from your smartphone's app store. Follow the in-app instructions to connect your portable air conditioner to your home Wi-Fi network. This allows you to control the unit from anywhere, set schedules, and access additional features.

6. MAINTENANCE

Cleaning the Air Filter:

The air filter should be cleaned every two weeks or more frequently depending on usage and air quality. A dirty filter can reduce cooling efficiency and airflow.

1. Turn off and unplug the unit.
2. Locate and remove the air filter from the back of the unit.
3. Wash the filter under running water (warm, soapy water if very dirty).
4. Allow the filter to air dry completely before reinserting it. Do not expose to direct sunlight.

Draining Water:

The unit has a self-evaporating system, but in high humidity conditions, the water tank may fill up. The unit will stop operating and display an error code when the tank is full.

- Turn off and unplug the unit.
- Place a shallow pan or tray under the drain port.
- Remove the drain plug to allow water to flow out.
- Once drained, replace the drain plug securely.

Storage:

If storing the unit for an extended period:

- Drain all accumulated water.
- Clean the air filter.
- Unplug the power cord and coil it neatly.
- Store the unit in a cool, dry place, preferably in its original packaging.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit does not turn on.	No power; Power cord not plugged in; Full water tank.	Check power outlet; Plug in power cord; Drain water tank.
Unit cools insufficiently.	Dirty air filter; Room too large; Doors/windows open; Exhaust hose not properly installed.	Clean air filter; Ensure room size is within capacity (300 sq. ft.); Close doors/windows; Check exhaust hose connection.
Unit is noisy.	Unit not on a level surface; Obstruction in fan.	Place on a flat surface; Check for and remove any obstructions.
Wi-Fi connection issues.	Incorrect Wi-Fi password; Unit too far from router; Router issues.	Verify password; Move unit closer to router; Restart router.

8. SPECIFICATIONS

Specification	Value
Model Number	WND-AC-696
Cooling Capacity (ASHRAE)	9000 BTU/H
Cooling Capacity (SACC)	6000 BTU/H
Power Supply	115V/60Hz
Rated Input	950W
Rated Current	8.5A
Air Flow	205 CFM
AC Coverage Area	300 sq. ft.
Noise Level	53 dB
Temperature Setting Range	61-88°F (16-31°C)
Timing Range	1-24 Hours
Fan Speeds	HIGH, LOW

Specification	Value
Filter Type	Washable
Exhaust Hose Length	150 cm (59 in.)
Item Weight	44.1 pounds
Product Dimensions	12.87 x 13.15 x 27.05 inches
Material Type	ABS, COPPER, COPPER ALLOY




Image: A visual representation of the product specifications, including cooling capacity, power, noise level, and dimensions.

9. WARRANTY AND SUPPORT

Winado products are designed for durability and performance. For warranty information and customer support, please refer to the contact details provided with your purchase or visit the official Winado website. Keep your purchase receipt as proof of purchase for any warranty claims.

For further assistance, you may contact Winado customer support via their official store page: [Winado Store on Amazon](#).

