

Baseus 11 in 1

Baseus SpaceMate(MAC) Docking Station User Manual

Model: 11 in 1

1. OVERVIEW

The Baseus SpaceMate(MAC) Docking Station is an 11-in-1 USB-C hub designed to expand the connectivity of your MacBook or Windows laptop. It provides multiple ports for external displays, high-speed data transfer, power delivery, network connection, and audio output, enhancing your productivity and workspace organization.

Key Features:

- **11-in-1 Connectivity:** Features 3 HDMI ports, 2 USB-A (10Gbps), 1 USB-C (10Gbps), 2 USB-A (480Mbps), 100W PD input, Gigabit Ethernet, and a 3.5mm AUX jack.
- **Triple 4K Display:** Supports up to three 4K displays at 60Hz for macOS and Windows laptops, utilizing DisplayLink technology for extended desktop functionality.
- **Innovative Upright Design:** Sleek design with a magnetic base for stable placement and cable management. Includes an LED screen for port status and a screen-lock button for privacy.
- **Super-Fast Data Transfer:** Achieve 10Gbps transfer speeds via USB 3.1 ports, allowing quick transfer of large files.
- **100W Power Delivery:** Provides up to 85W pass-through charging to your laptop (100W input required).

2. SETUP GUIDE

2.1. Package Contents:

Please ensure all items are present:

- Baseus SpaceMate(MAC) Docking Station

- USB-C to USB-C Cable (integrated or included)
- User Manual (this document)

Note: Power adapter and input cable are not included. A PD 100W adapter and a PD cable are recommended for optimal charging efficiency.

2.2. Connecting the Docking Station:

1. Place the docking station on a stable surface. The magnetic base ensures secure positioning.
2. Connect the integrated USB-C cable from the docking station to a USB-C port on your laptop.
3. For power delivery, connect a compatible USB-C power adapter (100W recommended) to the PD input port on the docking station.
4. Connect your external monitors to the HDMI ports on the docking station.
5. Connect any other peripherals (USB devices, Ethernet cable, audio devices) to their respective ports.



Image: Front and rear view of the Baseus SpaceMate Docking Station, highlighting its various input and output ports.

2.3. Driver Installation (Crucial for Display Functionality):

The docking station utilizes DisplayLink technology for multi-monitor support, especially for macOS. It is essential to install the DisplayLink driver for proper functionality of the HDMI ports.

1. Visit the official DisplayLink website (<https://www.synaptics.com/products/displaylink-graphics/downloads>) to download the latest DisplayLink driver compatible with your operating system (macOS or Windows).
2. Follow the on-screen instructions to install the driver.
3. After installation, ensure the DisplayLink Manager application is set to launch automatically at system startup. This is critical for consistent multi-monitor functionality.
4. Restart your computer if prompted.

3. OPERATING INSTRUCTIONS

3.1. Display Connectivity:

The docking station supports single, dual, and triple display setups at 4K resolution (3840x2160) at 60Hz via its HDMI ports.

Triple 4K Display for macOS



Image: A MacBook Pro connected to the Baseus SpaceMate Docking Station, extending its display across three external 4K monitors, demonstrating a triple display setup for macOS.



Audio & Visual in Sync


Enjoy lossless sound quality with no delay via the 3.5mm Audio IN/OUT.

Image: Visual representation of a triple display setup on macOS, with the laptop screen (A) and three external monitors (B, C, D) connected to the docking station.



Moves Data Exceptionally Fast

Transfer a 20G file in



* All data was provided by the Baseus Lab.

Image: A table illustrating the supported resolutions and refresh rates for single, dual, and triple display configurations in Mac MST Mode (macOS DP1.4).



Stable & Fast Network

Up to
1Gbps

Image: Visual representation of a triple display setup for Windows laptops, with the laptop screen (A) and three external monitors (B, C, D) connected to the docking station.



Image: A table illustrating the supported resolutions and refresh rates for single, dual, and triple display configurations in Windows MST Mode (Windows DP1.4 output with DSC).

3.2. Data Transfer:

The docking station features high-speed USB ports for efficient data transfer:

- **2 x USB-A (10Gbps) & 1 x USB-C (10Gbps):** Ideal for connecting external SSDs, flash drives, or other high-speed storage devices. Transfer 20GB files in approximately 20 seconds.
- **2 x USB-A (480Mbps):** Suitable for connecting peripherals like keyboards, mice, or printers.



Image: The docking station facilitating fast data transfer between a laptop and an external SSD, highlighting the 10Gbps speed capability.

3.3. Power Delivery:

The USB-C PD input port supports up to 100W power input, providing up to 85W pass-through charging to your connected laptop. This allows you to charge your laptop while using the docking station with a single cable connection.



Image: A diagram illustrating the power flow, showing 100W input to the docking station from a power adapter and 85W output to a MacBook Pro for charging.

3.4. Network Connection:

The Gigabit Ethernet port provides a stable and fast wired network connection, supporting speeds up to 1Gbps. This is ideal for reliable internet access and large file transfers over a local network.

Expand for Stable Ethernet

Up to 1Gbps



Image: A close-up view of the Gigabit Ethernet port on the Baseus SpaceMate Docking Station, with an Ethernet cable plugged in, indicating stable network expansion.

3.5. Audio Connectivity:

The integrated 3.5mm AUX jack allows you to connect headphones, speakers, or microphones for high-quality audio input and output without delay.



Image: A user enjoying audio through headphones connected to the 3.5mm AUX port of the docking station, demonstrating seamless audio and visual synchronization.

3.6. Screen-Lock Button:

The screen-lock button on top of the docking station provides a quick way to secure your sensitive information. Press it once for Windows or twice for macOS to lock your screen instantly.



Image: A hand pressing the screen-lock button on the top of the docking station, with icons indicating single press for Windows and double press for macOS to protect privacy.

3.7. LED Display:

The built-in LED screen on the front of the docking station intelligently displays the connection status of each port, providing visual feedback on active connections for screen casting, data transfer, charging, Ethernet, and audio.



Image: The LED display on the docking station illuminating icons for Screen Casting, Data Transfer, Charging, Ethernet, and Audio, indicating active connections.

4. MAINTENANCE AND CARE

- Keep the docking station in a dry environment and avoid exposure to liquids.
- Clean the surface with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- Ensure proper ventilation around the device to prevent overheating, especially during prolonged use with multiple connected devices.
- Avoid dropping or subjecting the device to strong impacts.
- When disconnecting, always pull from the plug, not the cable, to prevent damage.

5. TROUBLESHOOTING COMMON ISSUES

Problem	Possible Cause	Solution
No external display or unstable HDMI connection.	DisplayLink driver not installed or not running; faulty cables; incorrect display settings.	Ensure DisplayLink driver is installed and DisplayLink Manager is running (set to auto-launch). Try different HDMI cables. Check display settings on your laptop to detect monitors. Restart the docking station and laptop.
Docking station feels warm/hot.	Normal operation under heavy load; insufficient ventilation.	Some heat is normal, especially when charging or driving multiple displays. Ensure the docking station is placed in a well-ventilated area and not covered. If excessively hot, disconnect and allow to cool.

Problem	Possible Cause	Solution
USB ports or Ethernet not working.	Loose connection; driver issue; power issue.	Ensure all cables are securely connected. Reinstall DisplayLink driver. Verify the docking station is receiving sufficient power, especially if using power-hungry devices. Try connecting devices to different ports.
Laptop not charging or charging slowly.	Insufficient power adapter; non-PD compatible cable.	Ensure you are using a 100W PD power adapter and a USB-C cable that supports Power Delivery. Check if the power adapter is properly connected to the docking station.

6. PRODUCT SPECIFICATIONS

Feature	Detail
Model Number	11 in 1
Brand	Baseus
Color	Grey
Hardware Interface	USB 3.1 Type A, USB 3.1 Type C, Ethernet, HDMI, USB 2.0 Type A, 3.5mm Audio
HDMI Ports	3 x HDMI (up to 4K@60Hz)
USB Data Ports	2 x USB-A (10Gbps), 1 x USB-C (10Gbps), 2 x USB-A (480Mbps)
Power Delivery (PD)	100W Input, 85W Output (Pass-through charging)
Ethernet Port	Gigabit Ethernet (up to 1Gbps)
Audio Jack	3.5mm AUX In/Out
Compatible Devices	For M1/M2/M3 Mac and Windows laptops
Item Weight	1.5 pounds
Package Dimensions	7.17 x 4.76 x 3.03 inches
Date First Available	May 9, 2024


7. WARRANTY AND CUSTOMER SUPPORT


Baseus products are designed and manufactured to the highest quality standards. For information regarding warranty coverage, please refer to the warranty card included with your product or visit the official Baseus website.

If you encounter any issues or have questions about your Baseus SpaceMate(MAC) Docking Station, please contact Baseus customer support through their official website or the retailer where you purchased the product. Please have your product model number and purchase details ready when contacting support.


© 2025 Baseus. All rights reserved.

Related Documents - 11 in 1


	WAVLINK WL-UG63PD25 USB-C Triple Display Universal Docking Station Quick Start Guide This guide provides instructions for setting up and using the WAVLINK WL-UG63PD25 USB-C Triple Display Universal Docking Station, including driver installation for Windows and macOS, display configurations, and troubleshooting tips.
	Kensington SD4880P USB-C Quad Video 17-in-1 Driverless Docking Station The Kensington SD4880P is a 17-in-1 USB-C Quad Video Driverless Docking Station designed to expand connectivity for Thunderbolt 3, Thunderbolt 4, and USB4 laptops, supporting up to four video outputs and high-speed data transfer.
	Baseus Working Station Three-Screen Multifunctional Type-C HUB Adapter User Manual User manual for the Baseus Working Station Three-Screen Multifunctional Type-C HUB Adapter. Learn about its specifications, features, connectivity options including HDMI, USB 3.0, USB-C, Ethernet, SD/TF card reader, and audio jack. Includes guides for multi-screen display setup on Mac OS and Windows systems, and resolution compatibility.
	Baseus Spacemate Series 11-in-1 Docking Station User Manual Comprehensive user manual for the Baseus Spacemate Series 11-in-1 Docking Station, detailing specifications, ports, operating modes, and FAQs for enhanced connectivity and productivity.

	SATECHI Triple 4K Display Docking Station Quick Guide A quick guide to setting up and using the SATECHI Triple 4K Display Docking Station, covering power, host connection, software installation, port functionalities, and multi-monitor configurations.
	UGREEN CM615 USB-C Docking Station: User Manual and Setup Guide Comprehensive guide to the UGREEN CM615 USB-C Docking Station, covering connection, specifications, setup, display settings for Windows and macOS, and troubleshooting common issues.


Documents - Baseus – 11 in 1



[\[pdf\]](#) Specifications Guide Configuration Guide
NEAX2400 IPX Configuration Guide EZ Manuals textfiles for Systems Up to Sixteen PIMs September 2000
NEC America Inc NDA 24317 Issue 1 Stock 200831 ® NEAX 2400 Iss 2431710w manuals TELECOM F R
wedophones 80 res fault codes Electronics ICs Index of |||
NEAX2400 IPX Configuration Guide for NEAX2400 IPX Systems Up to Sixteen PIMs
September 2000 NEC America, Inc. NDA-24317 Issue 1 Stock #200831 Liability
Disclaimer NEC America, Inc. reserves the right to change the specifications, functions,
or features, at any time, without notice. NEC America,...
lang:en score:25 filesize: 663.61 K page_count: 58 document date: 2002-01-30



[Baseus Bowie M2s True Wireless Earphones User Manual](#)
Get the official user manual for Baseus Bowie M2s True Wireless Earphones. Learn about pairing, features, specifications, safety, and troubleshooting for your Baseus audio device.
lang:af score:23 filesize: 3.85 M page_count: 37 document date: 2024-01-26



[\[pdf\]](#) User Manual Specifications

NEAX2400 IPX Installation Manual U Type EZ Manuals NEC Issue 1 textfiles manuals TELECOM F R Iss 2430610w Index of wedophones |||

NDA-24306 ISSUE 1 STOCK # 200788 Installation Manual IPX-U Type OCTOBER, 2000 NEC America, Inc. LIABILITY DISCLAIMER NEC America, Inc. reserves the right to change the specifications, functions, or features, at any time, without notice. NEC America, Inc. has prepared this document for use by it...

lang:en score:22 filesize: 10.86 M page_count: 420 document date: 2002-01-30




[\[pdf\]](#) User Manual

Мінімійка Baseus Dual Portable Electric Назва Electric Модель CRDDSQ 01 Колір чорний Матеріал Алюмінієвий сплав ABS ПК Напруга 5В 2А Вхідний інтерфейс 778199 minimijka baseus dual portable electric black tzcrrdsq 01i allo ua media manual 778199 |||

Baseus Dual Portable Electric Baseus. - , , , . 1. 2. *1 3. *1 Type- 1 *1 . . 4. 5. 6. *1 10*1 5 1 1. 1 1 2 3 2 1 ; 1 2. 2 1 3 4 4 1 ; 3 1 3. 3 1 2 6 6 1...

lang:i-klngon score:21 filesize: 139.53 K page_count: 2 document date: 2021-06-22




[\[pdf\]](#) User Manual Specifications

NEAX2400 IMX System Operations and Maintenance Manual EZ Manuals NEC wedophones 80 textfiles manuals TELECOM F R Index of |||

NDA-24238 ISSUE 3 STOCK # 200870 System Operations and Maintenance Manual MAY, 2000 NEC America, Inc. LIABILITY DISCLAIMER NEC America, Inc. reserves the right to change the specifications, functions, or features, at any time, without notice. NEC America, Inc. has prepared this document for use b...

lang:en score:19 filesize: 12.13 M page_count: 647 document date: 2002-01-30




[\[pdf\]](#) User Manual Specifications

NEAX2400 IPX Fusion Network System Manual EZ Manuals NEC Issue 1 Iss 2429910w textfiles manuals TELECOM F R wedophones 80 res fault codes Electronics ICs Index of |||

NDA-24299 ISSUE 1 STOCK # 200776 Fusion Network System Manual OCTOBER, 2000 NEC America, Inc. LIABILITY DISCLAIMER NEC America, Inc. reserves the right to change the specifications, functions, or features, at any time, without notice. NEC America, Inc. has prepared this document for use by its em...

lang:en score:18 filesize: 8.81 M page_count: 197 document date: 2002-01-30




[\[pdf\] User Manual Specifications](#)

NEAX2400 IMX Fusion Network System Manual EZ Manuals NEC textfiles manuals TELECOM F R 80 res fault codes Electronics ICs Index of wedophones |||

ND-70185 E ISSUE 3 STOCK # 200869 Fusion Network System Manual MAY, 2000 NEC America, Inc. LIABILITY DISCLAIMER NEC America, Inc. reserves the right to change the specifications, functions, or features, at any time, without notice. NEC America, Inc. has prepared this document for use by its emp...

lang:en **score:18** filesize: 4.83 M page_count: 213 document date: 2002-01-30




[\[pdf\] User Manual](#)

PB3382Z PG3 2 P0A0 3U 17W User manual eng Baseus Compact Quick Charger hálózati töltő 3x USB fekete 41991 24326 4db10f8c966c6de2c4fcf9a46526ae32 puputeve hu media wysiwyg attachments |||

CCCP17UE 3U 17W / PB3382Z-1-2 100g 58*88mm 20P 2022-01-19 User Manual Mode d emploi Manual del usuario Manual do usurio Benutzerhandbuch Manuale d uso Podrcznik uytkownika 3U 17W Baseus Compact Charger 3U 17W EU Chargeur compact Baseus 3U 17W EU Ca...

lang:es **score:18** filesize: 1.45 M page_count: 1 document date: 2022-01-20



[NEAX 2400 IPX System Operations and Maintenance Manual](#)

This comprehensive manual provides detailed information on the operations and maintenance of the NEAX 2400 IPX system. It covers system configuration, messages, fault detection, and repair procedures, making it an essential guide for system administrators and maintenance personnel.

lang:en **score:18** filesize: 12.11 M page_count: 653 document date: 2002-01-30



PAIA MANUAL FOR THE FOSCHINI GROUP LIMITED ("TFG")
Registration number 1937/009504/06

Contents

1. INTRODUCTION.....	2
2. DEFINITION.....	3
3. PURPOSE OF THIS MANUAL.....	3
4. CONTACT DETAILS OF THE INFORMATION OFFICER (IO).....	3
5. GUIDE TO USE THE ACT.....	6
6. CATEGORIES OF RECORDS AUTOMATICALLY AVAILABLE.....	7
7. RECORDS AVAILABLE IN ACCORDANCE WITH ANY OTHER LEGISLATION.....	7
8. REQUEST FOR ACCESS TO RECORDS.....	7
9. PROTECTION OF PERSONAL INFORMATION.....	9
10. AVAILABILITY OF THIS MANUAL.....	11


[pdf] User Manual Guide

Antonio Jacobus paia manual for the foschini group limited tfg 11 hours ago — PURPOSE OF THIS MANUAL This Manual is intended to provide an outline of types records and PI held by TFG sets out procedure request Foschini Group Limited PAIA Oct 20232 tfglimited co za 2023 covers its various subsidiaries committed Constitution Republic South Africa strives ensure 21 ore fa GUIDE TO USE THE ACT available inspection during office at no cost s Head Office situated Stanley Lewis Centre 340 Access information Shop Baseus Products Online in Bash @home Haden SA |||

PAIA MANUAL FOR THE FOSCHINI GROUP LIMITED TFG Registration number 1937/009504/06 Contents


1. INTRODUCTION.....	2
2. DEFINITION.....	

lang:en score:18 filesize: 159.73 K page_count: 19 document date: 2023-11-01




[pdf] User Manual Specifications

IPX System Op and Maint U Type 2430710w NEC wedophones 80 Manuals textfiles manuals TELECOM F R Index of T E X I L S ||| NDA-24307 Issue 1 STOCK #200789 System Operations and Maintenance Manual IPX-U Type OCTOBER, 2000 NEC America, Inc. LIABILITY DISCLAIMER NEC America, Inc. reserves the right to change the specifications, functions, or features, at any time, without notice. NEC America, Inc. has prepared this do... lang:en score:17 filesize: 14.21 M page_count: 0 document date: 0000-00-00



[pdf] User Manual Instructions

20220907 User Manual GenPad DG Yulia Smal Show Analyzer s3 miraigenomics assets files ||| GENPAD Analyzer USER MANUAL Copyright 2022 K.K. Mirai Genomics. All rights reserved. No part of this document may be copied or processed in any form hard copy, photocopy, or otherwise in whole or in part without the prior permission of the publisher. Manufacturer K.K. Mirai Genomics Ask Sanshin ... lang:en score:16 filesize: 18.64 M page_count: 102 document date: 2022-09-08



[pdf]


Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060105 fioletowy Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060105 280821 upload files product |||

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060105 - fioletowy Indeks:
280821 Producent: Baseus Kod producenta: 6932172624569 Cena: 119.80 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060105 - fioletowy

Producent: Baseus EAN: 6932172624569 Kod producenta: SXBC060105...

lang:sw **score:15** filesize: 455.42 K page_count: 2 document date: 2023-08-08



[pdf]


Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060103 niebieski Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060103 280822 upload files product |||

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060103 - niebieski Indeks:
280822 Producent: Baseus Kod producenta: 6932172624552 Cena: 119.80 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060103 - niebieski

Producent: Baseus EAN: 6932172624552 Kod producenta: SXBC060103...

lang:sw **score:15** filesize: 511.13 K page_count: 2 document date: 2023-08-06



[pdf]

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060402 biały Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060402 biały 280816 upload files product |||


Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060402 - biały Indeks:

280816 Producent: Baseus Kod producenta: 6932172624606 Cena: 101.70 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060402 - biały Producent:

Baseus EAN: 6932172624606 Kod producenta: SXBC060402 Kolor d...

lang:pl **score:15** filesize: 225.97 K page_count: 2 document date: 2023-08-06




[pdf]

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060002 biały Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060002 biały 280824 upload files product |||

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060002 - biały Indeks:
280824 Producent: Baseus Kod producenta: 6932172624538 Cena: 119.80 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060002 - biały Producent:
Baseus EAN: 6932172624538 Kod producenta: SXBC060002 Ilo w o...

lang:sw score:15 filesize: 666.58 K page_count: 2 document date: 2023-08-09




[pdf]

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060502 biały Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060502 biały 280815 upload files product |||

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060502 - biały Indeks:
280815 Producent: Baseus Kod producenta: 6932172624613 Cena: 106.74 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060502 - biały Producent:
Baseus EAN: 6932172624613 Kod producenta: SXBC060502 Kolor d...

lang:pl score:15 filesize: 226.49 K page_count: 2 document date: 2023-08-09




[pdf]

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060202 biały Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060202 biały 280819 upload files product |||

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060202 - biały Indeks:
280819 Producent: Baseus Kod producenta: 6932172624583 Cena: 105.01 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060202 - biały Producent:
Baseus EAN: 6932172624583 Kod producenta: SXBC060202 Kolor d...

lang:sw score:15 filesize: 225.32 K page_count: 2 document date: 2023-08-09




[pdf]

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060102 biały Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060102 biały 280823 upload files product |||

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060102 - biały Indeks:
280823 Producent: Baseus Kod producenta: 6932172624545 Cena: 119.80 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060102 - biały Producent:
Baseus EAN: 6932172624545 Kod producenta: SXBC060102 Kolor d...

lang:pl score:15 filesize: 498.38 K page_count: 2 document date: 2023-08-06




[pdf]

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060104 różowy Sklep internetowy stylem pl
aktywny ipad baseus smooth writing sxbc060104 różowy 280820 upload files product |||

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060104 - różowy Indeks:
280820 Producent: Baseus Kod producenta: 6932172624576 Cena: 119.80 zł Opis

Aktywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060104 - różowy Producent:
Baseus EAN: 6932172624576 Kod producenta: SXBC060104 Ilo w opa...

lang:sw score:15 filesize: 441.42 K page_count: 2 document date: 2023-08-06



[pdf]

Aktywny pasywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060302 biały Sklep internetowy
stylem pl aktywny ipad baseus smooth writing sxbc060302 biały 280817 upload files product |||

Aktywny / pasywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060302 - biały
Indeks: 280817 Producent: Baseus Kod producenta: 6932172624590 Cena: 105.26 zł

Opis Aktywny / pasywny rysik stylus do iPad Baseus Smooth Writing 2 SXBC060302 -
biały Producent: Baseus EAN: 6932172624590 Kod producenta...

lang:sw score:15 filesize: 229.52 K page_count: 2 document date: 2023-08-09



Szko hartowane Baseus Crystal do iPad Pro 11" (2018/2020/2021/2022) / iPad Air 4/5 10.9" + zestaw montaowy - przezroczyste

Indeks: 287865 Producent: Baseus Kod producenta: 6932172634810

Cena: 84.22 zł

Opis

Szko hartowane Baseus Crystal do iPad Pro 11" (2018/2020/2021/2022) / iPad Air 4/5 10.9" + zestaw montaowy - przezroczyste

Producent: Baseus

- EAN: 6932172634810
- Kod producenta: 6932172634810
- Odbiornik: 10.9"
- Kompatybilność: producent oryginalny Apple
- Kompatybilność: model urządzenia iPad Pro 11" 2018 (5 gen.) iPad Pro 11" 2020 (2 gen.) iPad Pro 11" 2021 (3 gen.) iPad Pro 11" 2022 (4 gen.) iPad Air 10.9" 2020 (4 gen.) iPad Air 10.9" 2021 (5 gen.)

Parametry

Stan	Nowy
------	------

Zdjęcia

[pdf]

Szko hartowane Baseus Crystal do iPad Pro 11 2018 2020 2021 2022 Air 4 5 10 9 zestaw montaowy przezroczyste Sklep internetowy stylem.pl szkło baseus crystal ipad pro air montażowy 287865 upload files product |||

Szko hartowane Baseus Crystal do iPad Pro 11 2018/2020/2021/2022 / iPad Air 4/5 10.9 zestaw montaowy - przezroczyste Indeks: 287865 Producent: Baseus Kod producenta: 6932172634810 Cena: 84.22 zł Opis Szkło hartowane Baseus Crystal do iPad Pro 11 2018/2020/2021/2022 / iPad Air 4/5 10.9 ...

lang:es score:14 filesize: 503.75 K page_count: 2 document date: 2023-09-09



Rysik z aktywną końcówką Baseus Smooth Writing 2 Overseas Edition do iPad z wymienną końcówką - biały

Indeks: 490226 Producent: Baseus Kod producenta: 6932172636753

Cena: 97.05 zł

Opis

Rysik z aktywną końcówką Baseus Smooth Writing 2 Overseas Edition do iPad z wymienną końcówką - biały

Producent: Baseus

- ID: 155489-0100
- EAN: 6932172636753
- Kod producenta: 6932172636753
- Kompatybilność: model urządzenia iPad 9.7" 2018 (5 gen.) iPad 10.2" 2017 (7 gen.) iPad 10.2" 2020 (6 gen.) iPad 10.2" 2021 (7 gen.) iPad 10.2" 2022 (8 gen.) iPad Pro 11" 2018 (5 gen.) iPad Pro 11" 2020 (2 gen.) iPad Pro 11" 2021 (3 gen.) iPad Pro 11" 2022 (4 gen.) iPad Pro 12.9" 2018 (5 gen.) iPad Pro 12.9" 2020 (4 gen.) iPad Pro 12.9" 2021 (5 gen.) iPad Pro 12.9" 2022 (6 gen.) iPad Air 10.9" 2020 (4 gen.) iPad Air 10.9" 2021 (5 gen.) iPad Air 10.9" 2022 (6 gen.) iPad mini 7.9" 2019 (5 gen.) iPad mini 8.3" 2021 (6 gen.)
- Materiał: ABS, Kształt: Płaski
- Przegląd: Akumulator (mAh): 125
- Rodzaj: Stylus (5.0-5.5 mm)
- Cechy: Wytrzymałość: 2.0-0.5 mm
- Kompatybilność: producent oryginalny Apple
- BGC: L&L
- Thermo: Angielski - Niemiecki - Hiszpański - Włoski - Francuski - Węgierski - Chiny (Ug)

Parametry


Stan	Nowy
------	------

[pdf]

Rysik z aktywną końcówką Baseus Smooth Writing 2 Overseas Edition do iPad wymienną biały Sklep internetowy stylem.pl rysik aktywna końcówka baseus smooth writing overseas edition ipad wymienna biały 490226 upload files product |||

Rysik z aktywną końcówką Baseus Smooth Writing 2 Overseas Edition do iPad z wymienną końcówką - biały Indeks: 490226 Producent: Baseus Kod producenta: 6932172636753 Cena: 97.05 zł Opis Rysik z aktywną końcówką Baseus Smooth Writing 2 Overseas Edition do iPad z wymienną końcówką - biały Producent: Baseus ID: 155489...

lang:id score:14 filesize: 23.34 K page_count: 1 document date: 2024-08-26



Baseus Control Smartphone Handheld Gimbal Stabilizer

Instrukcja obsługi


Proszę zapoznać się z instrukcją obsługi i zachować ją.

[pdf]

Paulina Pietrzyńska Baseus Control Smartphone Handheld Gimbal Stabilizer 13 gru 2023 — Dziękujemy za zakup ręcznego stabilizatora Control Informacje zawarte w niniejszym dokumencie mają wpływ na Twoje bezpieczeństwo oraz Twoje instrukcja obsługi BASEUS SUYT 0G avans.pl products/files/313165868 |||

Baseus Control Smartphone Handheld Gimbal Stabilizer Instrukcja obsługi Proszę zapoznać się z instrukcją obsługi i zachować ją. Zastrzeżenie i ostrzeżenie Dziękujemy za zakup ręcznego stabilizatora Baseus Control Smartphone. Informacje zawarte w niniejszym dokumencie mają wpływ na Twoje bezpieczeństwo oraz Twoje...

lang:pl score:14 filesize: 765.38 K page_count: 11 document date: 2020-08-14




[pdf] User Manual Specifications Documentation

NEAX2400 IPX IPTRK Circuit Card System Manual IP TRK Iss 1 2431810w NEC Issue res fault codes
Manuals Electronics ICs textfiles manuals TELECOM F R wedophones 80 Index of T E X I L S |||
NDA-24318 ISSUE 1 STOCK # 200818 IPTRK Circuit Card System Manual
NOVEMBER, 2000 NEC America, Inc. LIABILITY DISCLAIMER NEC America, Inc.
reserves the right to change the specifications, functions, or features, at any time,
without notice. NEC America, Inc. has prepared this document for use by i...
lang:en score:14 filesize: 2.21 M page_count: 0 document date: 0000-00-00




[pdf]

Instrukcja obsługi Marka Baseus Produkt Hub 11w1 Max Elektro Metal Gleam Series Model CAHUB CT0G
Opis Wielofunkcyjny hub marki został wyposażony 3 porty gproxymaxeletro pl storage file pimcore import
2024 12 16 9bdee4c122d7f276e2da8bd25254cdb8 baseus usb typ c cahub ct0g instrukcja obsługi |||
Instrukcja obsługi Marka:Baseus Produkt:Hub 11w1 Baseus Metal Gleam Series
Model:CAHUB-CT0G Opis:Wielofunkcyjny hub 11w1 marki Baseus został wyposażony 3
porty USB 3.0, 1 USB-C, 2 HDMI, 1 VGA, 1 ethernet i 1 audio 3,5 mm. Ma rwnie
gniazda na karty SD oraz TF. Umoliwia szybkie przesylanie plikw z prdk...
lang:pl score:14 filesize: 232.58 K page_count: 2 document date: 2024-06-19



[pdf] Test Report SAR Rating


HD 271 S1 LAB02 RF Exposure report Shenzhen Times Innovation Technology Co Ltd PF001 Baseus T2
Pro Smart Device Tracker 2AY37 2AY37PF001 pf001
Shenzhen Huaxia Testing Technology Co., Ltd 1F., Block A of Tongsheng Technology
Building, Huahui Road, Dalang Street, Longhua District, Shenzhen, China Telephone:
Fax: Website: 86-755-26648640 86-755-26648637 www.cqa-cert.com Report Template
Version: V05 Report Template Revision Date: 2021-11...
lang:en score:13 filesize: 263.97 K page_count: 6 document date: 2021-12-28



[Baseus Spacemate Series 11-in-1 Docking Station User Manual](#)

Comprehensive user manual for the Baseus Spacemate Series 11-in-1 Docking Station, detailing specifications, ports, operating modes, and FAQs for enhanced connectivity and productivity.

lang:es **score:13** filesize: 8.79 M page_count: 71 document date: 2025-01-15




[\[pdf\] User Manual Specifications](#)

NEAX2400 IPX Hotel Office Data Specification EZ Manuals Iss 1 2431510w NEC Issue wedophones textfiles manuals TELECOM F R Index of |||

NDA-24315 ISSUE 1 STOCK # 200812 Hotel Office Data Specification OCTOBER, 2000 NEC America, Inc. LIABILITY DISCLAIMER The information contained in this document is specific to Dterm Series E only. Throughout this document, references to Console or Attendant Console imply a Hotel Console. Most...

lang:en **score:12** filesize: 13.36 M page_count: 268 document date: 2002-01-30




[\[pdf\] Specifications](#)

NEAX2400 IMX Hotel Office Data Specification EZ Manuals NEC textfiles manuals TELECOM F R wedophones 80 res fault codes Electronics ICs Index of |||

NDA-24288 ISSUE 1 STOCK # 200875 Hotel Office Data Specification MAY, 2000 NEC America, Inc. LIABILITY DISCLAIMER NEC America, Inc. reserves the right to change the specifications, functions, or features, at any time, without notice. NEC America, Inc. has prepared this document for use by its emp...


lang:en **score:12** filesize: 1.21 M page_count: 268 document date: 2002-01-30



[SIMATIC ET 200SP BaseUnits Gerätehandbuch | Siemens](#)

Umfassendes Gerätehandbuch von Siemens für SIMATIC ET 200SP BaseUnits. Detaillierte technische Informationen, Anschlusspläne und Anleitungen für Peripheriemodule, Motorstarter und Potenzialverteiler zur sicheren und effizienten Installation und Inbetriebnahme industrieller Automatisierungssysteme.

lang:de **score:12** filesize: 5.7 M page_count: 148 document date: 2022-05-31



[\[pdf\] User Manual Specifications](#)

IPX Office Data Specification Iss 1 2429810w NEC Issue wedophones 80 Manuals textfiles manuals

TELECOM F R Index of T E X I L S |||

NDA-24298 ISSUE 1 STOCK # 200779 Office Data Specification OCTOBER, 2000

NEC America, Inc. LIABILITY DISCLAIMER The information contained in this document is specific to Dterm Series E only. Throughout this document, references to Console or Attendant Console imply a Hotel Console. Most featu...

lang:en **score:11** filesize: 14.05 M page_count: 0 document date: 0000-00-00



[\[pdf\] User Manual](#)

Dezentrales Peripheriesystem A5E03576848 AL 04 2022 et200sp system manual de DE cache industry

siemens dl files 293 58649293 att 907749 v1 true |||

Ausgabe 04/2022 Systemhandbuch SIMATIC ET 200SP Dezentrales Peripheriesystem

ET 200SP support.industry.siemens.com SIMATIC ET 200SP Dezentrales

Peripheriesystem Systemhandbuch 04/2022 A5E03576848-AL 1 Wegweiser

Dokumentation ET 200SP Neue Eigenschaften/Funktionen 2 Systemübersicht 3

Einsatz...

lang:de **score:11** filesize: 12.94 M page_count: 297 document date: 2022-04-27



[\[pdf\]](#) User Manual

PB3246Z P0A4

Globalsat e Shop 24 hours ago —

C11140500113 B1 eshop globalsat gr documents Baseus Energy Source Inflator Pump


Pompe de gonflage avec source d'énergie Bomba infladora Fuente Energía Fonte Energia para de |||

User Manual Mode d'emploi Manual del usuario Manual do usuário Benutzerhandbuch

Manuale d'uso Podręcznik użytkownika Gebruikershandleiding Kullanici Kılavuzu K BS-

CG002 1100005849 PB3246Z-P0A4 128 65g 70*90mm 96P ROHS ...

lang:es **score:10** filesize: 2.31 M page_count: 96 document date: 2023-06-27



[\[pdf\]](#) User Manual

BaseUnits 6ES7193 6BP 3RK1908 0AP00 A5E03727052 AK 04 2022 DI FA SEA COS P ST IM 6Es7158

0Ad01 0Xa0 Manual Pdf SIMATIC Preface Contents 1 DP Coupler 3 4 5 6 Diagnostics et200sp base units

manual it IT support industry siemens cs attachments 59753521 |||


Edizione 04/2022 Manuale del prodotto SIMATIC ET 200SP BaseUnit 6ES7193-

6BP.../3RK1908-0AP00... support.industry.siemens.com SIMATIC ET 200SP BaseUnits

6ES7193-6BP... /3RK1908-0AP00... Manuale del prodotto 1 Guida alla

documentazione ET 200SP Nuove propriet 2 Panoramica del prodotto 3 ...

lang:it **score:10** filesize: 5.43 M page_count: 151 document date: 2022-06-08



[\[pdf\]](#) User Manual Warranty

SPEL Language Reference Ver 4 2 Rev 1 FAR EPSON RC VER LANGUAGE REFERENCE REV ftp Epson

nl robotics Manuals Software |||

EPSON RC Ver.4.2 SPEL Language Reference Rev.1 EM073S1477F EPSON RC

Ver.4.2 SPEL Language Reference Rev.1 EPSON RC Ver.4.2 SPEL Language

Reference Rev.1 Copyright 2007 SEIKO EPSON CORPORATION. All rights reserved.

SPEL Language Reference Ver.4.2 Rev.1 i FOREWORD WARRANTY Thank ...

lang:en **score:10** filesize: 1.67 M page_count: 596 document date: 2007-03-19



[\[pdf\]](#) User Manual

Dezentrales Peripheriesystem A5E03576848 AM 11 2022 DI FA SEA COS P ST IM Handbuch für motorstarter et200sp herunterladen als system manual de DE support industry siemens cs attachments 58649293 |||

Ausgabe 11/2022 SYSTEMHANDBUCH SIMATIC ET 200SP Dezentrales Peripheriesystem ET 200SP support.industry.siemens.com SIMATIC ET 200SP Dezentrales Peripheriesystem Systemhandbuch 11/2022 A5E03576848-AM Einleitung 1 Sicherheitshinweise 2 Neue Eigenschaften/Funktionen 3 Systemübersicht 4 Eins...
lang:de score:9 filesize: 17.87 M page_count: 325 document date: 2023-01-09



[\[pdf\]](#) User Manual

Dezentrales Peripheriesystem A5E03576848 AL 04 2022 DI FA SEA COS P ST IM support industry siemens cs attachments 58649293 et2 Handbuch für et 200 baugruppen herunterladen als et200sp system manual de DE handbuch redirect url true |||

Ausgabe 04/2022 Systemhandbuch SIMATIC ET 200SP Dezentrales Peripheriesystem ET 200SP support.industry.siemens.com SIMATIC ET 200SP Dezentrales Peripheriesystem Systemhandbuch 04/2022 A5E03576848-AL 1 Wegweiser Dokumentation ET 200SP Neue Eigenschaften/Funktionen 2 Systemübersicht 3 Einsatz...

lang:de score:9 filesize: 11.65 M page_count: 297 document date: 2022-06-10