Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Jansite Car Play Screen for Car

Jansite 10.26" Carplay Screen User Manual

Model: Car Play Screen for Car

1. Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Jansite 10.26" Carplay Screen. Please read this manual thoroughly before using the device to ensure proper functionality and safety. The Jansite Carplay Screen integrates advanced features such as wireless Apple CarPlay and Android Auto, a 2.5K dash camera, a 1080P waterproof backup camera, dual Bluetooth connectivity, and multiple audio output options, enhancing your driving experience with smart navigation and entertainment.

2. Package Contents

Verify that all items listed below are included in your package:

- Car DVR (Main Unit)
- Rear View Camera
- Power Cord (Cigarette Lighter Adapter)
- AUX Cable
- Suction Cup Bracket
- Adhesive Mount
- 10M Extension Cable (for rear camera)
- 64GB TF Card
- User Manual



Figure 2.1: Contents of the Jansite Carplay Screen package, including the main unit, cameras, cables, mounting options, and storage card.

3. Product Overview

The Jansite Carplay Screen is a versatile in-car entertainment and safety system. Key components include:

- **10.26" HD IPS Touch Screen:** Provides clear visuals and responsive touch control.
- **2.5K Front Dash Cam:** Records high-resolution footage of the road ahead, with a unique rotating feature for interior recording.
- **1080P Rear Camera:** Captures clear rear view footage and assists with parking.
- **Integrated Microphone and Speaker:** For hands-free calls and audio output.
- **TYPE-C Port:** For stable and fast power delivery.
- **TF Card Slot:** Supports up to 64GB for video storage.



Figure 3.1: Front view of the Jansite 10.26" Carplay Screen, highlighting the display and integrated front camera.



Figure 3.2: Detailed view of the Jansite Carplay Screen showing the rotating front camera for flexible recording angles.

4. Installation Guide

4.1 Mounting the Main Unit

The Jansite Carplay Screen offers two mounting options: a suction cup bracket for windshield mounting and an adhesive mount for dashboard mounting.

4.1.1 Suction Cup Mount Installation

1. Clean the windshield surface thoroughly with a wet towel and dry it.
2. Attach the suction cup bracket to the main unit.
3. Press the suction cup firmly onto the desired area of the windshield and lock the lever to secure it.
4. Adjust the angle of the screen for optimal viewing.

4.1.2 Adhesive Mount Installation

1. Clean the dashboard surface thoroughly and ensure it is dry.
2. Peel off the white paper sticker from the adhesive bracket.
3. Align the holes on the bracket with the main unit and push up to fix it.
4. Press the adhesive mount firmly onto the dashboard.
5. Adjust the angle of the screen for optimal viewing.



Figure 4.1: Step-by-step guide for installing the Carplay Screen using the dashboard adhesive mount.



Figure 4.2: Step-by-step guide for installing the Carplay Screen using the windshield suction cup mount.

4.2 Connecting the Power

Connect the provided power cord to the TYPE-C port on the main unit and plug the other end into your vehicle's 7-32V cigarette lighter socket.

4.3 Installing the Rear View Camera

The rear view camera is waterproof (IP68) and can be mounted externally. Use the provided 10-meter extension cable for installation, especially suitable for larger vehicles.

1. Mount the rear camera at the back of your vehicle, ensuring a clear view.
2. Connect the rear camera cable to the main unit.
3. For automatic display of the rear view when reversing, connect the red wire from the rear camera to your vehicle's

reversing lights.



Figure 4.3: Illustration of the rear camera installation and its wide-angle view with adjustable reversing lines.



Figure 4.4: The 10-meter extension cable for the rear camera, suitable for various vehicle types.

5. Operating Instructions

5.1 Initial Setup and Power On

Once powered, the device will boot up automatically. Follow the on-screen prompts for initial language and time settings.

5.2 Wireless Connectivity (CarPlay & Android Auto)

The Jansite Carplay Screen supports wireless Apple CarPlay and Android Auto via Bluetooth and Wi-Fi.

5.2.1 Connecting Apple CarPlay

1. On the Carplay Screen, open the CarPlay application.
2. On your iPhone, turn on Wi-Fi and Bluetooth.
3. In your iPhone's Bluetooth settings, find and select the device name (e.g., "TF781BT_4871130c").
4. Confirm the pairing on both devices. The connection should be successful.



Figure 5.1: Steps to establish a wireless Apple CarPlay connection with the Jansite Carplay Screen.

5.2.2 Connecting Android Auto

1. On the Carplay Screen, open the Android Auto application.

2. On your Android phone, turn on Wi-Fi and Bluetooth.
3. In your Android phone's Bluetooth settings, find and select the device name (e.g., "TF781BT_4871130c").
4. Confirm the pairing on both devices. The connection should be successful.




Figure 5.2: Steps to establish a wireless Android Auto connection with the Jansite Carplay Screen.

5.3 Mirror Link Functionality

The device supports screen mirroring for both iOS (AirPlay) and Android (Android Cast) devices.

5.3.1 iOS Mirror Link (AirPlay)

1. On the Carplay Screen, open CarPlay or Android Auto and select "AirPlay".
2. On your iPhone, turn on Wi-Fi.
3. Open the control center on your iPhone and tap "Screen Mirroring".
4. Select "Smart Screen" from the list to complete the mirroring connection.



Figure 5.3: Instructions for setting up iOS Mirror Link (AirPlay) on the Carplay Screen.

5.3.2 Android Mirror Link (Android Cast)

1. On the Carplay Screen, open CarPlay or Android Auto and select "Android Cast".
2. Scan the QR code displayed on the screen with your mobile phone to download and install the "TCLink" application.
3. Connect your device to "CARLINK-18CEBF" and follow the phone prompts to start projection.



Figure 5.4: Instructions for setting up Android Mirror Link (Android Cast) on the Carplay Screen.

5.4 Audio Output Options

The Jansite Carplay Screen offers multiple ways to output audio to your car's speakers:

- **Bluetooth to Car Speaker:** Connect the Carplay Screen to your car's audio system via Bluetooth 5.0 for high-quality sound.
- **FM Transmitter:** Transmit audio to your car's FM radio by tuning both devices to the same FM frequency.
- **AUX-Connection:** Use the provided AUX cable to connect the Carplay Screen to your car's AUX input.
- **Built-in Speaker:** The device has its own speaker for direct audio output.



Figure 5.5: Diagram illustrating the various audio output methods available for the Carplay Screen.

5.5 Dash Cam Operation

The integrated 2.5K front camera and 1080P rear camera provide continuous recording. The front camera can rotate to record the car's interior.

- **Loop Recording:** Automatically overwrites the oldest footage when the SD card is full.
- **Locked Video:** Footage from collisions or manually locked videos are protected from being overwritten.
- **Night Vision:** Enhanced low-light recording with F1.6 aperture and WDR technology.
- **24-Hour Parking Monitor & Time-Lapse Recording:** Requires an additional hardwire kit (not included) to function when the engine is off.



Figure 5.6: Overview of the 2.5K front and 1080P rear dash cam features, including recording modes and viewing angles.



Figure 5.7: Examples of recording views: front of the car, inside the car (with rotating camera), and rear view.



Figure 5.8: The split-screen display functionality, showing simultaneous views from front and rear cameras, or navigation and camera feeds.

5.6 Voice Assistant and Hands-free Calling

Utilize Siri or Google Assistant through the Carplay Screen for navigation, calls, music, and messaging. The dual Bluetooth technology allows for simultaneous map navigation and music playback.




Figure 5.9: Interface showing voice assistant commands and hands-free calling features.



Figure 5.10: Illustration of the dual Bluetooth mode, enabling simultaneous navigation and music streaming.

6. Maintenance

- **Cleaning:** Use a soft, dry cloth to clean the screen and device body. Avoid abrasive cleaners or solvents.
- **SD Card Management:** Regularly format the 64GB TF card to ensure optimal recording performance and prevent data corruption. Back up important footage before formatting.
- **Firmware Updates:** Check the manufacturer's website for any available firmware updates to improve performance and add new features.

7. Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Device does not power on.	No power from cigarette lighter; loose connection.	Check cigarette lighter fuse. Ensure power cord is securely connected to both the device and the cigarette lighter socket.
CarPlay/Android Auto not connecting wirelessly.	Bluetooth/Wi-Fi off on phone; incorrect pairing; interference.	Ensure Bluetooth and Wi-Fi are enabled on your smartphone. Forget the device in your phone's Bluetooth settings and re-pair. Move phone closer to the unit.
No audio output.	Incorrect audio output mode selected; volume too low.	Verify the selected audio output mode (Bluetooth, FM, AUX, Built-in Speaker). Adjust volume on both the device and car stereo. Ensure AUX cable is fully inserted.
Dash cam not recording or footage is corrupted.	SD card full or corrupted; incorrect SD card.	Format the 64GB TF card regularly. Ensure the SD card is Class 10 or higher. Replace the SD card if issues persist.
Rear camera not displaying.	Loose connection; red wire not connected to reversing light (for auto display).	Check all cable connections to the rear camera. Ensure the red trigger wire is correctly connected to the reversing light power source if automatic display is desired.

8. Specifications

Feature	Detail
Model Name	Car Play Screen for Car
Screen Size	10.26 inches
Display Type	HD IPS Touch Screen
Front Camera Resolution	2.5K (1440p)
Rear Camera Resolution	1080P
Front Camera Angle	170° Ultra Wide Angle
Rear Camera Angle	150° Ultra Wide Angle
Connectivity	Wireless Apple CarPlay, Wireless Android Auto, Dual Bluetooth 5.0, Mirror Link (AirPlay/Android Cast), 5GHz Wi-Fi
Audio Output	Bluetooth, FM Transmitter, AUX, Built-in Speaker
Storage	Supports 64GB TF Card (included)
Power Input	7-32V (Cigarette Lighter)
Rear Camera Waterproof Rating	IP68

Feature	Detail
Dimensions (Package)	10.75 x 5.79 x 4.29 inches
Item Weight	2.29 pounds
Batteries	1 Lithium Polymer battery (included)

9. Warranty and Support

For warranty information and technical support, please refer to the contact details provided in the original product packaging or visit the official Jansite website. Keep your purchase receipt as proof of purchase for warranty claims. Jansite is committed to providing professional and timely service. For further assistance, please contact Jansite Direct, the seller.

10. Safety Information

- Do not operate the device or adjust settings while driving. Always pull over safely before interacting with the screen.
- Ensure all cables are routed safely and do not obstruct the driver's view or vehicle controls.
- Avoid exposing the device to extreme temperatures, direct sunlight for prolonged periods, or excessive moisture.
- Do not attempt to disassemble or repair the device yourself. Refer to qualified personnel for service.

© 2024 Jansite. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0D3TLPNFM

More documents and user manuals: **https://manuals.plus/**