



Manuals.plus /

› CXVX /

› CXVX Queen Size Bed Frame with Adjustable Headboard and Storage Drawers Instruction Manual

CXVX B0D3TSVH3G

CXVX Queen Size Bed Frame Instruction Manual

Model: B0D3TSVH3G

1. SAFETY INFORMATION

Please read and understand all instructions before assembly and use. Keep this manual for future reference.

- **Weight Limit:** Do not exceed the maximum weight limit of 800 pounds to prevent injury or damage to the bed frame.
- **Assembly:** Ensure all parts are correctly assembled and fasteners are tightened securely before use. Improper assembly can lead to instability.
- **Children:** Keep small parts and packaging materials away from children during assembly.
- **Placement:** Place the bed frame on a level surface.
- **Maintenance:** Periodically check all connections and tighten as necessary.

Ensure proper assembly and do not exceed the maximum weight limit of 800 pounds to avoid injury or damage.

2. PACKAGE CONTENTS

Before beginning assembly, verify that all components listed below are present and undamaged. All labeled parts, detailed instructions, and tools are included in one box.

- Headboard (Upholstered)
- Side Rails (Left and Right)
- Footboard
- Center Support Beam
- Wooden Slats
- Storage Drawers (with wheels)
- Hardware Pack (screws, bolts, Allen wrench)
- Assembly Instructions



Figure 2.1: Complete CXVX Queen Size Bed Frame with storage drawers.

3. SETUP AND ASSEMBLY

Assembly is designed to be straightforward and typically takes about 30 minutes. Follow the detailed instructions provided in the package.

3.1 Unpacking and Preparation

- Open the package and carefully remove all components. The bed frame parts are conveniently stored on the back of the headboard.
- Lay out all parts on a clean, soft surface (e.g., a rug or blanket) to prevent scratches.
- Identify each part using the provided labels and the assembly diagram.

Packed Simply

All bed frame parts can be conveniently and neatly stored on the back of the headboard




Figure 3.1: Illustration of how bed frame parts are packed within the headboard for shipping.


3.2 Assembly Steps

1. **Attach Side Rails:** Connect the side rails to the headboard and footboard using the provided hardware. Ensure all bolts are finger-tightened initially.
2. **Install Center Support:** Secure the center support beam to the frame.
3. **Place Wooden Slats:** Lay the wooden slats across the frame. The slats are designed for strong support and eliminate the need for a box spring. Ensure they are evenly spaced and secured if applicable.
4. **Tighten All Fasteners:** Once all major components are in place, go back and fully tighten all bolts and screws with the provided Allen wrench. Do not overtighten.
5. **Insert Storage Drawers:** Place the storage drawers underneath the bed frame. The drawers feature smooth wheels for easy access.


CONSIDERATED DETAILS DESIGN



Heavy Duty Metal Frame



Sturdy Wooden Slats



NO Noise & Easy Assembly



Storage Drawers With Wheels

Figure 3.2: Close-up of heavy-duty metal frame, sturdy wooden slats, and storage drawers with wheels.



Figure 3.3: Detail of the robust metal frame and secure slat connection.



Figure 3.4: Wooden slats featuring anti-slip tape for mattress stability.

4. OPERATING INSTRUCTIONS

4.1 Adjustable Headboard

The upholstered headboard can be adjusted to two different heights to accommodate various mattress thicknesses.

- **Height Options:** The headboard can be set at 44.8 inches or 46.8 inches from the floor.
- **Adjustment:** To adjust the height, loosen the bolts connecting the headboard to the frame, slide the headboard to the desired position, and re-tighten the bolts securely.
- **Mattress Compatibility:** Suitable for mattresses between 6 and 14 inches in height.



Figure 4.1: Headboard height adjustment mechanism, showing 44.8" and 46.8" options.



Figure 4.2: Recommended mattress thickness range (6-14 inches) for optimal headboard fit.

4.2 Storage Drawers

The bed frame includes one spacious storage drawer designed for convenient access.

- **Access:** The drawer is equipped with four smooth wheels, allowing it to be easily pulled out and pushed in from underneath the bed.
- **Capacity:** Ideal for storing bed sheets, accessories, off-season clothing, or other items.

Large Storage Drawers



Figure 4.3: The large storage drawer, demonstrating its capacity for various items.



Figure 4.4: Detail of the smooth-rolling wheels on the storage drawer for easy movement.

5. MAINTENANCE

Regular maintenance helps prolong the life and appearance of your bed frame.

- **Cleaning Upholstery:** For general cleaning, gently vacuum the upholstered headboard and frame to remove dust. For spills, blot immediately with a clean, dry cloth. For stubborn stains, consult a professional upholstery cleaner or use a mild fabric cleaner according to its instructions, testing on an inconspicuous area first.
- **Frame Cleaning:** Wipe metal and wooden parts with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners.
- **Fastener Check:** Periodically (e.g., every 3-6 months) check all bolts and screws to ensure they remain tight. Retighten if necessary to maintain stability and prevent squeaking.
- **Drawer Maintenance:** Keep the drawer wheels free of debris to ensure smooth operation.

6. TROUBLESHOOTING

If you encounter any issues with your bed frame, refer to the following common problems and solutions.

- **Squeaking Noises:**
Cause: Loose connections or uneven placement.
Solution: Ensure all bolts and screws are securely tightened. Verify the bed frame is on a level surface. The interior metal framework and wooden slats are designed to be squeak-resistant, but loose connections can still cause noise.
- **Missing or Incorrect Parts:**
Cause: Packaging error or shipping damage.
Solution: If you find any parts missing or incorrect upon unpacking, do not proceed with assembly. Contact CXVX

customer support immediately with your purchase details and a description of the issue.

- **Headboard Not Adjusting:**

Cause: Bolts are too tight or obstruction.

Solution: Loosen the headboard adjustment bolts sufficiently. Ensure there are no obstructions preventing the headboard from sliding freely.

- **Drawers Not Sliding Smoothly:**


Cause: Debris in wheels or uneven floor.

Solution: Check the wheels for any trapped debris and clean them. Ensure the floor underneath the bed is clear and level.

7. SPECIFICATIONS

Feature	Detail
Brand	CXVX
Model	B0D3TSVH3G
Size	Queen
Color	Dark Grey
Upholstery Fabric Type	Linen
Product Dimensions (L x W x H)	83.86" x 62.2" x 46.8"
Adjustable Headboard Height	44.8" or 46.8"
Recommended Mattress Thickness	6-14 inches
Weight Limit	800 Pounds
Special Feature	Squeak Resistant, Storage Drawers
Included Components	Headboard, Frame, Slats, Drawers
Assembly Required	Yes
Item Weight	78.4 pounds

PRODUCT DIMENSIONS



WEIGHT CAPACITY

800lb

MATTRESS AREA

62.2W X 83.8L

SIZE TYPE

Queen Size

Figure 7.1: Detailed product dimensions for the CXVX Queen Size Bed Frame.

8. WARRANTY AND SUPPORT

For any questions, concerns, or to report missing/damaged parts, please contact CXVX customer support. While specific warranty details are not provided in this manual, most products come with a manufacturer's warranty against defects.

Please retain your proof of purchase for any warranty claims or support inquiries.

Customer Support: Refer to your purchase platform or the CXVX brand store for contact information.