

[Manuals.plus](#) /

> [Grand patio](#) /

> Grand patio 10x10 FT Patio Offset Umbrella Instruction Manual

Grand patio 10x10 FT Patio Offset Umbrella

Grand patio 10x10 FT Patio Offset Umbrella Instruction Manual

Model: 10x10 FT Patio Offset Umbrella

1. INTRODUCTION

Thank you for choosing the Grand patio 10x10 FT Patio Offset Umbrella. This manual provides essential information for the safe assembly, operation, and maintenance of your new umbrella. Please read all instructions carefully before use and retain this manual for future reference.



Image: The Grand patio 10x10 FT Patio Offset Umbrella in a champagne color, providing extensive shade over an outdoor patio setup with seating.

2. SAFETY INFORMATION

- Always close the umbrella during strong winds, heavy rain, or other severe weather conditions to prevent damage or injury.
- Ensure the base is properly filled with sand and water (330 lbs sand, 44 lbs water for a total of 374 lbs) to maintain stability.
- Do not hang objects from the umbrella frame or ribs.
- Keep children and pets away from the umbrella during operation.
- Regularly inspect all components for wear and tear. Replace damaged parts immediately.

3. PACKAGE CONTENTS

Your Grand patio offset umbrella arrives in two packages. Please ensure all parts are present before beginning assembly.

- Umbrella Canopy (Heavy-duty polyester fabric)
- Aluminum Pole (Reinforced, powder-coated)
- Base Unit with Wheels
- Crank System Components
- 8 Heavy-Duty Ribs
- Hardware and Tools
- Instruction Manual

Mobile Base Included



Need to Fill with **330 LBS**
Sand & **44 LBS** Water



Image: The mobile base of the umbrella, designed to be filled with sand and water for stability, featuring integrated wheels for easy movement.

4. SETUP AND ASSEMBLY

Assembly typically takes about 30 minutes. Follow these steps for proper setup:

1. **Prepare the Base:** Place the base unit in your desired location. Fill the base with approximately 330 lbs of sand and 44 lbs of water (total 374 lbs) for optimal stability. Secure the fill caps tightly.
2. **Attach the Pole:** Securely attach the aluminum pole to the base unit using the provided hardware. Ensure all bolts are tightened.
3. **Install the Canopy:** Carefully attach the umbrella canopy to the frame. Ensure all ribs are correctly aligned and secured.
4. **Connect Crank System:** Assemble the crank system according to the diagrams in the included manual.

Your browser does not support the video tag.

Video: A demonstration of filling the umbrella base with sand and water, and the initial setup of the umbrella, highlighting its stability and ease of movement with wheels.

Structural stability



Position Lock

Made in aluminum, can fix the umbrella at any position



Image: A diagram illustrating the structural stability of the umbrella, featuring a 2.4-inch aluminum pole and a position lock for securing the umbrella's angle.

5. OPERATING INSTRUCTIONS

5.1 Opening and Closing the Umbrella

The umbrella features an easy-grip crank system for smooth operation.

1. **To Open:** Turn the crank handle clockwise until the canopy is fully extended.
2. **To Close:** Turn the crank handle counter-clockwise until the canopy is fully retracted.

5.2 Adjusting the Tilt

The umbrella offers a clever auto-lock system to reposition the tilt up to 90 degrees, allowing you to adjust the shade as the sun moves.

1. Locate the tilt adjustment lever on the main pole.
2. Press the lever to release the lock.
3. Adjust the canopy to your desired angle.
4. Release the lever to lock the tilt in position.

Your browser does not support the video tag.

Video: A demonstration of the umbrella's easy opening and closing mechanism using the crank, and adjusting the tilt for optimal shade coverage.

TILT ADJUSTABLE UP TO 90 DEGREES

Provide the maximum shade



Image: The umbrella's tilt mechanism, which allows for up to 90 degrees of adjustment, operated by a simple crank system for user convenience.

5.3 Moving the Umbrella

The base is equipped with wheels for easy repositioning.

1. Ensure the umbrella is fully closed and secured.
2. Slightly tilt the base to engage the wheels.
3. Carefully roll the umbrella to its new location.
4. Once in place, lower the base to disengage the wheels and ensure stability.

6. MAINTENANCE

6.1 Cleaning the Canopy


The heavy-duty polyester canopy is water and UV resistant. To clean:

- Brush off loose dirt.

- Spray with a mild soap and water solution.
- Use a soft brush to clean.
- Rinse thoroughly until all soap residue is removed.
- Allow to air dry completely before closing or storing.

YARN DYED POLYESTER FABRIC

OURS



- 3 Years Against Fading
- Water Resistance
- 99% UV Blocking

OTHERS



- Easy Fading
- Not Water Resistance
- 95% UV Blocking

Image: A detailed view of the umbrella's yarn-dyed polyester fabric, emphasizing its durability against fading for 3 years, water resistance, and 99% UV blocking properties.

6.2 Frame Care

- Wipe the aluminum frame with a damp cloth and mild soap.
- Avoid abrasive cleaners that could damage the powder-coated finish.
- Ensure all moving parts of the crank system are free of debris.

7. STORAGE

When not in use, especially during off-season or prolonged periods, it is recommended to store the umbrella properly:

- Fully close the umbrella and secure it with any provided ties.
- If possible, remove the canopy for separate storage in a dry, protected area.
- Store the frame in a cool, dry place, away from direct sunlight and extreme temperatures.
- Consider using a protective cover for added longevity.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Umbrella is unstable or sways excessively.	Base not adequately weighted.	Ensure base is filled with 330 lbs of sand and 44 lbs of water.
Crank system is stiff or difficult to operate.	Debris in mechanism or lack of lubrication.	Clean the crank mechanism and apply a silicone-based lubricant if necessary.
Canopy does not open or close smoothly.	Ribs are misaligned or fabric is caught.	Inspect ribs for proper alignment and ensure no fabric is snagged.

9. SPECIFICATIONS

- **Product Dimensions:** 120 x 120 x 120 inches (10 x 10 x 10 FT)
- **Item Weight:** 75.8 pounds
- **Canopy Material:** Heavy-duty polyester fabric (3-year fade resistance, water resistant, 99% UV blocking)
- **Frame Material:** Reinforced, powder-coated aluminum
- **Ribs:** 8 heavy-duty ribs
- **Base:** Mobile base with wheels, requires 330 lbs sand + 44 lbs water (374 lbs total)
- **Tilt:** Up to 90 degrees with auto-lock system
- **Shape:** Square
- **Color:** Champagne



Image: A multi-angle size guide for the 10x10 FT umbrella, detailing various height and tilt configurations and their corresponding dimensions.

10. WARRANTY & SUPPORT

Grand patio offers the following warranty:

- **Canopy:** 3-year warranty
- **Frame and Base:** 1-year warranty

For support or warranty claims, please contact Grand patio directly. Refer to your purchase documentation for contact details.