Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Loniko VCMTST001

Loniko Smart Toilet Bidet User Manual

Model: VCMTST001
Brand: Loniko

1. Introduction

This manual provides essential information for the safe and efficient use of your Loniko Smart Toilet Bidet. It covers installation, operation, maintenance, and troubleshooting. Please read this manual thoroughly before installation and use, and retain it for future reference.

The Loniko Smart Toilet Bidet is designed to enhance your bathroom experience with advanced features such as automatic lid opening/closing, efficient flushing, adjustable water temperature, multiple wash modes, and integrated LED lighting. It incorporates advanced sensing technology and high-quality materials for both luxury and practicality.

2. Safety Information

Please observe the following safety precautions to prevent injury or damage to the product:

- **Electrical Safety:** Ensure the product is connected to a properly grounded electrical outlet. Do not operate with a damaged power cord or plug. Avoid splashing water directly onto electrical components.
- **Water Supply:** Ensure water supply connections are secure to prevent leaks. Use only potable water.
- **Installation:** Installation should be performed by a qualified professional to ensure compliance with local plumbing and electrical codes.
- **Cleaning:** Disconnect power before cleaning. Use only mild, non-abrasive cleaners.
- **Temperature:** The heated seat and water temperatures are adjustable. Exercise caution to avoid burns, especially for children, the elderly, or individuals with sensitive skin.
- **Waterproofing:** The product features IPX4 waterproofing, protecting against splashes. Do not submerge the unit in water.

3. Package Contents

Verify that all components are present in the package:

- Smart Toilet Bidet Base
- Toilet Cover
- Installation Accessories (hoses, bolts, seals, etc.)
- Wireless Remote Control
- Instruction Manual (this document)

4. Product Overview and Features

The Loniko Smart Toilet Bidet integrates advanced technology for comfort, hygiene, and efficiency.



Figure 4.1: The Loniko Smart Toilet Bidet in a modern bathroom setting, showcasing its sleek design and accompanying wireless remote control.



Figure 4.2: The smart toilet bidet with its lid automatically opening, highlighting the auto open/close feature and various remote control functions such as warm air drying, hip cleaning, and water temperature adjustment.

Key Features:

- **Advanced Sensing Technology:** Radar detection for automatic lid opening upon approach and closing after use. A foot sensor provides control for lid and seat opening/closing. Seat detection activates functions upon user presence.
- **Energy and Water Efficient:** Built-in tank with intelligent pressure-free technology. Super cyclonic siphon flushing ensures thorough cleaning, suitable for low water pressure environments.
- **Multifunctional Flushing:** Includes one-touch flush, foot-sensing flush, automatic flush, and power outage flush options.
- **Personalized Adjustments:** Tankless constant temperature heated seat, warm air drying, and adjustable wash water temperature with multiple options.
- **Sanitary and Clean:** Offers posterior, oscillating, massage, and feminine wash modes. Features a self-cleaning nozzle for enhanced hygiene.
- **Advanced Design and Safety:** LCD display with LED night lighting. Constructed from high-quality materials with multiple protective measures, including IPX4 waterproofing and high/low voltage protection. Controlled via a wireless remote and a rotatable one-touch button.



Figure 4.3: Top-down view of the smart toilet bidet's LCD screen display, illustrating features like one-touch knob, smart power saving, automatic flushing, foot feel flip, self-cleaning nozzle, water tank, water temperature adjustment, warm air drying, and leakage protection. Also highlights dry burn protection, high/low pressure protection, high temp protection, and night illumination.



Figure 4.4: Illustration of the smart toilet's sensing technology, showing how the foot sensor detects presence for automatic lid opening and flushing, and how different user postures (sitting, standing) trigger specific functions like female cleaning or automatic flushing.

5. Setup and Installation

Professional installation is highly recommended for this product to ensure proper functionality and adherence to local plumbing and electrical codes.

Installation Steps (General Guide):

1. **Preparation:** Turn off the main water supply and drain the existing toilet. Ensure the rough-in distance for the toilet bowl is 12 inches.
2. **Mounting:** Secure the toilet base to the floor using the provided mounting hardware. Ensure a stable and level installation.
3. **Water Connection:** Connect the water supply line to the toilet's inlet. Ensure all connections are tight to prevent leaks.
4. **Drain Connection:** Connect the toilet to the waste drain pipe, ensuring a watertight seal.
5. **Electrical Connection:** Connect the power cord to a grounded electrical outlet.
6. **Testing:** Turn on the water supply and check for leaks. Test all functions of the smart toilet bidet as described in the operating instructions.



Figure 5.1: Detailed product dimensions, including overall length (26.7 in), width (15 in), height (18.5 in), seat ring inner diameter (12.6 x 8.3 in), and ceramic body inner diameter (13.4 x 10.24 in). This diagram is crucial for planning installation and ensuring proper fit.

6. Operating Instructions

Your Loniko Smart Toilet Bidet offers various functions for a customized experience. Control is primarily via the wireless remote control or integrated sensors.

6.1. Automatic Functions

- **Auto Open/Close Lid:** The lid automatically opens when you approach the toilet and closes after use, detected by radar sensors.
- **Foot Sensor Control:** A foot sensor allows for hands-free opening and closing of both the lid and the seat.
- **Seat Detection:** Functions like washing and heating activate only when a user is detected on the seat.
- **Automatic Flush:** The toilet can be set to flush automatically after use or after 90 seconds of the user leaving.

6.2. Remote Control and One-Touch Button

The wireless remote control provides access to all bidet functions. A rotatable one-touch button on the side of the toilet offers quick access to common features.




Figure 6.1: Visual representation of key operational features: warm air drying with adjustable temperatures (40°C, 45°C, 50°C), intelligent temperature control for the heated seat (34°C, 37°C, 40°C), automatic flushing after 90 seconds of departure, and the functionality of the one-touch rotation button for cleaning and power control.

6.3. Wash Functions

- **Posterior Wash:** Standard cleansing for the posterior area.
- **Feminine Wash:** Gentle cleansing specifically for the feminine area.
- **Oscillating Wash:** The nozzle moves back and forth for a wider cleaning area.
- **Massage Wash:** Pulsating water stream for a soothing effect.
- **Water Temperature Adjustment:** Adjust the wash water temperature to your preference (Room Temperature, 33°C, 40°C).




Figure 6.2: Close-up view of the bidet nozzle and a diagram illustrating various cleaning modes: Hip Cleaning, Female Cleaning, Self-cleaning Nozzle, Reciprocating Cleaning, and Massage Spa Cleaning. Also shows water temperature adjustment options.

6.4. Drying and Heating

- **Warm Air Drying:** After washing, warm air is provided for drying. Air temperature is adjustable.
- **Heated Seat:** The seat maintains a comfortable, adjustable temperature.

7. Maintenance

Regular maintenance ensures the longevity and hygiene of your smart toilet bidet.

7.1. Cleaning the Nozzle

- The bidet features a **self-cleaning nozzle** that rinses itself before and after each use.
- For manual cleaning, refer to your remote control or one-touch button for a 'nozzle clean' function to extend the nozzle. Gently wipe with a soft cloth and mild detergent. Do not use abrasive cleaners or brushes.

7.2. Cleaning the Unit Exterior

- Disconnect power before cleaning.
- Wipe the exterior surfaces with a soft, damp cloth and a mild, non-abrasive bathroom cleaner.
- Avoid using harsh chemicals, bleach, or abrasive pads, as these can damage the finish.
- Ensure no water enters the electrical components.

8. Troubleshooting

If you encounter issues with your Loniko Smart Toilet Bidet, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No power/Unit unresponsive	Power cord unplugged, circuit breaker tripped, power outage.	Check power connection, reset circuit breaker, verify power supply.
No water for wash functions	Water supply valve closed, water filter clogged, low water pressure.	Open water supply valve, clean/replace water filter, check household water pressure.
Heated seat not warming	Heated seat function off, temperature setting too low.	Activate heated seat function via remote, increase temperature setting.
Lid not opening/closing automatically	Sensor obstructed, sensor dirty, object too close to sensor.	Clear obstructions, clean sensors, ensure sufficient clearance around the toilet.
Remote control not working	Batteries dead, remote out of range, signal obstruction.	Replace batteries, move closer to the unit, remove obstructions.

If the problem persists after attempting these solutions, please contact customer support.

9. Specifications

Feature	Specification
Brand	Loniko
Model Number	VCMTST001
Colour	Classic White
Material	Ceramic
Product Dimensions (L x W x H)	67.8D x 38.1W x 47H Centimeters (26.7 x 15 x 18.5 inches)
Item Weight	40 kg 400 g (89 Pounds)
Installation Type	Floor Mounted
Shape	Oblong
Rough-in Distance	12 inches
Water Flushing Volume	1.28 GPF (Gallons Per Flush)
Waterproofing Rating	IPX4
UPC	765150811059

10. Warranty and Support

For warranty information, please refer to the documentation provided at the time of purchase or contact your retailer. Warranty terms and conditions may vary.

For technical support, spare parts, or further assistance, please contact Loniko customer service through the contact information provided on the product packaging or the official Loniko website.

© 2025 Loniko. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

How do I pair the remote control with the Loniko VCMTST001 Smart Toilet?

The provided manual for the Loniko VCMTST001 Smart Toilet does not explicitly list a specific button-press sequence for "pairing" the remote, as the unit typically comes pre-paired from the factory. However, if your remote...

Read full answer

Open the live page

https://manuals.plus/asin/B0D3VZF3R1

More documents and user manuals: **https://manuals.plus/**