

[Manuals.plus](#) /

› [Kircuit](#) /

› Kircuit Figure 8 AC Power Cord Cable User Manual

Kircuit Figure 8 AC Power Cord

Kircuit Figure 8 AC Power Cord Cable User Manual

Model: Universal Figure 8 AC Power Cord

Safety

[Information](#)

[Compatibility](#)

[Setup](#)

[Operation](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

INTRODUCTION

This manual provides instructions for the safe and effective use of your Kircuit Figure 8 AC Power Cord Cable. This power cord is designed to supply AC power to compatible electronic devices, such as CPAP and BiPAP machines, and heated humidifiers. Please read this manual thoroughly before use and retain it for future reference.

IMPORTANT SAFETY INFORMATION

- **Risk of Electric Shock:** Do not use the power cord if it is damaged, frayed, or has exposed wires.
- **Indoor Use Only:** This power cord is intended for indoor use in dry locations. Do not expose to water or excessive moisture.
- **Proper Connection:** Ensure the power cord is fully inserted into both the device and the wall outlet. A loose connection can cause overheating or fire.
- **Avoid Overloading:** Do not plug the power cord into an outlet that is already overloaded with other devices.
- **Keep Away from Children:** Store the power cord out of reach of children and pets.
- **Disconnect Before Cleaning:** Always unplug the power cord from the wall outlet and the device before cleaning.

COMPATIBILITY

This Kircuit AC Power Cord Cable is compatible with various devices that utilize a 2-prong Figure 8 (C7) power inlet. It is specifically designed for, but not limited to, the following models:

- Phillips Respironics REMstar Pro Plus Auto M Series (e.g., 1005894, 1005960, 1005792)
- System One CPAP/BiPAP Machines
- 200M Heated Humidifier Dom 1022334
- ResMed S8, S9 Elite II, Res Med IPX1 CPAP Machines (e.g., 33938, S9 H5i REF 36003 R360-760 DA-90A24)
- ResMed Elite Escape, Vantage & C Serie Series Tango

Note: This item is a power cord *ONLY*. It is not a power supply or AC adapter that converts voltage. Please verify your device requires a 2-prong Figure 8 AC power cord before use.

SETUP INSTRUCTIONS

1. **Inspect the Cord:** Before each use, visually inspect the power cord for any signs of damage, cuts, or fraying. Do not use if damaged.
2. **Connect to Device:** Locate the Figure 8 power inlet on your compatible device. Firmly insert the Figure 8 connector of the Kircuit power cord into this inlet. Ensure it is fully seated.



Figure 1: Connecting the Figure 8 power cord to a compatible device.

3. **Connect to Power Outlet:** Plug the 2-prong end of the power cord into a standard, grounded AC wall outlet (100-240V AC). Ensure the connection is secure.
4. **Verify Power:** Once connected, your device should receive power. Refer to your device's manual for specific power indicators.

OPERATION

The Kircuit AC Power Cord Cable functions by providing electrical power from a wall outlet to your compatible device. Once properly connected as described in the "Setup Instructions," the power cord will continuously supply power to your

device. There are no operational controls on the power cord itself.

- Ensure the power cord is not kinked, pinched, or placed under heavy objects during operation.
- Avoid running the cord through doorways or under carpets where it could be damaged or create a tripping hazard.

CARE AND MAINTENANCE

- **Cleaning:** Disconnect the power cord from both the wall outlet and the device. Wipe the cord with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use, coil the power cord loosely. Avoid tight coiling or bending, which can damage the internal wires. Store in a cool, dry place away from direct sunlight and extreme temperatures.
- **Regular Inspection:** Periodically inspect the entire length of the cord, including the connectors, for any signs of wear, cuts, or damage. Replace the cord immediately if any damage is found.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Device not receiving power.	Power cord not fully connected.	Ensure both ends of the cord are firmly inserted.
	Wall outlet is not active.	Test the wall outlet with another device. Check circuit breaker.
	Power cord is damaged.	Inspect the cord for damage. Replace if damaged.
	Device malfunction.	Consult your device's manual or manufacturer.
Cord feels warm.	Normal operation (slight warmth).	If excessively hot, unplug immediately.
	Overloaded circuit.	Ensure the outlet is not overloaded.
	Damaged cord.	Inspect for damage. Replace if damaged.

SPECIFICATIONS

Feature	Detail
Brand	Kircuit
Model	Universal Figure 8 AC Power Cord
Color	Black
Connector Type	2-Prong Figure 8 (C7) to NEMA 1-15P
Voltage Rating	100-240 Volts AC (Input)
Total Power Outlets	1 (for connecting to a single device)
Manufacturer	Shenzhen Waweis Technology Co., Ltd

WARRANTY AND SUPPORT

For warranty information or technical support regarding your Kircuit AC Power Cord Cable, please refer to the seller or

manufacturer's official website. Keep your purchase receipt as proof of purchase.

© 2024 Kircuit. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question