

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Moen](#) /

› **Moen Eva Chrome Two-Handle High Arc Widespread Bathroom Sink Faucet (Model TV6420) Instruction Manual**

## Moen TV6420

# Moen Eva Chrome Two-Handle High Arc Widespread Bathroom Sink Faucet (Model TV6420) Instruction Manual

Installation, Operation, and Maintenance Guide

## INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Eva Chrome Two-Handle High Arc Widespread Bathroom Sink Faucet, model TV6420. Please read these instructions carefully before beginning installation to ensure proper function and longevity of your product. Keep this manual for future reference.

## SAFETY INFORMATION

- Always turn off the main water supply before installing or servicing the faucet.
- Wear safety glasses during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Ensure all local plumbing and building codes are met.

## PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Widespread Faucet (Spout and Handles)
- Valve Assembly (Moen M-PACT rough-in valve)
- Drain Assembly
- Mounting Hardware
- Installation Instructions



Image: All components of the Moen Eva Chrome Faucet, including the spout, two handles, and drain assembly.

## SPECIFICATIONS

<b>Brand</b>	Moen
<b>Model Name</b>	EVA (TV6420)
<b>Finish Type</b>	Polished Chrome
<b>Material</b>	Brass (Metal Handles)
<b>Mounting Type</b>	Deck Mount, Widespread
<b>Hole Count</b>	3-Hole
<b>Number of Handles</b>	2
<b>Maximum Flow Rate</b>	1.2 Gallons Per Minute (GPM)
<b>Spout Height</b>	6 Inches
<b>Spout Reach</b>	4.13 Inches
<b>Maximum Deck Thickness</b>	1.25 Inches
<b>Connection Size</b>	1/2"
<b>Special Features</b>	Duralock Quick-Connect System, Pop Up Drain, Valve Included
<b>Certifications</b>	EPA WaterSense, NSF 61 (Safe Drinking Water Act)

Spout Reach

4.13"



Height  
6"

Maximum Deck Thickness - 1.25"

Drain Included  
Valve Included


Connection Size - 1/2"

3 Hole Installation

Image: Dimensional diagram of the Moen Eva Faucet, indicating spout height, spout reach, and maximum deck thickness.

# Will this faucet fit my sink?

This faucet fits a three hole configuration.



**MOEN**<sup>®</sup>

Image: Illustration demonstrating a 3-hole sink configuration, suitable for this widespread faucet.



Image: Moen certification for U.S. Water Safety Standards, ensuring safe drinking water.

## INSTALLATION INSTRUCTIONS

### 1. Prepare for Installation

- Turn off the water supply at the main shut-off valve.
- Clear the area under the sink.
- Remove any existing faucet and clean the sink surface.

### 2. Install the Valve Assembly (M-PACT System)

The Moen Eva faucet utilizes the M-PACT common valve system, which allows for future style updates without replacing plumbing. Follow the specific instructions provided with the valve for proper installation into your 3-hole sink setup. The widespread design allows for installation between 8" to 16" centers.




### M-PACT Valve

The M-PACT valve system makes it easy to upgrade the style of your bathroom without replacing the plumbing under the sink or behind the wall for a quick fixture update.

Image: Demonstration of installing the faucet trim onto the Moen M-PACT valve system, designed for easy upgrades.

### 3. Connect Water Lines (Duralock Quick-Connect)

The Duralock Quick-Connect System simplifies water line connections. Ensure a secure, tool-free connection by pushing the flexible hoses firmly into the quick-connect ports until they click into place. Verify all connections are tight to prevent leaks.



**DURALOCK®**  
QUICK-CONNECT

Equipped with the Duralock quick connect system for  
easy installation, without the need for tools.

Image: Close-up of the Duralock Quick-Connect system, showing how water lines are easily and securely attached without tools.

#### 4. Install Drain Assembly

Install the pop-up drain assembly according to the separate instructions provided with the drain. Ensure a watertight seal.

#### 5. Test for Leaks

- Slowly turn on the main water supply.
- Check all connections for leaks. Tighten any leaking connections carefully.
- Operate the faucet handles to ensure proper water flow and temperature control.

### OPERATION

---

The Moen Eva faucet features two lever handles for controlling water flow and temperature.

- **Cold Water:** Rotate the right handle counter-clockwise to open for cold water.
- **Hot Water:** Rotate the left handle counter-clockwise to open for hot water.
- **Temperature Control:** Adjust the handles simultaneously to achieve the desired water temperature.
- **Flow Control:** Rotate the handles further counter-clockwise for increased water flow. Rotate clockwise to reduce flow and turn off.



Image: The Moen Eva Faucet in operation, demonstrating water flow from the high-arc spout.

## MAINTENANCE AND CLEANING

---

Proper care will maintain the finish and performance of your Moen faucet.

- **Cleaning:** Clean the faucet with a soft, damp cloth and mild soap. Rinse thoroughly with warm water and dry with a soft cloth.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, harsh chemicals, or polishes containing alcohol, ammonia, or abrasives, as these can damage the chrome finish.
- **Aerator Maintenance:** If water flow decreases, the aerator may be clogged. Unscrew the aerator from the spout, clean any debris, and reattach.

## TROUBLESHOOTING

---

Problem	Possible Cause	Solution
---------	----------------	----------

Low Water Flow	Clogged aerator; partially closed shut-off valves; debris in water lines.	Clean aerator. Ensure shut-off valves are fully open. Flush water lines.
Leaks from Faucet Base	Loose mounting nuts; worn O-rings.	Tighten mounting nuts. Inspect and replace O-rings if necessary.
Leaks from Handle	Worn cartridge.	Replace the cartridge. Refer to Moen's website for specific cartridge replacement instructions for your model.
Water Temperature Issues	Incorrect hot/cold connections; water heater settings.	Verify hot and cold lines are connected correctly. Check water heater temperature settings.

## WARRANTY INFORMATION

This Moen product is backed by Moen's Limited Lifetime Warranty. For complete warranty details and terms, please refer to the official Moen website or contact Moen customer service. The warranty covers defects in material and manufacturing workmanship under normal use.

## CUSTOMER SUPPORT





For further assistance, replacement parts, or technical support, please visit the official Moen website or contact their customer service department.

- **Moen Official Website:** [www.moen.com](http://www.moen.com)
- **Contact Information:** Refer to the Moen website for current customer service phone numbers and hours of operation.

© 2025 Moen Incorporated. All rights reserved. This manual is for informational purposes only.

## Related Documents - TV6420

	<p><a href="#">Moen Two-Handle Widespread Lavatory Faucet Installation Guide</a></p> <p>This guide provides detailed installation instructions, parts lists, and helpful tips for the Moen Two-Handle Widespread Lavatory Faucet (Model INS12070). It covers faucet and drain assembly, connection, and flushing procedures, along with warranty information.</p>

	<p><a href="#">Moen Adler Two Handle Lavatory Faucet Illustrated Parts List</a></p> <p>Detailed illustrated parts list for the Moen Adler Two Handle Lavatory Faucet, providing part numbers, descriptions, and finish options for components like handles, cartridges, and mounting hardware. Includes model numbers 84603 and 84603SRN.</p>
	<p><a href="#">Moen Caldwell Two-Handle Widespread Lavatory Faucet Specifications</a></p> <p>Detailed specifications for the Moen Caldwell two-handle widespread lavatory faucet, including features like Duralock™ installation, WaterSense® certification, ADA compliance, flow rates, and warranty information for models WS84440 and CA84440 series.</p>
	<p><a href="#">MOEN IVER™ TV6820 Series Two-Handle Widespread Lavatory Faucet Specifications</a></p> <p>Comprehensive specifications for the MOEN IVER™ TV6820 Series Two-Handle Widespread Lavatory Faucet. Details include product description, operation, flow rate, cartridge type, industry standards, warranty information, and installation notes. Features ADA compliance and WaterSense certification.</p>
	<p><a href="#">Moen Inara Series 87463 Illustrated Parts List</a></p> <p>Detailed illustrated parts list for the Moen Inara Series 87463 Single-Handle High Arc Pulldown Kitchen Faucet, including part numbers, finishes, and descriptions.</p>

## Documents - Moen – TV6420




### [\[pdf\] Guide Style Guide Accessories](#)

2024 KIT CHEN B A TH AND C CES SORIES ST YLE GUIDE T2191 rma Page 160 ALIGN® 161 BATH SHOWER MATCHING ACCESSORIES Single Robe Hook YB0403 Swiveling Double YB0402 Hand Towel Moen Style Guide Pages srslid AfmBOorM893wFuS PpulkajiCj527JGq18d 1cXtgXmMvtBgpKYh4z6 zensupply content moen |||

Transforming and creating a meaningful difference in your personal experience with water. At Moen, ... erset Bathroom Faucet 6410 e a Two-Handle Widespread Trim Only T6420 r e a m Trim and Valve Q2 **TV6420** e a Chrome CH , LifeShine Brushed Nickel BN , Oil Rubbed Bronze ORB Not all platforms ...

lang:en score:27 filesize: 47.92 M page\_count: 308 document date: 2024-01-18



### [pdf] Parts List

Parts List Moen Eva Two Handle High Arc Widespread Bathroom Faucet with M PACT Valve ADA 1 2 GPM Oil Rubbed Bronze TV6420ORB moen tv6420orb parts list xrefs3 plumbbersstock product m o ||| |||

ORDER BY PART NUMBER M A J B I C L D ILLUSTRATED PARTS EVATM Two-Handle Widespread

Lavatory Faucet TV6420 Series ID Kit Number Finish \*A 128866 See below B 174290 hot N/A cold C

1234 N/A D 215997 N/A E 215996 Hot N/A 215995 Cold N/A F 93959


ORDER BY PART NUMBER M A J B I C L D ILLUSTRATED PARTS EVATM Two-

Handle Widespread Lavatory Faucet **TV6420** Series ID Kit Number Finish \*A 128866

See below B 174290 hot N/A cold C 1234 N/A D 215997 N/A E 215996 Hot N/A

215995 Cold N/A F 93959 N/A G 118305 N/A K H 21599...

lang:en score:25 filesize: 455.24 K page\_count: 1 document date: 2023-09-28



### [pdf]

y3bsknvfl4wbjkstfw Moen Eva Chrome Transitional Two Handle High Arc Widespread Bathroom

Faucet With Drain Assembly Valve Included ndpf3229 TV6420Moen TV6420secure img1 ag wfcdn dm document bb2b01d1 ad0b 4227 9d54 68ff0b811b90 |||

ORDER BY PART NUMBER M A J B I C L D ILLUSTRATED PARTS EVATM Two-

Handle Widespread Lavatory Faucet **TV6420** Series ID Kit Number Finish \*A 128866

See below B 174290 hot N/A cold C 1234 N/A D 215997 N/A E 215996 Hot N/A

215995 Cold N/A F 93959 N/A G 118305 N/A K H 21599...

lang:en score:21 filesize: 455.46 K page\_count: 1 document date: 2023-09-28



### [pdf] Installation Guide Specifications Guide

nfi019oyo0buavj05ss8 Moen Eva Chrome Transitional Two Handle High Arc Widespread Bathroom

Faucet With Drain Assembly Valve Included ndpf3229 TV6420nfi019oyo0buavj05ss8 Gibson Modern

ndpf3233 TV6142Moen TV6420Moen TV6142 TV6142BL TV6142BNsecure img1 ag wfcdn dm

document 7d4e6dde bd7b 46a8 a70c f6ca4d135fd4 nfi019oyo0buavj05ss8secure TV6142TWO HANDLE

WIDESPREAD LAVATORY FAUCET LLAVE DEInstalation GuideMoen TV6142BNCAUTION — TIPS

FOR REMOVAL OF OLD Always turn water supply OFF before removing existing faucet or disassembling the valve OpenMoen TV6420BN 1 2 GPM with Rough in and Pop Up included Ferguson Homemoen tv6420 installation guidemoen guidesecure nfi019oyo0buavj05ss8s1 img b build mediabase specifications moen 2034421 guides1 guide And AssemblyInstallation Reviews WayfairMoen guideassets ||| |||

INS10185D - 1/23 PLEASE CONTACT MOEN FIRST For Installation Help, Missing or Replacement Parts

USA 1-800-BUY-MOEN 1-800-289-6636 www.moen.com Canada 1-800-465-6130 www.moen.ca POR

FAVOR, CONTCTESE PRIMERO CON MOEN Para obtener ayuda de inst ||| INS10185D - 1/23 PLEASE

CONTACT MOEN FIRST For Installation Help, Missing or Replacement Parts USA 1-800-BUY-MOEN 1-

800-289-6636 www.moen.com Canada 1-800-465-6130 www.moen.ca POR FAVOR, CONTCTESE

PRIMERO CON MOEN Para obtener ayuda de inst

INS10185D - 1/23 PLEASE CONTACT MOEN FIRST For Installation Help, Missing or Replacement Parts USA 1-800-BUY-MOEN 1-800-289-6636 www.moen.com

Canada 1-800-465-6130 www.moen.ca POR FAVOR, CONTCTESE PRIMERO CON

MOEN Para obtener ayuda de instalacin, piezas faltantes o de recambio Costa Este

0...

lang:en score:18 filesize: 7.11 M page\_count: 16 document date: 2023-02-16





[\[pdf\]](#) Price List

Moen Price List 2024 pages ZenSupply900 001 767 70 54 Additional information and customer support can be found by visiting moen or contacting your Sales Representativezensupply content srsltid AfmBOooZFgmf95Y6RkVRuyPHxvmwgp UfZAV2gy0nrQ7kWvaSRGslgNT |||

Transforming and creating a meaningful difference in your personal experience with water. At Moen, ... 6410BN 298.00 Brushed Nickel 6 6410ORB 320.10 Oil Rubbed Bronze 6 | 1.2 GPM 4.5L/min max. **TV6420** 364.95 Chrome 3 **TV6420BN** 452.20 Brushed Nickel 3 **TV6420ORB** 484.95 Oil Rubbed Bronze 3...

lang:en **score:12** filesize: 26.82 M page\_count: 684 document date: 2024-01-16



[\[pdf\]](#) Price List

Moen Price List 2024 pages Zen Supply Faucets Weymouth® Arris® Flara™ Colinet™ 90°® Doux™ Greenfield™ Wynford® Align® Rizon® Belfield Cia™ Voss™ Dartmoor® Glyde™ Brantford® Eva® srsltid AfmBOoqKtKTEiOQw1vBNHiUYlhOdyZi129ZwqmfzDR6rf19mKhf U30K zensupply content moen |||

Transforming and creating a meaningful difference in your personal experience with water. At Moen, ... 6410BN 298.00 Brushed Nickel 6 6410ORB 320.10 Oil Rubbed Bronze 6 | 1.2 GPM 4.5L/min max. **TV6420** 364.95 Chrome 3 **TV6420BN** 452.20 Brushed Nickel 3 **TV6420ORB** 484.95 Oil Rubbed Bronze 3...

lang:en **score:11** filesize: 26.82 M page\_count: 684 document date: 2024-01-16