Quictent 20x10x6.6 FT

Quictent Premium Greenhouse 20x10x6.6 FT Instruction Manual

Model: 20x10x6.6 FT

Introduction

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your Quictent Premium Greenhouse. Please read all instructions carefully before beginning assembly and retain this manual for future reference. Proper assembly and care will ensure the longevity and optimal performance of your greenhouse.

Setup and Assembly

Assembly of the Quictent Premium Greenhouse typically requires approximately 3 hours with two people. Ensure you have adequate time and a clear, level area for construction. It is recommended to avoid assembly during inclement weather conditions such as heavy rain or strong winds.

Frame Assembly

The greenhouse features an upgraded tunnel hoop frame designed for enhanced stability. The frame includes additional reinforced rib sets to reduce sagging under snow or rain. Carefully connect all frame components according to the included diagrams. Ensure all connections are secure.




Figure 1: Illustration of the newly designed frame, highlighting the increased top loops for enhanced stability.

The design incorporates extra top loops, significantly increasing the durability of the structure. These additional supports contribute to the greenhouse's ability to withstand various environmental conditions.




Figure 2: Interior view demonstrating the increased top supports for enhanced durability.

Cover Installation

The greenhouse cover is made from UV-resistant polyethylene (PE) with Oxford seam-reinforcement cloth at high-stress points to prevent tearing. Carefully drape the cover over the assembled frame, ensuring it is evenly distributed. The cover features full-perimeter hook-and-loop sealing on windows and doors for a secure fit.



Figure 3: Detail of the reinforced edges of the greenhouse cover, featuring waterproof Oxford fabric.

Securing the Greenhouse

To ensure long-term stability, especially in windy conditions, utilize the provided heavy-duty spiral ground stakes and upgraded strength ropes. Drive the spiral stakes fully into the ground. For additional security, consider placing heavy objects like bricks or pavers around the base of the greenhouse cover flaps to prevent wind from lifting the cover.



Figure 4: Upgrade accessories including spiral ground stakes and strength ropes for enhanced stability.

Operating Your Greenhouse

Ventilation and Temperature Control

The greenhouse is equipped with 8 screen windows and 2 doors to manage internal temperature and airflow. During warmer periods, open the mesh screen windows to allow for controlled ventilation and prevent overheating. In colder seasons, ensure all windows and doors are securely closed using the hook-and-loop fasteners to retain heat and maintain a higher internal temperature.



Figure 5: Illustration of ventilation and insulation features, showing airflow through windows and sealed cover for heat retention.

Door Operation

The greenhouse features exclusive dual swing-door frames. Each door can open a full 180 degrees, providing ample space for entry, carrying tools, or enhanced ventilation. The doors can be secured with chains or ropes (not included) to protect plants from small predators. The doors also feature zipper closures for a tight seal.




Figure 6: Flexible 2-door design demonstrating the 180-degree opening capability and hinge detail.

Maintenance

Cover Care

Regularly inspect the PE cover for any signs of wear, tears, or damage. While the cover is UV-resistant and reinforced, extreme weather can cause stress. Clean the cover periodically with mild soap and water to maintain light transmission. Avoid using harsh

chemicals that could degrade the material.

Frame Inspection

Periodically check all frame connections and bolts to ensure they remain tight and secure. Inspect the alloy steel frame for any signs of rust or corrosion, especially in areas exposed to moisture. Address any issues promptly to maintain structural integrity.

Weather Preparedness

The greenhouse is designed to withstand various weather conditions, but precautions are necessary. In areas with significant snowfall, it is advisable to remove the cover before winter to prevent collapse from heavy snow accumulation. For high wind conditions, ensure the greenhouse is securely anchored using all provided stakes and ropes, and consider additional weights around the base.

Troubleshooting

Greenhouse Instability

- **Issue:** Greenhouse feels unstable or shifts in wind.
- **Solution:** Ensure all spiral ground stakes are fully driven into the ground. Verify that all strength ropes are taut and securely fastened. Add additional weights, such as bricks or sandbags, around the perimeter of the cover flaps to prevent wind uplift.

Cover Damage

- **Issue:** Tears or holes in the PE cover.
- **Solution:** Small tears can often be repaired with greenhouse repair tape. For significant damage, contact customer support for replacement options.

Water Accumulation on Roof

- **Issue:** Water or snow pooling on the greenhouse roof.
- **Solution:** The reinforced rib sets are designed to minimize this, but in heavy precipitation, gently tap the inside of the roof to dislodge accumulation. For snow, consider removing the cover during winter months if snow loads are consistently high.

Specifications

Overall Dimensions	20 FT (L) x 10 FT (W) x 6.6 FT (H) / 236.22"L x 118.11"W x 78.74"H
Window Dimensions	31.5"W x 19.7"H
Product Weight	107 LBS
Frame Material	Alloy Steel
Cover Material	Polyethylene (PE) with Oxford Cloth Reinforcement
Number of Doors	2 (Swing and Zipper)
Number of Windows/Vents	8 Screen Windows (10 Vents)
Color	Green




Figure 7: Product dimensions and key specifications.

Warranty

Quictent provides a 1-year warranty for the frames and covers of this greenhouse. This warranty covers manufacturing defects and material failures under normal use. Please retain your proof of purchase for warranty claims.

Customer Support

For any questions, assistance with assembly, troubleshooting, or warranty inquiries, please contact Quictent customer support:

- **Email:** sales@quictents.com

Our team is ready to assist you.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question