### Manuals+

Q & A | Deep Search | Upload

#### manuals.plus /

- Schenley /
- > Schenley 19-in-1 Steam Mop SLFCSM063 User Manual

# Schenley SLFCSM063

# Schenley 19-in-1 Steam Mop SLFCSM063 User Manual

Model: SLFCSM063

## 1. Introduction and Safety Information

Thank you for choosing the Schenley 19-in-1 Steam Mop. This versatile cleaning device utilizes the power of steam to effectively clean and sanitize various surfaces without the need for harsh chemicals. Please read this manual thoroughly before initial use to ensure safe operation and optimal performance.

### **Important Safety Instructions:**

- Always unplug the appliance from the electrical outlet before filling with water, cleaning, or performing maintenance.
- Do not leave the steam mop unattended while powered on.
- Use only distilled or demineralized water to prevent mineral buildup and extend the life of the appliance.
- Keep the steam mop and its accessories out of reach of children and pets.
- Do not direct steam at people, animals, or electrical appliances.
- Ensure the power cord is not damaged and avoid kinking or stretching it.
- · Always allow the appliance to cool down completely before storing.

# 2. PRODUCT OVERVIEW

The Schenley 19-in-1 Steam Mop is designed for comprehensive home cleaning, featuring a dual-rod design for floor cleaning and a detachable handheld steamer for targeted tasks. It heats up in approximately 15 seconds, reaching temperatures up to 248°F, and offers three on-demand steam modes.

## **Included Components:**

- · Steamer Main Body
- Extension Rods (x2)
- Mop Head
- Microfiber Pads (x2)
- Jet Nozzle
- Glass Squeegee
- Plastic Scrubbers (x3)
- Grout Brushes (x2)

- Metal Brush
- Nylon Brush
- Measuring Cup
- Wall Mount
- Disposable Pads (x2)



Image: The Schenley 19-in-1 Steam Mop in its upright configuration, alongside all its included accessories such as various brushes, nozzles, pads, and the measuring cup.

# **Includes 19 Accessories**

# One for every scenario

- 1. Steamer Main Body
- 2. Extension Rods x 2
- 3. Mop Head
- 4. Microfiber Pads x 2
- 5. Jet Nozzle
- 6. Glass Squeegee
- 7. Plastic Scrubbers x 3

- 8. Grout Brushes x 2
- 9. Metal Brush
- 10. Nylon Brush
- 11. Measuring Cup
- 12. Wall Mount
- 13. Disposable Pads x 2



Image: A detailed diagram illustrating each of the 19 included accessories, clearly labeled for identification and showing their respective uses.

## 3. SETUP

# **Assembly:**

- 1. Attach the Mop Head to the bottom of the main steamer body. Ensure it clicks securely into place.
- 2. Connect the Extension Rods to the main steamer body and then to the handle, if using for floor cleaning. For handheld use, the main steamer body can be used directly with attachments.

3. Secure a Microfiber Pad or Disposable Pad to the mop head. The pads typically attach with hook-and-loop fasteners.

# Filling the Water Tank:

- 1. Ensure the steam mop is unplugged from the power outlet.
- 2. Locate the water tank cap on the main steamer body.
- 3. Open the cap and use the provided Measuring Cup to fill the tank with up to 8.5 fluid ounces of distilled or demineralized water. Do not overfill.
- 4. Securely close the water tank cap.

# 4. OPERATING INSTRUCTIONS

# **General Operation:**

- 1. Plug the power cord into a grounded electrical outlet.
- 2. The steam mop will begin heating. It typically reaches operating temperature in approximately 15 seconds. An indicator light will signal when it is ready.
- 3. Select your desired steam mode (low, medium, high) using the control button.
- 4. Begin cleaning. For continuous steam, hold the steam trigger. Release to pause steam.

# **Using as a Floor Mop:**

Attach the mop head with a microfiber or disposable pad. The 180-degree swivel head allows for easy maneuverability around furniture and into tight spaces. This mode is suitable for Hardwood Floors, Laminate Floors, and Tiles.

# **An Elegant & Versatile Solution**

For most household cleaning tasks



Image: A person operating the Schenley Steam Mop on a light-colored floor, demonstrating its use for general floor cleaning.

# **Leaving No Corner in Dust**

Under shelves and hard-to-reach surfaces




Image: The Schenley Steam Mop head extending under a low cabinet, illustrating its ability to clean hard-to-reach areas and under furniture.

# Using as a Handheld Steamer:

Detach the main steamer body from the extension rods. Select the appropriate accessory for your cleaning task:

- Jet Nozzle: For concentrated steam on stubborn spots.
- Glass Squeegee: Ideal for cleaning windows, mirrors, and other glass surfaces.
- Plastic Scrubbers: For general scrubbing on various surfaces like kitchen stoves and bathroom sinks.
- Grout Brushes: Specifically designed for cleaning grout lines on tiles.
- Metal Brush: For very tough, baked-on grime (use with caution on delicate surfaces).

• Nylon Brush: For general scrubbing on less abrasive surfaces.

The handheld steamer is effective on surfaces such as Tabletop, Window, Stove, Grill, Grout, and Tile.



# **Detachable Handheld Steamer**

Portable & lightweight



Image: The detachable handheld steamer being used to clean a window with a squeegee attachment and to refresh a couch with a brush attachment, demonstrating its versatility.

# **Easy Stain Removal**

Loosens dirt & softens grease



Image: A person using the handheld steamer with a brush attachment to clean a kitchen stove, targeting grease and grime around the burners.

# All-in-One

# Chemical free, just fill with tap water




Image: A visual representation of the Schenley Steam Mop's ability to clean various surfaces including hardwood, laminate, tiles, mirrors, furniture, and fabrics, alongside an image of the mop stored neatly on its wall mount.

# 5. MAINTENANCE

### **After Each Use:**

- Unplug the steam mop and allow it to cool down completely.
- Remove and clean the Microfiber Pads. They are washable and can be laundered according to their care instructions. Dispose of Disposable Pads after use.
- Empty any remaining water from the tank.

• Wipe down the exterior of the appliance with a damp cloth.

# Storage:

The lightweight design and included wall mount allow for convenient, space-saving storage. Ensure the appliance is completely dry before storing.

# 6. TROUBLESHOOTING

If you encounter issues with your Schenley Steam Mop, please refer to the following common solutions:

Problem	Possible Cause	Solution
No steam or low steam output	Water tank empty; appliance not heated; mineral buildup.	Refill water tank; allow 15 seconds for heating; descale the unit (refer to manufacturer's website for descaling instructions).
Water leaking from unit	Water tank cap not secured; overfilled tank; damaged seal.	Ensure cap is tightly closed; do not overfill; contact customer support if seal is damaged.
Mop not cleaning effectively	Pad is dirty or worn; insufficient steam for the task.	Replace or clean the mop pad; increase steam level; pre-treat heavily soiled areas.
Short continuous cleaning time	Water tank capacity (8.5 fl oz) is designed for specific durations.	Refill the water tank as needed. The unit provides up to 25 minutes of continuous cleaning depending on steam mode.

If the problem persists after attempting these solutions, please contact Schenley customer support.

# 7. SPECIFICATIONS

Feature	Detail
Brand	Schenley
Model Name	Schenley Steam Mop (SLFCSM063)
Special Features	Detachable, Lightweight, Rapid Heat Up, Steam Control, Swivel Head
Surface Recommendation	Hardwood Floor, Laminate Floor, Tabletop, Window, Stove, Grill, Grout, Tile
Wattage	1200 watts
Item Weight	5 Pounds
Tank Volume	8.5 Fluid Ounces
Heat Time	15 Seconds
Maximum Temperature	248 Degrees Fahrenheit
Power Source	AC
Voltage	120 Volts (AC)

Feature	Detail
Product Dimensions	3.5"D x 5.5"W x 17"H
UPC	860009360365

## 8. WARRANTY AND SUPPORT


# **Warranty Information:**

For detailed warranty information regarding your Schenley 19-in-1 Steam Mop, please refer to the warranty card included with your product or visit the official Schenley website. Keep your proof of purchase for warranty claims.

# **Customer Support:**


If you have any questions, require assistance, or need to report an issue with your product, please contact Schenley customer support. Contact details can typically be found on the product packaging, the official Schenley website, or through your retailer's support channels.

## **Related Documents - SLFCSM063**




### Schenley Steam Mop "Hestia" User Manual

Comprehensive user manual for the Schenley Steam Mop "Hestia", covering safety warnings, parts and attachments, assembly, operation, cleaning, maintenance, troubleshooting, and warranty information.




### Schenley Steam Mop 'Iris' User Manual - Assembly, Operation & Safety Guide

Official user manual for the Schenley Steam Mop 'Iris' (Model SLFCSM054). Provides detailed instructions on assembly, operation, cleaning, maintenance, troubleshooting, and warranty information for optimal use.




### Schenley Steam Cleaner & 5-in-1 Attachment Kit User Manual

User manual for the Schenley Steam Cleaner with 5-in-1 Attachment Kit. Provides detailed instructions on assembly, operation, cleaning, maintenance, safety warnings, technical specifications, and troubleshooting for the SLGCSC064 model.




### Schenley Steam Mop "Hestia" User Manual

Comprehensive user manual for the Schenley Steam Mop "Hestia", covering safety warnings, parts and attachments, assembly, operation, cleaning, maintenance, troubleshooting, and warranty information.



# Schenley Steam Mop 'Iris' User Manual - Assembly, Operation & Safety Guide

Official user manual for the Schenley Steam Mop 'Iris' (Model SLFCSM054). Provides detailed instructions on assembly, operation, cleaning, maintenance, troubleshooting, and warranty information for optimal use.



### Schenley Steam Cleaner & 5-in-1 Attachment Kit User Manual

User manual for the Schenley Steam Cleaner with 5-in-1 Attachment Kit. Provides detailed instructions on assembly, operation, cleaning, maintenance, safety warnings, technical specifications, and troubleshooting for the SLGCSC064 model.