

## Yaheetech B0D4ZBPKDM

# Yaheetech Hardwood Interlocking Deck Tiles User Manual

Model: B0D4ZBPKDM

Brand: Yaheetech

## 1. PRODUCT OVERVIEW

---

The Yaheetech Hardwood Interlocking Patio Deck Tiles are designed to provide a durable and aesthetically pleasing flooring solution for various indoor and outdoor spaces. Made from natural acacia wood with a water-based paint finish and a high-quality PVC plastic base, these tiles offer resistance to cracking in high humidity conditions, ensuring long-lasting performance.




Image: Four stacks of Yaheetech hardwood interlocking deck tiles, showcasing the natural wood and the underlying plastic base.

## 2. KEY FEATURES

- **Natural Acacia Wood:** Crafted from natural acacia wood with water-based paint and a high-quality PVC plastic base, ensuring durability and resistance to cracking in humid conditions.
- **Spaced Design, Non-Slip Surface:** Features spacing between slats for a secure, non-slip surface, ideal for damp conditions and suitable for all weather.
- **Tight Connection:** Each acacia wood plank is securely fastened to the plastic base using mortise and tenon joints, enhancing connection strength and prolonging lifespan.
- **Versatility:** Easily customizable and suitable for installation on various solid surfaces like concrete, wooden floors, or carpet. Perfect for patios, balconies, bathrooms, and other indoor/outdoor areas.
- **Easy-to-Use Interlocking Design:** Equipped with interlocking snaps at the bottom for simple assembly and improved ventilation. Edges can be freely spliced for continuous flooring.



100% Acacia Wood



Higher Hardness



Better Water Resistance


Image: Detailed view of the deck tiles, emphasizing the 100% Acacia Wood composition, higher hardness, and improved water resistance.

### 3. SETUP AND INSTALLATION

Installation of Yaheetech deck tiles is designed to be quick and straightforward, typically taking around 30 minutes for a standard area. The interlocking mechanism allows for easy assembly without the need for special tools or adhesives.

#### 3.1 Preparation

- Ensure the installation surface is solid, clean, and level (e.g., concrete, existing wooden floors, or carpet).
- Measure the area to determine the number of tiles required. Refer to the size reference table below for guidance.



The following is some size information for your reference

	Area Measuring	How many square feet	How many boxes you will need
Shower measures	5' x 4'	20 sq ft	1 box
Walkway measures	2' x 10'	20 sq ft	1 box
Balcony measures	10' x 4'	40 sq ft	2 boxes
Bathroom measures	8' x 9'	72 sq ft	3 boxes
Deck measures	15' x 13'	195 sq ft	8 boxes
Bedroom measures	18' x 12'	216 sq ft	8 boxes

Image: Size reference table to help calculate the number of tile boxes needed for different areas.

### 3.2 Assembly Steps

- 1. Connect Firmly:** Utilize the fasteners design on the plastic base to connect tiles.
- 2. Align Grooves:** Align the grooves on the side of one tile with the corresponding snaps on another.
- 3. Press Hard:** Apply firm pressure to snap the tiles together.
- 4. Complete Assembly:** Continue connecting tiles until the desired area is covered. The edges can be freely spliced to create a continuous piece.

# FAST INTERLOCK MECHANISM



1 Fasteners design to connect firmly



2 Align the grooves on the side



3 Press hard



4 Complete assembly

Image: Step-by-step guide on the fast interlock mechanism for easy tile assembly.

The elevated design of the tiles, thanks to the plastic grid base, allows for excellent drainage and ventilation, preventing water accumulation and promoting air circulation underneath the tiles.



Allows for adequate drainage, ventilation and filter sand

Image: Close-up demonstrating the effective drainage and ventilation provided by the tile design.

## 4. OPERATING AND USAGE

Yaheetech deck tiles are highly versatile and can transform various spaces. Their comfortable surface makes them suitable for activities like yoga or simply relaxing.

### 4.1 Recommended Applications

- **Patios and Balconies:** Create an inviting outdoor living area.
- **Gardens and Poolside:** Enhance aesthetics and provide a non-slip surface.
- **Indoor Spaces:** Suitable for bathrooms, laundry rooms, or any area needing a durable, water-resistant floor.
- **Walkways:** Construct temporary or permanent pathways in your yard.



Image: Example of deck tiles used to create a beautiful and functional patio space.



Image: Deck tiles forming a practical and attractive pathway in a garden setting.

## 5. MAINTENANCE

---

To ensure the longevity and beauty of your Yaheetech deck tiles, regular maintenance is recommended.

### 5.1 Cleaning

Simply spray the tiles with a hose for cleaning. The bottom mesh structure allows for easy water drainage, preventing accumulation and promoting quick drying.

### 5.2 Wood Treatment

It is recommended to treat the wooden surfaces with wood oil at least twice a year. This helps to maintain their durability, protect against weathering, and preserve their natural appearance.



Image: Maintenance tips including easy cleaning with a hose and recommended wood oil treatment.

## 6. TROUBLESHOOTING

While Yaheetech deck tiles are designed for durability, here are some common considerations and solutions:

- **Tiles Not Connecting Securely:** Ensure the plastic fasteners are aligned correctly with the grooves. Apply firm, even pressure until a click is heard, indicating a secure connection. Check for any debris obstructing the interlocking mechanism.
- **Uneven Surface:** If the installed tiles appear uneven, check the underlying surface. The tiles require a solid, level base for optimal performance and appearance. Minor irregularities might be compensated by the tile's structure, but significant unevenness should be addressed before installation.
- **Wood Discoloration or Wear:** Over time, exposure to elements can cause natural wood to fade or show wear. Regular application of wood oil (at least twice a year) as per maintenance instructions will help prevent discoloration and prolong the wood's life.
- **Slipping:** The spaced design is intended to be non-slip. Ensure the tiles are clean and free from excessive moisture, algae, or debris that could reduce traction.

## 7. SPECIFICATIONS

Attribute	Detail
Product Dimensions	11.81 x 11.81 x 0.94 inches (each tile)
Weight	38.01 Pounds (for 27pcs)
Material	Acacia Wood, PP Base
Color	Wood (Natural)
Shape	Square
Manufacturer	Yaheetech
Country of Origin	Vietnam




Image: Dimensional specifications of the deck tiles.

## HIGH STRENGTH, NON-DEFORMABLE



Diamond-shaped plastic base with a higher density, and requires no screws for enhanced strength.



Low strength, fragile.

Image: Illustration of the high-strength, non-deformable plastic base.

## 8. WARRANTY INFORMATION

Warranty information for this product is not explicitly provided in the product details. Please refer to the manufacturer's official website or contact Yaheetech customer service for specific warranty terms and conditions.

## 9. CUSTOMER SUPPORT

For further assistance, inquiries, or support, please visit the official Yaheetech store or contact their customer service:

- **Yaheetech Store:** [Visit Yaheetech Store on Amazon](#)

