

[Manuals.plus](#) /

> [ieGeek](#) /

> ieGeek Security Cameras Wireless Outdoor 4pcs, 2K 3MP Battery Powered WiFi Security Camera with Spotlight & Siren Alarm, Color Night Vision 4 Pack White Cam User Manual

ieGeek ZS-GX3S

ieGeek Security Camera User Manual

Model: ZS-GX3S

Brand: ieGeek

INTRODUCTION

Thank you for choosing the ieGeek ZS-GX3S Wireless Outdoor Security Camera. This manual provides detailed instructions for setting up, operating, and maintaining your security cameras to ensure optimal performance and peace of mind. These cameras offer 2K 3MP resolution, battery power, Wi-Fi connectivity, spotlight, siren alarm, and color night vision for comprehensive outdoor surveillance.

WHAT'S IN THE BOX

Upon unboxing your ieGeek ZS-GX3S security camera kit, you will find the following components:

- ieGeek ZS-GX3S Security Cameras (4 units)
- Mounting Brackets
- Mounting Screws and Wall Anchors
- USB Charging Cable
- User Manual (this document)



Image: Four ieGeek ZS-GX3S security cameras and their mounting accessories.

SETUP GUIDE

1. App Installation

Download the "ieGeek Cam" app from the Google Play Store (for Android) or the Apple App Store (for iOS). Follow the in-app instructions to create an account and log in.



Phone: +1(202)656-9955

Working Hours: Mon-Fri 9:00 am-18:00 pm(ET)



Drop-Resistant



After-Sales Service



2-years Warrant*y



Accessories replacement



Image: Screenshot of the ieGeek Cam app download page, showing QR codes for both Android and iOS app stores.

2. Power On and Wi-Fi Connection

Ensure your camera is fully charged using the provided USB cable. Power on the camera. Open the ieGeek Cam app, tap the '+' icon to add a new device, and select 'Battery Camera'. Follow the on-screen prompts to connect the camera to your 2.4GHz Wi-Fi network. This device does not support 5GHz Wi-Fi.




Image: Visual guide showing three steps: Download ieGeek Cam or Cloudedge App, Connect to 2.4GHz WiFi, and Watch Live Footage.

3. Mounting the Camera

The ieGeek ZS-GX3S cameras are designed for easy installation. You can use the included magnetic base for flexible placement or the screw-in mounting brackets for a more secure installation. Ensure the camera is placed within optimal Wi-Fi range for the best signal.



100% Wire-free

Install Anywhere in Minutes

2K

2K Image
Quality



Color
Night Vision



AI Detect



180 Days
Battery Life



2.4Ghz WiFi



IP65 Waterproof



2-Way Audio



Unlimit-User
Sharing



Customize
Motion Zone



Cloud/
SD Storage



Image: An ieGeek security camera mounted on a wall, emphasizing its wire-free design and key features like 2K image quality, color night vision, AI detect, 180 days battery life, 2.4GHz WiFi, IP65 waterproof, 2-way audio, unlimited user sharing, customized motion zone, and cloud/SD storage.




Image: A visual representation of the easy installation process, showing a person mounting the camera, connecting it via the app, and viewing live footage on a smartphone.

OPERATING INSTRUCTIONS

1. Live View

Access the live feed of your cameras anytime, anywhere through the ieGeek Cam app on your smartphone or tablet. The 2K QHD resolution provides clear and detailed images, offering 1.5 times more detail than traditional 1080p cameras.

3MP Image Quality

Capture Clearer Details





Image: A split image comparing 2K and 1080p video quality, demonstrating the superior clarity of 2K resolution for capturing finer details.

Getting Started So Easy




Step 1

Download ieGeek Cam or Cloudedge App



Step 2

Connect to 2.4Ghz WiFi



Step 3

Watch Live Footage

Image: A side-by-side comparison showing the difference between 1080p and 2K crystal clear picture quality from the ieGeek camera, with 2K offering a noticeably sharper image.

2. Night Vision

The camera features 2 PIR LEDs and 2 white lights, providing a 130° wide-angle view and 33ft night vision range. This allows for clear monitoring in low-light conditions, offering both infrared and color night vision capabilities.





Image: A side-by-side comparison demonstrating the improved clarity of 2K night vision compared to 1080p, showing a clearer image in dark conditions.

3. Two-Way Audio

Communicate directly with visitors or deter unwanted guests using the built-in two-way audio feature. This allows for real-time interaction through the camera.

Respond in Real-Time

Make Life Easier



Put it at the door, thank you

Hi your package has arrived

2-Way Audio

Image: A person delivering a package interacting with someone through the camera's two-way audio feature.

4. Motion Detection & Alerts

The camera features AI and PIR motion detection for quick response (0.2s-3s). When motion is detected, it sends instant alarm notifications to your device, records alarm video and audio, and can activate a siren and spotlight to deter intruders. You can customize activity zones to focus on specific areas and reduce false alerts.

PIR Motion Detection

Siren & Spotlight Alarm



Get out !

3S Instant Alerts

Image: A security camera activating its siren and spotlight, with a person reacting to the alarm, illustrating the instant alert feature.

AI Recognition

Reduce False Alerts




Image: A smartphone screen displaying the ieGeek Cam app's AI Recognition feature, categorizing detected motion events by human, pet, vehicle, and package.

Customized Motion Zone

Protect What Matters



Image: An outdoor scene with a house and driveway, illustrating how customized motion zones can be set to protect specific areas.

5. Recording & Storage

The camera supports dual storage modes: local storage via an SD card (up to 128GB, not included) or free lifetime cloud storage base service (records 6s and 7 days loop coverage). This ensures your footage is securely stored and accessible.




Image: A visual representation of the camera's dual storage options: cloud storage and local SD card storage.

MAINTENANCE

1. Battery Life & Charging

The ieGeek ZS-GX3S is equipped with a professional rechargeable battery designed for long-lasting performance. Battery life can vary based on usage and environmental factors. Recharge the camera using the provided USB cable when the battery level is low.

2. Weather Resistance

The camera features an upgraded IP65 waterproof design, ensuring it can withstand various weather conditions, including rain and snow. The improved airtightness enhances its durability for outdoor use.



Image: An ieGeek camera shown in rainy conditions, highlighting its IP65 waterproof rating and ability to operate in extreme temperatures.

TROUBLESHOOTING

If you encounter any issues with your ieGeek ZS-GX3S camera, please refer to the following common solutions:

- **Connectivity Issues:** Ensure the camera is within range of your 2.4GHz Wi-Fi network. Restart your router and the camera.
- **App Functionality:** Make sure the "ieGeek Cam" app is updated to the latest version. Check app permissions on your smartphone to ensure it has access to necessary functions.
- **Motion Detection:** Adjust the sensitivity settings in the app (Low, High). Ensure activity zones are correctly configured.

- **Recording Problems:** Verify that an SD card is inserted correctly and formatted within the app. Check cloud storage service status if applicable.
- **Power Issues:** Ensure the camera is fully charged. If the camera does not power on, try holding the reset button for 4-5 seconds.

SPECIFICATIONS

Model Number	ZS-GX3S
Unit Count	4.0 Count
UPC	734931731428
Product Dimensions	11 x 9.5 x 3 inches
Item Weight	2.59 pounds
Wireless Communication Technology	Wi-Fi (2.4GHz)
Alert Type	Motion Only
Waterproof Rating	IP65
Video Resolution	2K 3MP

WARRANTY & SUPPORT

ieGeek is committed to providing high-quality products and excellent customer service. Your ieGeek ZS-GX3S cameras come with a 2-year warranty. We also offer a 90-day free return policy and replacements for quality issues.

- **2-Years Warranty:** Covers manufacturing defects and quality issues.
- **90-Days Free Return:** For hassle-free returns within 90 days of purchase.
- **Replacement for Quality Issue:** We will replace products with confirmed quality issues.

Contact Support:

For any inquiries or support needs, please contact our professional after-sales team:

- **Phone:** +1(202)656-9955 (Working Hours: Mon-Fri 9:00 am-18:00 pm ET)
- **Email:** service@iegeek.com




Image: ieGeek customer support contact details, including phone and email.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for

conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question