

[Manuals.plus](#) /

› [Vente-unique](#) /

› Vente-unique LINCI II Double Sliding Pocket Door System User Manual

Vente-unique LINCI II

Vente-unique LINCI II Double Sliding Pocket Door System User Manual

Model: LINCI II (Doors) & ALBERONA (Pocket System)

1. INTRODUCTION

Thank you for choosing the Vente-unique LINCI II Double Sliding Pocket Door System. This system is designed to provide an elegant and space-saving solution for interior spaces, featuring aluminum frames and frosted smoked tempered glass panels. This manual provides essential information for the safe installation, operation, and maintenance of your new door system. Please read all instructions carefully before beginning installation or use.




Image 1: The LINCI II double sliding pocket door system in an open position, revealing the space beyond.

2. SAFETY INFORMATION

Always prioritize safety during installation and use. Failure to follow these instructions may result in injury or damage to the product.

- **Professional Installation Recommended:** Due to the complexity and weight of the system, professional installation is highly recommended.
- **Handle with Care:** Glass panels are tempered but can break if subjected to sharp impacts. Always handle glass components with care.
- **Secure Mounting:** Ensure the pocket door frame and track system are securely mounted to structural elements of the wall.
- **Clearance:** Verify adequate clearance for the doors to slide smoothly without obstruction.
- **Children and Pets:** Keep children and pets away from the installation area.
- **Tools:** Use appropriate tools for assembly and wear personal protective equipment (e.g., gloves, safety glasses).

3. PACKAGE CONTENTS

Please verify that all components are present and undamaged before beginning assembly.

- 2 x LINCI II Sliding Door Panels (Aluminum frame with frosted smoked tempered glass, mostly pre-assembled)
- 2 x ALBERONA Pocket Door System Kits (Includes frame, track, and associated hardware for wall integration)
- Door Handles (Included)
- Mounting Hardware (Screws, fasteners)
- Instruction Manual (This document and the detailed PDF)

4. SETUP AND INSTALLATION

The installation of a double pocket door system requires precision and adherence to building codes. Refer to the comprehensive PDF user manual for detailed, step-by-step instructions and diagrams.

Important: The ALBERONA pocket door system requires assembly and integration into a wall structure. Finishing kit for the wall opening is not supplied.

4.1 Pre-Installation Checks

- **Wall Preparation:** Ensure the wall opening is correctly sized and structurally sound to support the pocket door system.
- **Tools Required:** Gather all necessary tools, including measuring tape, level, drill, screwdrivers, and safety equipment.
- **Unpack Components:** Carefully unpack all parts and check against the package contents list.




Image 2: Dimensional diagram of the LINCI II double sliding pocket door system.

4.2 Assembly Steps (Overview)

1. Assemble the ALBERONA pocket door frame according to the detailed instructions in the PDF manual.
2. Install the assembled pocket frame into the prepared wall opening, ensuring it is level and plumb.
3. Mount the top track securely within the pocket frame.
4. Attach the hanging mechanisms to the LINCI II door panels.
5. Carefully hang the door panels onto the track system.
6. Install the door handles.
7. Adjust the door height and alignment for smooth operation.



Image 3: Example of a pocket door system being integrated into a wall frame during installation.

For complete installation details, please refer to the official PDF manual: [Download PDF Manual](#)

5. OPERATING INSTRUCTIONS

The LINCI II double sliding pocket door system is designed for smooth and quiet operation.

- **Opening/Closing:** Gently push or pull the door handles to slide the panels along the track. The doors are reversible, allowing them to slide to either the left or right side of the opening.
- **Soft-Close Mechanism:** The system is equipped with a soft-close mechanism, which will gently pull the door into its fully closed position, preventing slamming and ensuring quiet operation.
- **Full Recess:** When fully open, the door panels will retract completely into the wall pockets, maximizing your living space.



Image 4: The LINCI II double sliding pocket door system in a closed position, providing privacy.

6. MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your sliding door system.

- **Cleaning Glass Panels:** Use a soft, lint-free cloth and a non-abrasive glass cleaner. Avoid harsh chemicals that could damage the frosted finish.
- **Cleaning Aluminum Frames:** Wipe with a soft, damp cloth. For stubborn marks, use a mild soap solution and dry thoroughly.
- **Track Cleaning:** Periodically inspect the top track for dust or debris. Use a vacuum cleaner with a brush attachment or a damp cloth to clean the track. Avoid using lubricants that attract dust.
- **Hardware Check:** Annually check all screws and fasteners for tightness. Tighten if necessary to prevent wobbling or misalignment.

7. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

Problem	Possible Cause	Solution
Door sticks or is difficult to slide	Debris in track, misaligned rollers, damaged track	Clean the track. Check roller alignment and adjust if needed. Inspect track for damage.

Problem	Possible Cause	Solution
Door does not close completely	Obstruction, soft-close mechanism adjustment, door alignment	Remove any obstructions. Check and adjust the soft-close mechanism. Verify door alignment.
Door wobbles when sliding	Loose hardware, improper installation	Tighten all mounting screws. Re-check installation for level and plumb.
Noise during operation	Dirty track, worn rollers	Clean the track thoroughly. Inspect rollers for wear and replace if necessary.

8. SPECIFICATIONS

Detailed specifications for the Vente-unique LINCI II Double Sliding Pocket Door System:

Feature	Detail
Brand	Vente-unique
Model (Doors)	LINCI II
Model (Pocket System)	ALBERONA
Door Type	Double Sliding Pocket Door
Door Material	Aluminum frame, 4mm Frosted Smoked Tempered Glass
Pocket System Material	Pine, Aluminum, Steel (1.5mm thickness)
Door Dimensions (each)	Height: 205 cm (80.7 inches), Length: 83 cm (32.7 inches), Depth: 4 cm (1.6 inches)
Pocket System Dimensions	Height: 215.3 cm (84.8 inches), Length: 168.5 cm (66.3 inches), Depth: 9 cm (3.5 inches)
Rail Length	168.5 cm (66.3 inches)
Color	Black (Doors), Silver/Natural Light (Pocket System)
Finish	Frosted, Smoked, Powder Coating
Opening Direction	Reversible (Left or Right)
Usage	Interior
Included Equipment	Handles, Screws
Assembly Required	Yes (Pocket system and overall installation)
Product Weight	71.09 Kilograms (approx.)

9. WARRANTY AND SUPPORT

Vente-unique products are designed for quality and durability. For specific warranty information regarding your LINCI II Double Sliding Pocket Door System, please refer to your purchase documentation or contact Vente-unique customer service.

If you encounter any issues or require assistance, please contact Vente-unique customer support through their official website or the platform where you purchased the product. You can also visit the Vente-unique brand store for more information: [Vente-unique Brand Store](#)

© 2024 Vente-unique. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question