

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Yaheetech](#) /

› [Yaheetech Mid Back Faux Leather Desk Office Chair YT-001376267 Instruction Manual](#)

Yaheetech YT-001376267

Yaheetech Mid Back Faux Leather Desk Office Chair Instruction Manual

Model: YT-001376267

IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before assembly and use. Keep this manual for future reference.

WARNING: This product can expose you to chemical Di(2-ethylhexyl)phthalate (DEHP) and Lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov/furniture.

PACKAGE CONTENTS

Ensure all components are present before beginning assembly. Refer to the diagram below for identification.



Image: All chair components laid out for inspection.

- Backrest (A)
- Seat (B)
- Armrests (C)
- Gas Lift (D)
- Base (E)
- Casters (F)
- Hardware (Screws, Washers, Allen Wrench)

ASSEMBLY INSTRUCTIONS

Follow these steps to assemble your Yaheetech office chair. An assembly video is provided for visual guidance.

Video: Official Yaheetech assembly guide for the Mid Back Faux Leather Office Chair.

Step 1: Attach Casters to Base

Insert the five casters (F) into the holes at the end of each leg of the chair base (E). Push firmly until they click into place.



Image: Assembly diagram illustrating caster attachment.

Step 2: Insert Gas Lift

Place the gas lift (D) into the center hole of the assembled base **Important: Remove the black plastic cap from the top of the gas lift before insertion.**



Image: Removing the black plastic cap from the gas lift.

Step 3: Attach Armrests to Seat

Align the armrests (C) with the pre-drilled holes on the underside of the seat (B). Secure them using the provided screws and the Allen wrench. Ensure they are tightened securely.

Step 4: Attach Mechanism to Seat

Position the chair mechanism (part of the hardware kit) onto the underside of the seat, aligning the holes. Secure it with the appropriate screws using the Allen wrench. Ensure the 'FRONT' label on the mechanism faces the front of the seat.

Step 5: Attach Backrest to Seat

Connect the backrest (A) to the seat assembly. Align the metal brackets of the backrest with the corresponding holes on the seat's underside and secure with screws.

Step 6: Connect Seat Assembly to Gas Lift

Carefully place the assembled seat onto the gas lift, ensuring the center hole of the mechanism aligns with the top of the gas lift. Press down firmly to secure.

OPERATING YOUR CHAIR

Your Yaheetech office chair offers several adjustable features for personalized comfort.

Adjusting Seat Height

To adjust the seat height, pull the lever located on the right side of the seat upwards. While seated, lift the lever to lower the seat. To raise the seat, lift the lever while standing or with minimal weight.

on the seat.

Tilting and Rocking Function

The chair features a tilt mechanism for a comfortable rocking/reclining option. Pull the lever outwards to activate the rocking motion. Push the lever inwards to lock the chair in an upright position. The tilt tension can be adjusted by turning the round knob located underneath the seat.



Image: Rocking function and tilt tension adjustment.

360-Degree Swivel

The chair's seat can swivel 360 degrees, providing essential mobility and ease of access to your workspace.

Detachable Armrests

The armrests are designed to be detachable. You can choose to use the chair with or without armrests based on your preference and space requirements. Removing them allows for a more relaxed sitting posture or to push the chair further under a desk.

With or Without Armrests - It's Your Choice



Image: Chair shown with and without armrests.

CARE AND MAINTENANCE

Proper care will extend the life and appearance of your chair.

- **Cleaning:** The supple PU leather is water-resistant. Wipe clean with a damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners.
- **Inspection:** Periodically check all screws and bolts to ensure they are tight. Re-tighten if necessary.
- **Movement:** Ensure casters are free of debris for smooth rolling.



Image: Features of the premium PU leather and high-density foam.

TROUBLESHOOTING

- **Chair not adjusting height:** Ensure the black plastic cap has been removed from the gas lift. Check if the gas lift lever is fully engaged.
- **Chair not tilting/rocking:** Ensure the tilt lever is pulled outwards to enable the rocking function. Adjust the tilt tension knob if the chair feels too stiff or too loose.
- **Wheels not rolling smoothly:** Check casters for any trapped hair or debris and clean them. Ensure casters are fully inserted into the base.
- **Chair feels unstable:** Verify that all screws are securely tightened, especially those connecting the seat, backrest, and armrests.

PRODUCT SPECIFICATIONS

Feature	Specification
Brand	Yaheetech
Model Name	Chair (YT-001376267)

Feature	Specification
Color	White
Material	Faux Leather, Foam
Product Dimensions	24.4"D x 25.4"W x 37"H
Size	25.4" W x 24.4" D x (33-37)" H
Maximum Weight Recommendation	300 Pounds
Special Features	Adjustable Height, Arm Rest, Ergonomic, Upholstered Leather, Tilting
Furniture Base Movement	Swivel
Item Weight	22.4 pounds



Image: Detailed product dimensions.

WARRANTY AND CUSTOMER SUPPORT

For warranty information or customer support, please refer to the documentation included with your purchase or contact Yaheetech directly through their official website or customer service channels. Keep your purchase receipt for any warranty claims.

© 2024 Yaheetech. All rights reserved.