

[Manuals.plus](#) /

› [GarveeLife](#) /

› GarveeLife 12 ft x 20 ft Lean-to Wall-Mounted Gazebo Instruction Manual

GarveeLife 1220 Lean to Gazebo -GarveeLife

GarveeLife 12 ft x 20 ft Lean-to Wall-Mounted Gazebo Instruction Manual

Model: 1220 Lean to Gazebo -GarveeLife

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your GarveeLife 12 ft x 20 ft Lean-to Wall-Mounted Gazebo. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

The GarveeLife Lean-to Gazebo is designed to provide a durable and versatile outdoor space, featuring a 6mm polycarbonate roof and a reinforced aluminum frame for all-weather protection. Its dimensions are 240"L x 144"W x 102"H, offering 240 square feet of floor area.



Image: GarveeLife 12x20 Lean-to Gazebo installed on a patio, highlighting its dimensions and structure.

2. SAFETY INFORMATION

Important Safety Precautions:

- This gazebo with a PC roof can handle snow loads of up to approximately 5 lbs per square foot. To prevent potential damage, please remove excess snow promptly.

- It is designed for basic wind resistance. For enhanced safety in windy conditions, we strongly recommend using additional securing methods such as sandbags, concrete footings, or guy ropes.
- Assembly requires at least 2-3 individuals. Prepare electric drills, gloves, and ladders for safe and efficient assembly.
- Ensure all parts are correctly aligned and securely fastened before use. Do not overtighten screws during initial assembly; tighten fully once the structure is aligned.
- Keep children and pets away from the assembly area to prevent accidents.

3. SETUP AND ASSEMBLY

Your GarveeLife Lean-to Gazebo is packaged in multiple boxes. You may receive boxes on different days. Ensure all packages have arrived and all components are present before starting assembly. Refer to the included parts list and diagrams.

3.1 Unpacking and Parts Identification


Carefully unpack all components. Lay them out on a clean, flat surface, preferably on the cardboard packaging to prevent scratches. Identify each part using the provided instruction manual's parts list. The gazebo typically arrives in 3 cartons.




Image: Gazebo components are typically delivered in three separate cartons.

3.2 Assembly Steps Overview

The assembly process involves connecting the frame components, attaching the roof panels, and securing the structure. Follow the numbered steps in your physical manual for detailed diagrams and hardware requirements for each step.



1



2



3



4

Image: Visual overview of the main assembly stages.

3.3 Key Structural Features

- **Triangular Design:** Reinforced brackets provide enhanced stability.
- **Wall Attachment:** Designed for secure mounting to a wall for lean-to configuration.
- **Ground Anchored:** Base plates allow for secure anchoring to the ground.
- **Thick Roofing:** Features 6mm polycarbonate panels for durability.


Solid and Sturdy Design




Triangular Design



Wall Attachment



Ground Anchored



Thick Roofing

Image: Details of the gazebo's solid and sturdy design elements.

3.4 Assembly Videos

Watch these official assembly videos for a visual guide through the installation process.

Detailed Assembly Guide

Your browser does not support the video tag.

Video: A comprehensive guide to assembling the GarveeLife Lean-to Gazebo, demonstrating each step in detail.

Quick Assembly Overview

Your browser does not support the video tag.

Video: A quick overview of the GarveeLife Lean-to Gazebo assembly process, showing key steps.

4. OPERATING AND USAGE GUIDELINES

The GarveeLife Lean-to Gazebo is designed for year-round outdoor use, providing protection from various weather conditions.

- **All-Weather Protection:** The 6mm polycarbonate panels offer superior protection against rain, UV rays, and wind. It is tested to withstand 10-12 m/s wind speeds and 17 L/m²·h water spray.
- **Temperature Range:** Designed to perform in temperatures from -20°C to 50°C and humidity levels above 90%.
- **UV Protection:** UV-resistant polycarbonate panels (UPF>40) block harmful rays while allowing natural light to filter through, creating a bright yet shaded outdoor retreat.

Year-Round Fortress

Four Seasons, Unbreakable 6mm Armor




Image: The gazebo offers year-round protection against various weather elements.

Modern multi-layer solar panels

Four Seasons, Unbreakable 6mm Armor



Zinc oxide coating Layer

Glass fiber Layer

Wear-resistant coating layer

Image: Modern multi-layer solar panels provide effective shading and UV protection.

5. MAINTENANCE

Regular maintenance will extend the lifespan and appearance of your gazebo.

- **Cleaning:** Clean the polycarbonate panels and aluminum frame with mild soap and water. Avoid abrasive cleaners or tools that could scratch the surfaces. Rinse thoroughly with clean water.

- **Snow Removal:** Promptly remove excess snow from the roof to prevent structural strain, especially if snow accumulation exceeds 5 lbs per square foot.
- **Fastener Check:** Periodically inspect all bolts and screws to ensure they remain tight. Retighten as necessary.
- **Rust Prevention:** The heavy-duty construction features 8-level salt spray resistance, ensuring the frame remains rust-free. However, regular cleaning helps maintain this protection.

6. TROUBLESHOOTING

- **Leaking Roof:** Ensure all roof panels are correctly seated and all sealing strips are properly installed. Check that all screws securing the panels are tightened.
- **Instability/Wobbling:** Verify that all frame connections are secure and all ground anchors are properly installed. In windy areas, consider additional securing methods as mentioned in the safety section.
- **Missing or Damaged Parts:** If you encounter missing or damaged parts during unpacking or assembly, please contact customer support immediately for assistance.
- **Difficulty Assembling:** Refer to the detailed diagrams in the manual and the assembly videos. Ensure you have sufficient help (2-3 people recommended) and the necessary tools. Do not force parts together.

7. SPECIFICATIONS

Feature	Detail
Brand	GarveeLife
Model Number	1220 Lean to Gazebo -GarveeLife
Material	Aluminum, Polycarbonate
Style	PC Roof
Product Dimensions	240"L x 144"W x 102"H (12 ft x 20 ft x 8.5 ft)
Floor Area	240 Square Feet
Item Weight	110 Pounds
Frame Material	Aluminum
Water Resistance Level	Waterproof
Shape	Rectangular
Ultraviolet Light Protection	Yes (UPF>40)
Assembly Required	Yes
Color	DARK BROWN
UPC	198290943722

8. WARRANTY AND SUPPORT

For any questions, missing parts, damaged parts, or installation assistance, please contact GarveeLife customer support.

- **Email:** info@garvee.com
- **Phone:** +1(888)857-8979

Please refer to the attached manual for detailed installation steps. It is recommended to have 2-3 people for assembly and to prepare an electric drill, gloves, and ladders.
Information regarding specific warranty terms is not provided in the product details. Please contact GarveeLife customer support for warranty details.

© 2026 GarveeLife. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question