Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Kujielan B0D5RBKZL8

Kujielan Metal Bed Frame Twin Black Instruction Manual

Model: B0D5RBKZL8 | **Brand:** Kujielan

1. Important Safety Information

Please read and understand all instructions before beginning assembly and use. Keep this manual for future reference.

- Do not exceed the maximum weight capacity of the bed frame.
- Ensure all bolts and screws are securely tightened before use. Periodically check and re-tighten connections.
- Keep small parts away from children during assembly to prevent choking hazards.
- Assemble the bed frame on a soft, non-abrasive surface (e.g., carpet or cardboard) to prevent damage.
- Do not stand or jump on the bed frame.

2. Package Contents

Verify that all components listed below are present before starting assembly. If any parts are missing or damaged, contact customer support.



Image 2.1: All components of the Kujielan Twin Metal Bed Frame, including headboard, footboard, side rails, support slats, and hardware.

Component List:

- Headboard (1)
- Footboard (1)
- Side Rails (2)
- Center Support Bar (1)
- Metal Slats (Multiple)
- Leg Supports (Multiple)
- Hardware Pack (Screws, Bolts, Allen Wrench)

3. Setup and Assembly Instructions

Follow these steps carefully for proper assembly. Two people are recommended for easier installation.



Image 3.1: The Kujielan Twin Metal Bed Frame fully assembled, ready for mattress placement.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, soft surface. Check against the package contents list.
2. **Attach Side Rails to Headboard:** Align the side rails with the pre-drilled holes on the headboard. Insert the appropriate bolts and tighten them securely with the provided Allen wrench. Do not overtighten.
3. **Attach Side Rails to Footboard:** Repeat the previous step to connect the other end of the side rails to the footboard. Ensure the frame is stable and square.
4. **Install Center Support Bar:** Attach the center support bar to the designated points on the headboard and footboard, or to the side rails if applicable. This provides additional stability.
5. **Place Metal Slats:** Lay the metal slats across the side rails. Secure them in place using the provided fasteners or by snapping them into the designated slots. Ensure even spacing for optimal mattress support.
6. **Attach Leg Supports:** If separate leg supports are provided for the slats or center bar, attach them now. Adjust them to ensure even contact with the floor.
7. **Final Check:** Once all components are assembled, gently shake the frame to ensure stability. Re-tighten any loose connections.

4. Operating Instructions (Usage)

This bed frame is designed to support a twin-sized mattress without the need for a box spring.

- **Mattress Placement:** Carefully place your twin-sized mattress directly onto the metal slats. Ensure it is centered and evenly distributed.
- **Weight Distribution:** Distribute weight evenly across the bed frame. Avoid concentrating heavy loads in one small area.
- **Under-Bed Storage:** The design allows for storage space underneath the bed. Utilize this space for items that fit within the clearance.

5. Maintenance

Regular maintenance will help prolong the life of your bed frame.

- **Cleaning:** Wipe the metal frame with a damp cloth and mild detergent. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Connection Checks:** Periodically (e.g., every 3-6 months) inspect all bolts and screws. Re-tighten any that have become loose to maintain stability and prevent squeaking.
- **Moving the Frame:** If you need to move the bed frame, it is recommended to disassemble it first, especially if moving it a significant distance, to prevent damage.

6. Troubleshooting

Common Issues and Solutions:

- **Squeaking Noises:**
  - Check all bolts and screws and tighten them securely.
  - Ensure the mattress is properly seated on the slats.
  - Verify that the leg supports are making firm contact with the floor.
- **Instability/Wobbling:**
  - Confirm that all connections are fully tightened.
  - Ensure the bed frame is on a level surface.
  - Re-check assembly steps to ensure no parts were missed or incorrectly installed.

7. Specifications

Detailed product specifications for the Kujielan Twin Metal Bed Frame.



Image 7.1: Dimensional diagram for the Kujielan Twin Metal Bed Frame, showing overall and inner measurements.

Feature	Detail
Model	B0D5RBKZL8
Size	Twin
Material	Metal
Product Dimensions (L x W x H)	74.5" x 37.5" x 12" (Frame Height)
Overall Dimensions (L x W x H)	77.1" x 38.2" x 39.8" (Headboard Height)
Style	12 INCH (Frame Height)
Special Feature	Squeak Resistant
Box Spring Required	No

8. Warranty and Support

For warranty information or technical support, please refer to the product packaging or contact the manufacturer directly. Keep your purchase receipt for any warranty claims.

If you have questions regarding assembly or product functionality, please reach out to Kujielan customer service.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0D5RBKZL8

More documents and user manuals: **https://manuals.plus/**