Manuals+

Q & A | Deep Search | Upload

Sanus Full Motion TV Mount (ASIN: B0D5RLS8JP)

SANUS Full Motion TV Mount User Manual

Model: Full Motion TV Mount (ASIN: B0D5RLS8JP)

Brand: Sanus

Introduction

This manual provides detailed instructions for the safe and effective installation, operation, and maintenance of your SANUS Full Motion TV Mount. This mount is designed to securely hold flat-panel televisions ranging from 32 to 55 inches in size and weighing up to 55 pounds. Its full-motion capabilities allow for optimal viewing from various positions within a room.



Image: The SANUS Full Motion TV Mount, showcasing its articulating arm and TV mounting plate. This mount is designed for single-stud installation and provides a wide range of motion for your television.

SAFETY INFORMATION

personal injury, property damage, or voiding of your warranty.

- Ensure the mounting surface can support the combined weight of the mount and the television. This mount is designed for installation into a single wood stud. Do not install into drywall alone.
- Verify the TV's weight and VESA pattern are within the mount's specifications (32-55 inches, up to 55 lbs, VESA 75x75 to 400x400).
- Always use a qualified professional for installation if you are unsure about the structural integrity of your wall or the installation process.
- Do not overtighten screws. Overtightening can cause damage to the mount or your television.
- Keep all small parts and packaging materials away from children.
- Always use a stud finder to locate the center of the wood stud accurately.
- Two people are recommended for safe installation, especially when lifting the television.

PACKAGE CONTENTS

Before beginning installation, ensure all parts are present and undamaged. If any parts are missing or damaged, do not attempt to install. Contact Sanus customer support.

- · Wall Plate Assembly
- TV Brackets (2)
- Assorted TV Mounting Hardware (screws, washers, spacers for various TV models)
- Wall Mounting Hardware (lag bolts, washers)
- Level
- · Installation Template
- · Instruction Manual

SETUP AND INSTALLATION

The SANUS Full Motion TV Mount is designed for easy DIY installation, typically taking 30 minutes or less. Follow these steps carefully.

Tools Required (Not Included)

- Stud Finder
- Drill
- Drill Bits (appropriate size for pilot holes)
- Socket Wrench or Adjustable Wrench
- Phillips Head Screwdriver
- Pencil
- Tape Measure

Step 1: Prepare the Wall

- 1. Using a stud finder, locate the center of a single wood stud at your desired TV height. Mark the center of the stud with a pencil.
- 2. Hold the wall plate assembly against the wall, aligning the center hole with your stud mark. Use the integrated level to ensure it is perfectly horizontal. Mark the positions for the lag bolts.
- 3. Drill pilot holes at the marked locations. Ensure the drill bit size matches the recommendations in the included

installation guide to prevent splitting the stud or damaging the lag bolts.



Image: An installed SANUS TV mount on a wall, demonstrating its single-stud mounting capability. This design simplifies installation and is ideal for corner placements.

Step 2: Mount the Wall Plate

- 1. Align the wall plate with the pilot holes.
- 2. Insert the lag bolts with washers through the wall plate and into the pilot holes.


3. Using a socket wrench, tighten the lag bolts until the wall plate is securely fastened to the wall. Do not overtighten.

Step 3: Attach TV Brackets to Television

- 1. Lay your television face down on a soft, clean surface to prevent scratches.
- 2. Identify the correct size screws, washers, and spacers from the provided hardware kit that fit your TV's VESA mounting holes. Refer to your TV's manual for VESA pattern and screw length requirements.
- 3. Attach the two TV brackets to the back of your television using the selected hardware. Ensure the brackets are centered and securely tightened.

FULL-MOTION WALL MOUNT FOR TVs 32"-55"

UP TO 55 LBS.



FITS VESA PATTERNS

75 x 75 to 400 x 400

Image: A diagram illustrating the compatibility of the full-motion wall mount with TVs ranging from 32 to 55 inches and supporting VESA patterns from 75x75 to 400x400 mm.

Step 4: Mount Television to Wall Plate

- 1. With assistance, carefully lift the television and hook the TV brackets onto the wall plate assembly.
- 2. Secure the TV to the mount using the locking mechanisms or screws as indicated in the detailed installation guide.
- 3. Perform any post-installation leveling adjustments as needed. The mount allows for leveling adjustments even after




Image: A close-up of a hand using a screwdriver to secure a component of the TV mount, emphasizing the easy 1-2-3 installation process that can be completed in approximately 15 minutes on a single stud.

For a visual guide, please refer to the official installation video (if available from the seller).

Video: An installation guide video would typically be embedded here, demonstrating the step-by-step process of mounting the TV. (Video not provided in input data)

Your SANUS Full Motion TV Mount provides flexible viewing options:

• Extension: Gently pull the TV away from the wall to extend it up to 19 inches. This allows for greater flexibility in viewing angles and access to the back of the TV. When not in use, push the TV back towards the wall for a low-profile finish, retracting to just 1.99 inches.



Image: A side view of a TV mounted on the SANUS mount, illustrating its ability to extend up to 19 inches from the wall and retract to a slim 1.99 inches for a low-profile look.

• **Swivel:** The mount allows for up to 50 degrees of swivel to the left and right. Gently push the TV to the desired angle to optimize your viewing experience from any seat in the room.




Image: A TV mounted on the SANUS mount, demonstrating its 50-degree swivel capability to the left and right, allowing for versatile viewing angles.

• **Tilt:** Adjust the TV's vertical angle by up to 15 degrees using the tool-free tilt mechanism. This feature is particularly useful for reducing glare from windows or lights, and for optimizing viewing when the TV is mounted above eye level, such as over a fireplace.



Image: A TV mounted on the SANUS mount, showing a 15-degree downward tilt, highlighting the tool-free tilt feature designed to eliminate glare.

• Cable Management: Utilize the built-in cable management channels on the mount's arm to route and organize your TV cables for a clean and tidy appearance.



Image: A close-up of the SANUS mount's articulating arm with a cable routed through its integrated channels, demonstrating the built-in cable management feature for a clean setup.

MAINTENANCE

To ensure the longevity and proper function of your SANUS TV mount, follow these simple maintenance guidelines:

- Cleaning: Dust the mount regularly with a soft, dry cloth. For stubborn marks, a slightly damp cloth can be used, followed by immediate drying. Avoid abrasive cleaners or solvents.
- Check Connections: Periodically (e.g., every 6-12 months), inspect all screws and bolts to ensure they remain

securely tightened. Do not overtighten.

• **Movement Check:** Occasionally move the TV through its full range of motion (extension, swivel, tilt) to ensure smooth operation. If any stiffness is noted, ensure no cables are snagged.

TROUBLESHOOTING

If you encounter issues with your SANUS Full Motion TV Mount, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
TV is not level after installation.	Initial leveling was off, or minor settling occurred.	Utilize the post-installation leveling adjustment feature. Refer to the detailed installation guide for specific instructions on how to adjust.
Difficulty extending or swiveling the TV.	Cables are snagged or mount joints are stiff.	Check that cables are properly routed through the cable management channels and are not obstructing movement. Ensure no objects are blocking the mount's path.
TV appears to sag or tilt unexpectedly.	Mounting screws are loose or TV weight exceeds capacity.	Immediately remove the TV from the mount. Re-check all wall and TV mounting screws for tightness. Verify your TV's weight is within the 55 lbs limit. If the issue persists, contact Sanus customer support.
Missing hardware or damaged parts.	Packaging error or shipping damage.	Do not proceed with installation. Contact Sanus customer support for replacement parts.

SPECIFICATIONS

• Brand: Sanus

• Model: Full Motion TV Mount (ASIN: B0D5RLS8JP)

Compatible TV Sizes: 32 to 55 inches
 Maximum Weight Capacity: 55 pounds
 Mounting Type: Wall Mount (Single Stud)
 Movement Type: Articulating (Full Motion)

Extension from Wall: Up to 19 inches
 Retracted Profile: 1.99 inches from wall

• Swivel Range: Up to 50 degrees left and right

• Tilt Range: Up to 15 degrees (tool-free)

• VESA Compatibility: 75x75mm to 400x400mm

Material: MetalColor: Black

• Item Weight: Approximately 9.24 pounds

• Package Dimensions: 20.04 x 11.85 x 2.56 inches

• UPC: 793795537591

SANUS stands behind the quality of its products. This TV mount comes with **5-year warranty**, covering defects in materials and workmanship under normal use.

For any questions, installation assistance, or troubleshooting, please contact Sanus customer service. Our U.S.-based experts are available 7 days a week to provide support.

Contact Information:

- Refer to the official Sanus website for the most current contact details.
- Online support resources and FAQs may also be available.

© 2025 Sanus. All rights reserved. Information subject to change without notice.

Related Documents



SANUS BMF320 Elite Advanced Full-Motion TV Mount Installation Manual

Step-by-step instructions for installing the SANUS BMF320 Elite Advanced Full-Motion TV Mount. Includes safety guidelines, hardware lists, and mounting procedures for wood studs and concrete.



SANUS VMF822-B2 Advanced Full-Motion TV Wall Mount Installation Manual

This manual provides detailed instructions for installing the SANUS VMF822-B2 Advanced Full-Motion TV Wall Mount. It covers safety precautions, required tools, parts identification, step-by-step assembly for wood stud and concrete installations, cable management, TV adjustments, and removal.



SANUS VLF728-B2 | VLF728-S2 Advanced Full-Motion Premium TV Wall Mount

Discover the SANUS VLF728-B2 and VLF728-S2 Advanced Full-Motion Premium TV Wall Mount. Designed for TVs 42"-90", it offers high-end performance with a slim profile, FluidMotion™ smoothness, Steady Set™ stability, and durable construction. Features include extensive tilt, swivel, lateral shift, and integrated cable management.



Sanus BXL1 TV Mount Instruction Manual

Step-by-step instructions for installing the Sanus BXL1 TV mount, including safety guidelines, hardware lists, and troubleshooting tips for various wall types.