

[Manuals.plus](#) /

> [UPBRIGHT](#) /

> UpBright 5V AC/DC Adapter Compatible with Eoxsmile Model CR1001E HOLA-CR1001E-B HOLA-CR1001E CR1002 LED Number Digital Bluetooth Alarm Clock FM Radio DC5V 2A 5.0V Power Supply Cord Cable Charger PSU

UPBRIGHT Eoxsmile CR1001E CR1002 Power Supply

Instruction Manual

UPBRIGHT 5V AC/DC ADAPTER

Model: Eoxsmile CR1001E CR1002 Power Supply

1. Introduction

This manual provides essential information for the safe and effective use of your UpBright 5V AC/DC Adapter. This power supply is designed to provide stable 5V DC power to compatible electronic devices, specifically Eoxsmile Model CR1001E, HOLA-CR1001E-B, HOLA-CR1001E, and CR1002 LED Digital Bluetooth Alarm Clocks and FM Radios. Please read this manual thoroughly before using the adapter and retain it for future reference.

2. Safety Information

To ensure safe operation and prevent damage, observe the following precautions:

- **Input Voltage:** This adapter supports a wide input voltage range of 100-240VAC at 50/60Hz, making it suitable for worldwide use.
- **Protection Features:** The adapter is equipped with Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP) to safeguard your devices.
- **Indoor Use Only:** Use this adapter indoors in dry conditions. Do not expose it to water, moisture, or high humidity.
- **Ventilation:** Ensure adequate ventilation around the adapter during use. Do not cover it or place it in enclosed spaces that could lead to overheating.
- **Cable Care:** Do not pull on the cord to disconnect the adapter from the outlet. Always grasp the plug. Avoid bending, twisting, or stretching the cable excessively.
- **Damage:** Do not use the adapter if the cord or plug is damaged. Contact support for replacement.
- **Children:** Keep out of reach of children.

3. Product Overview

The UpBright 5V AC/DC Adapter is a compact and reliable power supply designed for specific Eoxsmile digital alarm clocks and FM radios. It provides a stable 5V DC output at 2A (10W) to ensure optimal performance of your compatible devices.



Figure 3.1: Front view of the UpBright 5V AC/DC Adapter, showing the "UpBright AC/DC Adapter" label and input specifications (100-240V ~0.3A 50-60Hz).



Figure 3.2: Back view of the UpBright 5V AC/DC Adapter, displaying regulatory marks (CE, FCC, RoHS) and output specifications (5V 2A).



Figure 3.3: Side view of the UpBright 5V AC/DC Adapter, showing the attached power cord and barrel round connector.

3.1 Compatibility

This adapter is specifically designed to be compatible with the following Eoxsmile models:

- Eoxsmile Model CR1001E
- Eoxsmile Model HOLA-CR1001E-B
- Eoxsmile Model HOLA-CR1001E

- Eoxsmile Model CR1002 (7 Color Night Light Bluetooth Speaker Digital Alarm Clock FM Radio)

It is also compatible with specific digital alarm clocks and Bluetooth speakers that require a 5V DC, 2A power supply, such as those listed under ASINs B087N13CLF, B09YC8NLCG, and B09Y2SDKF2.



Figure 3.4: Visual representation of the adapter's compatibility with different Eoxsmile alarm clock models, including rectangular and spherical designs. (Note: The alarm clock devices are not included with the adapter.)


4. Setup Instructions

Setting up your UpBright AC/DC Adapter is straightforward:

1. **Verify Compatibility:** Before connecting, ensure your device requires a 5V DC input and has a compatible barrel round connector. Using the adapter with incompatible devices may cause damage.
2. **Connect to Device:** Insert the barrel round connector of the adapter cable firmly into the DC input port of your Eoxsmile alarm clock or compatible device.
3. **Connect to Power Outlet:** Plug the AC prongs of the adapter into a standard wall power outlet (100-240VAC, 50/60Hz).
4. **Power On:** Once connected, your device should receive power and operate as intended.

For international orders, a suitable outlet adapter may be included to fit your country's power sockets. Ensure you use the correct adapter if provided.

Come With A Suitable Outlet Adapter (Only One) to Fit Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



Figure 4.1: Examples of international outlet adapters (AU, EU, UK) that may be provided with the product for international compatibility.

5. Operating Instructions

The UpBright 5V AC/DC Adapter operates automatically once connected to a power source and a compatible device. It provides continuous power to your device. There are no user-adjustable settings on the adapter itself.

- **Continuous Power:** The adapter will supply power as long as it is plugged into a live outlet and connected to a device.
- **Power Disconnection:** To turn off power to your device, simply unplug the adapter from the wall outlet or disconnect the barrel connector from your device.

6. Maintenance and Care

Proper care will extend the life of your adapter:

- **Cleaning:** Disconnect the adapter from the power outlet and device before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or aerosols.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly winding the cable.
- **Avoid Physical Damage:** Do not drop, crush, or expose the adapter to strong impacts.

7. Troubleshooting

If you encounter issues with your adapter, try the following steps:

- **No Power to Device:**
 - Ensure the adapter is securely plugged into a working wall outlet. Test the outlet with another device.
 - Verify that the barrel connector is fully inserted into your device's power input port.
 - Confirm that your device is compatible with a 5V DC, 2A power supply.

- Check the adapter cable for any visible damage (cuts, kinks). If damaged, discontinue use.
- **Device Malfunction:**
 - If your device is not functioning correctly after connecting the adapter, ensure the device itself is not faulty. Try powering the device with its original adapter if available, or another compatible power source.
- **Adapter Overheating:**
 - A slight warmth is normal during operation. However, if the adapter becomes excessively hot, unplug it immediately. Ensure it is not covered and has adequate ventilation.

If the problem persists after following these steps, please refer to the Warranty and Support section.

8. Specifications

Brand	UPBRIGHT
Model Number	Eoxsmile CR1001E CR1002 Power Supply
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	5V DC
Output Current	2A (2000mA)
Power Output	10W
Connector Type	Barrel Round Connector
Product Dimensions	4 x 2 x 3 inches
Item Weight	4 ounces
Color	Black

9. Warranty and Support

UpBright stands behind the quality of its products. This adapter comes with:

- **30 Days Refund Policy:** If you are not satisfied with your purchase, you may be eligible for a refund within 30 days.
- **24 Months Exchange Policy:** The product is covered by a 24-month exchange warranty for defects in materials and workmanship.

For warranty claims, technical support, or any inquiries, please contact the seller or visit the official UpBright store where the product was purchased. Please have your purchase details and product model number ready.
You can visit the [UPBRIGHT Store on Amazon](#) for more information.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question