**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



**FORIOUS FB-03036B**

# FORIOUS FB-03036B 8-Inch Widespread Matte Black Bathroom Faucet

**MODEL: FB-03036B**

**Brand: FORIOUS**

## 1. SAFETY INFORMATION

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in property damage or personal injury.

- Always turn off the main water supply before beginning any installation or repair work.
- Wear safety glasses and gloves during installation.
- Ensure all local plumbing and building codes are met.
- If you are unsure about any part of the installation, consult a qualified plumber.

## 2. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Faucet Body (Gooseneck Spout)
- Hot Water Handle
- Cold Water Handle
- Pop-up Drain Assembly
- Hot and Cold Water Supply Lines (24 inches)
- Installation Hardware (rubber gaskets, steel gaskets, fixed nuts)
- Black 'Y' Hose for connecting handles to spout
- Instruction Manual



Figure 1: All components included in the FORIOUS FB-03036B faucet package.

The image above displays the complete set of components for the FORIOUS FB-03036B faucet, including the main spout, two control handles, the pop-up drain, and the necessary water supply lines and connection hoses.

## 3. Specifications

| Feature | Specification |
|---|---|
| Brand | FORIOUS |
| Model Name | Bathroom Faucet (FB-03036B) |
| Color | Matte Black |
| Material | Stainless Steel |
| Finish Type | Painted |

| | |
|---|---|
| Mounting Type | Deck Mount |
| Installation Type | Widespread (8 Inch) |
| Hole Count | 3 |
| Number of Handles | 2 |
| Spout Design | High Arch Gooseneck |
| Spout Height | 5.87 Inches |
| Spout Reach | 5.63 Inches |
| Maximum Flow Rate | 1.2 Gallons Per Minute |
| Hose Length | 24 Inches |
| Special Features | 360° Swivel, Lead Free, Pop Up Drain, Water Saving System |





Figure 2: Dimensional drawing of the faucet and pop-up drain, including sink hole requirements.

This diagram provides critical dimensions for the faucet components and the pop-up drain, along with the recommended sink hole requirements for proper installation. It shows the spout height of 9.41 inches and a reach of 5.63 inches.

## 4. Installation

Follow these steps for a successful installation. A video guide is available for visual assistance.

## 4.1. Pre-Installation Checks

- Ensure your sink has 3 holes with a recommended width between 6-12 inches.
- Pre-drilled hole requirement: 1.26 inches minimum to 1.38 inches maximum.
- Maximum sink thickness: 1.38 inches (35mm).

## 4.2. Step-by-Step Installation

1. **Insert Faucet and Handles:** Insert the faucet spout and two handles into the corresponding holes on the countertop.
2. **Secure Components:** From underneath the sink, locate the rubber gasket, steel gasket, and fixed nut in turn. Screw the nut and tighten it securely to hold the faucet and handles in place.
3. **Connect 'Y' Hose:** Connect the black 'Y' hose to the three fast-connect fittings located under the faucet and handles. Ensure a secure connection.
4. **Flush Water Lines:** Before connecting the main supply lines, open the angle valves to test water pressure and discharge any hard water deposition from the supply lines. Then close the valves.
5. **Connect Supply Lines:** Attach the hot and cold water supply lines (24-inch braided PEX hoses with 3/8 inch thread) to the corresponding angle valves. If the size is too small, contact FORIOUS for an adapter.




Figure 3: Visual guide for connecting the faucet components and water supply lines.

This image illustrates the simplified installation process, highlighting the connections for the handles, spout, and the integrated InnoFlex PEX supply lines. The diagram also shows the recommended sink hole spacing for widespread installation.

### 4.3. Installation Video Guide

Your browser does not support the video tag.

Video 1: FORIOUS Bathroom Faucet Installation Guide. This official video from FORIOUS-USA provides a step-by-step visual demonstration of the faucet installation process.

This video offers a comprehensive visual guide to assist with the installation of your FORIOUS bathroom faucet, covering each step from component assembly to final water connection.

## 5. Operation

The FORIOUS FB-03036B faucet is designed for ease of use and precise control.

- **Water Flow and Temperature:** The two handles allow for independent control of hot and cold water. Turn the left handle for hot water and the right handle for cold water. Adjust the handles to achieve your desired temperature and flow rate.
- **360° Swivel Spout:** The high-arc gooseneck spout can swivel 360 degrees, providing extended reach and flexibility for various tasks in your sink.
- **Pop-up Drain:** The included pop-up drain is operated by pressing down on the drain stopper to close it and pressing again to open it, allowing for easy filling and draining of the sink.





Figure 4: Demonstrates the 360° swivel spout and the easy-to-use pop-up drain.

This image highlights the functional aspects of the faucet, including the versatile 360-degree swivel spout for enhanced sink access and the convenient push-button pop-up drain for efficient water management.




Figure 5: Illustrates the water-saving 1.2 GPM aerator and its contribution to water conservation.

The image above showcases the faucet's water flow and features an inset of the replaceable 1.2 GPM aerator, emphasizing its role in saving water without compromising performance.

## 6. Maintenance

Proper maintenance will ensure the longevity and optimal performance of your FORIOUS faucet.

- **Cleaning the Finish:** The matte black finish is designed to resist water spots and fingerprints. Clean regularly with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **Aerator Maintenance:** The faucet includes a 1.2 GPM aerator for water saving. If water flow decreases or becomes irregular, the aerator may be clogged. Unscrew the aerator from the spout, clean any debris, and rinse thoroughly before reattaching.
- **Ceramic Cartridges:** The drip-proof ceramic cartridges are tested for 500,000 cycles to ensure durability and prevent leaks. No regular maintenance is typically required for the cartridges.




Figure 6: Highlights the durability and resistance of the high-performance matte black finish.

This image visually compares the FORIOUS faucet's durable matte black finish, which resists peeling and rust, against a corroded alternative, emphasizing the product's quality and ease of maintenance.

## 7. Troubleshooting

If you encounter any issues with your faucet, refer to the following common problems and solutions:

| Problem | Possible Cause | Solution |
|---|---|---|
| Low Water Flow | Clogged aerator, partially closed water supply valves. | Clean the aerator (see Maintenance section). Ensure water supply valves are fully open. |
| Leaking from Spout | Damaged ceramic cartridge (unlikely due to testing), loose connections. | Ensure all connections are tight. If leaking persists, contact customer support. |
| Leaking from Base | Loose mounting nuts, improperly seated gaskets. | Tighten mounting nuts from underneath the sink. Ensure gaskets are correctly positioned. |
| Handles Stiff or Hard to Turn | Mineral buildup, worn cartridge. | Flush water lines. If issue persists, contact customer support. |

If you experience any issues not covered here or require further assistance, please refer to the Warranty & Support section.

## 8. Warranty & Support

FORIOUS provides an extended warranty for this product. For specific warranty details, please refer to the documentation included with your purchase or contact FORIOUS customer service.

Our professional support team is available to assist you with any questions or concerns regarding your bathroom sink faucet. You can find contact information through your order details on the purchase platform for phone or online support.


### Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

**Open the live page**

**https://manuals.plus/asin/B0D5XS1RWQ**

More documents and user manuals: **https://manuals.plus/**