

[Manuals.plus](#) /

› [Flodream](#) /

› Flodream Smart Toilet FD-7709 User Manual

Flodream FD-7709

Flodream Smart Toilet FD-7709 User Manual

Model: FD-7709 | Brand: Flodream

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your Flodream Smart Toilet, Model FD-7709. This one-piece elongated tankless electric toilet features an integrated bidet with warm water, a dryer, a heated seat, LED display, foot sensor operation, and power-off flushing capabilities. Please read this manual thoroughly before use to ensure proper function and safety.



Image: The Flodream Smart Toilet FD-7709, showcasing its sleek design and integrated features.

2. KEY FEATURES

The Flodream Smart Toilet FD-7709 is designed to enhance your bathroom experience with advanced functionalities:

- **Smart Bidet System:** Features a stainless steel spray wand offering rear wash, front wash, oscillating, and massage spray options. Water pressure and temperature are adjustable across 4 levels, with nozzle position adjustable across 5 levels. Temperature digits are shown on the LED display.
- **Temperature-Adjustable Air Dryer:** Provides comfort and reduces toilet paper usage.
- **Heated Seat:** Offers 3 adjustable temperature settings via the remote control for enhanced comfort.
- **LED Digital Display:** Real-time display of water, wind, and seat temperatures.
- **Automatic Operation:** Foot sensor activates and opens the toilet seat. Automatically flushes 3 seconds after leaving the seat.
- **Deodorizing Fan:** Activates when seated to eliminate odors.

- **Self-Cleaning Nozzle:** The bidet/spray wand performs a self-cleaning cycle.
- **Power-Off Flushing:** A physical button on the right side allows flushing during power failures. A backup battery ensures normal flushing operation during sudden power outages.
- **Enhanced Hygiene & Safety:** Built-in smart chip and sensors prevent dangers from high temperature, leakage, and high water pressure.
- **Easy to Clean:** High-quality ceramic with a smooth glaze and pre-wet toilet wall technology prevents dirt adhesion, complemented by powerful flushing.



Image: Overview of the smart toilet's functions, including self-cleaning, night light, temperature regulation, and automatic flushing.

3. SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance of your Flodream Smart Toilet. It is recommended to consult a professional plumber if you are unsure about any steps.

3.1 Pre-Installation Checklist

- Ensure the drainage pipe is flush with the ground.
- Verify all accessories are complete as per the packing list.
- Confirm availability of a nearby electrical outlet (220 Volts).

3.2 Installation Steps

1. Prepare the drainage pipe by cutting off any part above the ground to ensure it is flush.
2. Place the fixing screws to the bottom of the flange.
3. Measure the distance from the two screws to the wall to ensure consistent alignment.
4. Mark the positions for the four ground fixing screw holes according to the flange ring.
5. Drill the four ground fixing screw holes in the marked positions.
6. Attach the four fixing screws in turn to ensure the flange is tight against the floor.
7. Remove the toilet cover and disconnect the upper and lower flush pipes, as well as the foot sense connection wire. Pay attention to the removal sequence to ensure correct reinstallation.
8. Install the flange ring.
9. Align the two screw fixing holes on the ceramic body with the screws on the flange plate and carefully lower the toilet.

10. Measure the distance between the rear sides of the ceramic body and the wall to ensure consistent distance between the two sides.
11. Install ceramic fixing screws to compress the ceramic bottom flange.
12. Ensure the ceramic bottom is flush with the floor.
13. Install the cover plate, connect the foot sense connection wire, and the upper and lower flush pipes. Snap back the cover plate and fix the screws.
14. Install the pre-filter and connect the toilet inlet pipe.
15. Turn on the angle valve switch and switch on the power supply. The installation is complete.

3.3 Installation Video Guide

Your browser does not support the video tag.

Video: A detailed installation guide for the Flodream Smart Toilet, demonstrating each step from preparing the drainage to connecting the water supply and power.

4. OPERATING INSTRUCTIONS

Your Flodream Smart Toilet offers multiple ways to control its advanced features:

4.1 Remote Control Functions

The wireless remote control provides comprehensive access to all smart toilet features:

- **Cover/Seat Control:** Open or close the toilet cover and seat.
- **Bidet Wash:** Activate rear wash, front wash, oscillating, and massage spray. Adjust water pressure (4 levels) and nozzle position (5 levels).
- **Water Temperature:** Adjust warm water temperature (4 levels).
- **Dryer Temperature:** Adjust warm air dryer temperature (3 levels).
- **Seat Temperature:** Adjust heated seat temperature (3 levels).
- **Light:** Control the LED night light.
- **Flush:** Manually activate flushing.
- **Baby Mode:** Special settings for child use, bypassing seat sensor for functions.
- **Auto Mode:** Initiates a sequence of bidet cleaning (rear), followed by drying.

One Button Knob Design



Hip cleaning
clockwise rotation



Female cleaning
Counter clockwise rotation



One time press for flushing
Sit and press for air drying
Long press for power off the toilet



SMART REMOTE CONTROL




Image: The smart remote control and the one-button knob design for various bidet and flushing functions.

4.2 Foot Sensor Operation

The integrated foot sensor allows for hands-free operation:

- Gently tap your foot near the sensor to activate and open the toilet seat.
- The toilet will automatically flush approximately 3 seconds after you leave the seat.

4.3 Manual Knob Control

A rotary one-touch knob on the side of the toilet provides quick access to essential functions:

- Rotate clockwise for hip cleaning.
- Rotate counter-clockwise for female cleaning.
- Press once for flushing.
- Long press for air drying.
- Long press to power off the toilet.

4.4 Operating Demonstration Video

Your browser does not support the video tag.

Video: A demonstration of the Flodream Smart Toilet's features, including automatic lid opening, flushing, and remote control functions for bidet and drying.

5. MAINTENANCE AND CARE

Regular maintenance ensures the longevity and hygiene of your smart toilet.

- **Cleaning:** The high-quality ceramic and smooth glaze are designed to resist dirt. Use a soft cloth and mild, non-abrasive cleaners. Avoid harsh chemicals or abrasive pads that could damage the surface.
- **Nozzle Cleaning:** The bidet nozzle performs a self-cleaning function. For additional cleaning, gently wipe the nozzle with a soft, damp cloth.
- **Water Filter:** Periodically check and replace the pre-filter as needed to maintain optimal water quality for the bidet functions.
- **Exterior:** Wipe down the exterior surfaces, including the LED display and remote control, with a soft, dry or slightly damp cloth.



Image: The internal design highlighting the non-clog mechanism and air purification system.

6. TROUBLESHOOTING

If you encounter any issues, please refer to the following common solutions before contacting customer service:

- **No Power/Functions Not Responding:**
 - Ensure the toilet is properly plugged into a working electrical outlet.
 - Check the circuit breaker.
 - Verify the backup battery is installed and functional for basic flushing during power outages.
- **Bidet Not Spraying/Weak Spray:**
 - Check if the water supply valve is fully open.
 - Ensure the water filter is not clogged and replace if necessary.
 - Adjust water pressure settings via the remote control.
- **Heated Seat/Dryer Not Working:**
 - Check temperature settings on the remote control or LED display.
 - Ensure the toilet is receiving power.

- **Automatic Flushing Not Activating:**

- Ensure the seat sensor is clean and unobstructed.
- Verify the toilet is powered on.

- **Leakage:**

- Immediately turn off the water supply valve.
- Check all pipe connections for tightness. If leakage persists, contact customer service.

The toilet has built-in smart chips and sensors to prevent dangers from high temperature, leakage, and high water pressure. If an issue persists after troubleshooting, please contact customer support.

7. SPECIFICATIONS

Feature	Detail
Brand	Flodream
Model Number	FD-7709
Color	White
Product Dimensions	25.6"D x 14.2"W x 17.7"H
Material	Ceramic (Body), Acrylonitrile Butadiene Styrene (ABS) (Seat)
Installation Type	Floor Mounted
Shape	Oval
Item Weight	95.8 pounds
Voltage	220 Volts
Included Components	1* mounting accessories kit, 1* remote control, 1* smart toilet with bidet built in
UPC	653998545765



Image: Product dimensions for the Flodream Smart Toilet.

8. WARRANTY AND SUPPORT

Flodream is committed to providing reliable products and excellent customer service.

- **Warranty:** All items sold in our store come with 1 year of sales support.
- **Replacement Policy:** Replacement available within 24 months.
- **Return Policy:** 30-day unconditional return policy.
- **Customer Service:** We offer lifetime after-sales service and technical support. Our team aims to reply to your inquiries within 12 hours.

Please contact us directly if you have any questions about the package or require assistance with installation or operation. We are here to address your concerns promptly.



Image: Flodream's commitment to customer service and support.