

SIGHILL G1

SIGHILL Agena G1 USB-C Charging Phone Holder Air Vent Car Mount User Manual

Model: Agena G1

1. INTRODUCTION

Thank you for choosing the SIGHILL Agena G1 USB-C Charging Phone Holder Air Vent Car Mount. This manual provides essential information for the proper installation, operation, and maintenance of your device. Please read it thoroughly before use to ensure optimal performance and safety.

The Agena G1 is designed to provide a secure, one-handed docking solution for your USB-C compatible smartphone, offering fast charging and data synchronization capabilities directly through your vehicle's air vent.

2. SAFETY INFORMATION

- Always ensure the car mount is securely installed before placing your phone.
- Do not obstruct your view of the road or vehicle controls with the mounted phone.
- Avoid adjusting the mount or your phone while driving. Perform all adjustments when the vehicle is stationary.
- Keep the product away from extreme temperatures, direct sunlight for prolonged periods, and moisture.
- Do not attempt to disassemble or modify the product. This may void the warranty and pose a safety risk.
- Ensure the USB-C cable is properly connected to prevent damage to your phone or the mount.

3. PACKAGE CONTENTS

Verify that all items are present in your package:

- SIGHILL Agena G1 Car Mount (Air Vent Type)
- USB-C to USB-C Charging Cable
- Quick Start Guide

IN THE BOX




Image: Contents of the SIGHILL Agena G1 package.

4. PRODUCT OVERVIEW

The SIGHILL Agena G1 features a robust design for secure phone holding and efficient charging.



Image: Front view of the SIGHILL Agena G1 Car Mount.



Image: SIGHILL Agena G1 Car Mount installed in a vehicle's air vent.

5. SETUP & INSTALLATION

5.1. Air Vent Mounting


1. Identify a suitable air vent in your vehicle that does not obstruct your driving view or vehicle controls.
2. Attach the air vent clip to the back of the Agena G1 car mount. Ensure it is securely fastened.
3. Carefully insert the air vent clip into one of your vehicle's air vent blades. Push firmly until it is stable.
4. Tighten any locking mechanisms on the air vent clip to ensure a firm grip.

5.2. Adjusting for Your Phone (No-Look Docking Setup)


The Agena G1 is designed for a one-time adjustment to enable 'No-Look Docking'.

EASY TO USE

ONE-HANDED



CHARGE



REMOVE

Image: One-handed operation for charging and removing the phone.



Image: Demonstrating the 'No-Look Docking' feature.



Image: Detail of the USB-C connector providing up to 40W charging.

1. Step 1: Unlock

Turn the locking knob (usually located at the bottom or back of the mount) counter-clockwise to unlock the adjustable side supports and connector base.

2. Step 2: Adjust Connector & Side Supports

Gently pull the side supports open. Place your phone into the holder, ensuring the USB-C port aligns with the charging connector. The side supports will automatically grip your phone securely. Push the connector base from the back until the USB-C connector firmly connects to your phone's port.

3. Step 3: Lock & Complete

Once your phone is securely docked and the connector is engaged, turn the locking knob clockwise to firmly secure the side supports and connector base in place. This setting is now saved for your phone, allowing for future 'No-Look Docking'. You will only need to reset this if you change phones or phone cases significantly.

6. OPERATING INSTRUCTIONS

6.1. One-Handed Charging and Removal

- **To Charge:** With the mount pre-adjusted, simply use one hand to guide your phone downwards into the holder. The USB-C connector will automatically engage with your phone's port.
- **To Remove:** Press the eject button (if present, typically on the side or bottom) or gently pull your phone upwards with one hand to disengage the connector and release it from the side supports.

6.2. Fast Charging & Data Sync

Connect the provided USB-C to USB-C cable from the Agena G1 mount to a compatible USB-C power source in your vehicle (e.g., a car charger or vehicle's USB-C port). The mount supports fast charging and data synchronization. If your phone and vehicle system are compatible, you can utilize features like Apple CarPlay or Android Auto for seamless integration.

7. COMPATIBILITY

The Agena G1 is designed to accommodate a wide range of smartphones, with or without cases, within the specified dimensions:

- **Depth:** 0.29 - 0.67 inches (7.3 - 17.0 mm)
- **Width:** 2.65 - 3.39 inches (67.3 - 86.1 mm)

Note: The mount may not be compatible with phones or cases that have significantly uneven backs or edges, as this can prevent proper seating and connection.

Compatible Phone & Case Size

Depth:

0.29 - 0.67 inch
(7.3 - 17.0 mm)

Width:

2.65 - 3.39 inches
(67.3 - 86.1 mm)

NOT COMPATIBLE WITH



Uneven Back



Uneven Edges

Image: Phone and case compatibility guidelines.

8. MAINTENANCE

- **Cleaning:** Wipe the mount with a soft, dry cloth. Avoid using harsh chemicals or abrasive cleaners.
- **Cable Care:** Ensure the USB-C cable is not kinked or pinched, which can damage the internal wires.
- **Storage:** If not in use for an extended period, store the mount in a cool, dry place away from direct sunlight.

9. TROUBLESHOOTING

- **Phone not charging:**
 - Ensure the USB-C cable is securely connected to both the mount and the power source.
 - Verify that the vehicle's power source (e.g., cigarette lighter adapter or USB port) is active.
 - Check if the phone's USB-C port is clean and free of debris.
 - Re-adjust the connector base to ensure a firm connection with your phone's port.

- **Mount feels loose in the air vent:**
 - Ensure the air vent clip is fully inserted into the vent blade.
 - Tighten any locking mechanisms on the air vent clip.
 - Some air vent designs may not provide optimal stability. Consider an alternative vent if available.
- **Phone disconnects from CarPlay/Android Auto:**
 - Ensure the USB-C connector is firmly seated in your phone's port.
 - Check the USB-C cable for damage. Try a different high-quality USB-C cable if issues persist.
 - Verify your phone and vehicle system are compatible with CarPlay/Android Auto via a wired connection.

10. SPECIFICATIONS

Feature	Detail
Model Number	G1
Product Dimensions	3.5 x 4.5 x 4.3 inches
Item Weight	4.8 ounces
Mounting Type	Air Vent
Color	Black
Special Features	Adjustable Charging Connector & Side Supports, One-Hand Operation
Compatible Devices	Smartphones with USB-C port
Compatible Phone Width	2.65 - 3.39 inches (67.3 - 86.1 mm)
Compatible Phone Depth	0.29 - 0.67 inches (7.3 - 17.0 mm)

11. WARRANTY & SUPPORT

SIGHILL products are manufactured with quality and reliability in mind. For warranty information, technical support, or any inquiries regarding your Agena G1 car mount, please refer to the contact information provided in your Quick Start Guide or visit the official SIGHILL brand store:

[Visit the SIGHILL Store on Amazon](#)

© 2024 SIGHILL. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question