

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VCHOO](#) /

› [VCHOO Keyless Entry Door Lock Deadbolt with Handle Set User Manual](#)

VCHOO SL01

VCHOO Keyless Entry Door Lock Deadbolt with Handle Set User Manual

Model: SL01

1. PRODUCT OVERVIEW

The VCHOO Keyless Entry Door Lock Deadbolt with Handle Set offers a secure and convenient solution for accessing your home or property. This smart lock features multiple unlocking methods, including user codes, one-time codes, and physical keys. It is designed for easy installation and includes automatic locking functions for enhanced security.



Image: VCHOO Keyless Entry Door Lock installed on a white door, showcasing the keypad and lever handle.

Key Features:

- **Multiple Access Methods:** Supports up to 100 user codes, one-time codes, and includes 2 physical keys.
- **Automatic Locking:** Features auto-lock functionality (10-30 seconds) and one-touch auto-lock.
- **Enhanced Security:** ANSI level 3 smart door lock core, zinc alloy body, IP54 waterproof rating, and anti-peeping password protection.
- **Convenience Features:** Low battery alert and emergency Type-C charging port.
- **Easy Installation:** Designed for quick replacement of existing locks with minimal tools.

2. PACKAGE CONTENTS

Verify that all components are present in your package before beginning installation.




Image: All components of the VCHOO Keyless Entry Door Lock, including deadbolt parts, lever handles, keys, screws, and a screwdriver.

- Deadbolt Front/Rear Lock x 1
- Door Handle Front/Rear Lock x 1
- Key x 2
- Lock Latch x2
- Screw Accessories Package x 2
- Hole Opening Diagram x 1
- Installation Tutorial Card x 2
- Instructions x1

3. SETUP & INSTALLATION

Pre-Installation Checks

Ensure your door meets the required dimensions for proper installation. The lock is compatible with door thickness ranging from 1.31" to 2.16" (35-55mm) and supports backsets of 2-3/8" or 2-3/4" (60

or 70mm).

Check the Size Before Your Purchase

Suitable For US Left-Handle & Right-Handle Standard Doors




Image: Detailed measurements for door thickness, backset, and latch hole requirements.



Image: Visual guide for checking door compatibility, showing suitable latch holes and incompatible mortise, integrated, and rim cylinder locks.

Installation Steps

Installation typically takes 15-30 minutes with just a screwdriver. For a detailed visual guide, please refer to the official installation video below.

Video: VCHOO Keyless Entry Door Lock Easy to Install Black. This video provides a comprehensive step-by-step

guide for installing the lock.

After physical installation, you may need to initialize the lock. Follow the instructions in the video below.

Video: VCHOO Keyless Entry Door Lock Initialization Setup. This video demonstrates how to reset and initialize the lock to factory settings.

4. OPERATING INSTRUCTIONS

Unlocking Methods

The VCHOO Keyless Entry Door Lock offers multiple convenient ways to unlock:

- **User Codes:** Program up to 100 unique user codes for family, friends, or regular visitors.
- **One-Time Codes:** Generate temporary codes for single use, ideal for couriers or service personnel.
- **Physical Keys:** Two physical keys are included for traditional unlocking or emergency access.

Multiple Ways to Unlock



100 User Codes

One-time Codes

2 Spare Keys

Kid

Family

Parent

Roommate

Courier

Repairman

Image: Visual representation of different users who can benefit from the lock's multiple access options.

Keyless Entry, Make Life Easy

Auto Lock & One Touch Lock



Image: A woman receiving a one-time code on her phone to grant access to a visitor, highlighting the convenience of temporary access.

Auto-Lock Function

The lock can be set to automatically lock after a period of 10-30 seconds. There is also a one-touch auto-lock feature for immediate security.

One-time Codes



Image: A woman and child approaching a door with the auto-lock feature enabled, illustrating effortless security.

Anti-Peeping Password

To prevent others from guessing your code, you can enter random digits before or after your actual password. The lock will still recognize the correct sequence within the longer string of numbers.



Image: A visual explanation of the anti-peeping password feature, showing how random digits can be added before or after the actual code for security.

Password Setting

Learn how to set and manage your lock's passwords by following the instructions in this video.

Video: Password Setting. This video guides you through the process of setting and changing user passwords on the lock.

Constant Open Setting

This feature allows the lock to remain unlocked for continuous access when needed. Please pay attention to safety when using this mode.

Video: VCHOO Keyless Entry Door Lock Constant Open Setting. This video explains how to activate and deactivate the constant open mode.

5. MAINTENANCE

Battery Replacement

The lock is powered by 4 AA batteries (not included). A low battery alert function will indicate when replacement is needed by displaying a green light. In emergencies, you can use the Type-C charging port for temporary power to unlock.



Image: Details on battery type, low battery warning indicator, and the emergency Type-C charging port.

General Care

- Clean the lock surface with a soft, dry cloth. Avoid abrasive cleaners or solvents.
- Ensure the lock is protected from extreme weather conditions, although it is IP54 waterproof.
- Regularly check for any loose screws or components and tighten as necessary.

6. TROUBLESHOOTING

If you encounter issues with your VCHOO Keyless Entry Door Lock, refer to the common problems and solutions below.

Problem	Possible Cause	Solution
Lock not responding to keypad entry.	Low batteries, incorrect code, or temporary malfunction.	Replace batteries. Re-enter code carefully. Try using a physical key. Perform a factory reset if necessary (refer to Initialization Setup video).
Handle feels loose or wobbly.	Loose mounting screws.	Check and tighten all mounting screws on both the interior and exterior assemblies.
Auto-lock not functioning.	Auto-lock feature is disabled or incorrectly configured.	Verify auto-lock settings. Ensure the door closes completely and the latch is not obstructed.
Lock makes unusual sounds.	Internal mechanism issue or obstruction.	Ensure no foreign objects are obstructing the latch or deadbolt. If sounds persist, contact customer support.

7. PRODUCT SPECIFICATIONS

Specification	Detail
Brand	VCHOO
Model Name	SL01
Lock Type	Keypad
Material	Zinc
Color	Matte Black
Style	Lever
Item Dimensions (L x W x H)	10.23 x 9.05 x 3.82 inches
Item Weight	3.41 Pounds
Power Source	4 AA Batteries (not included)
Special Feature	Auto-Lock
Waterproof Rating	IP54

8. WARRANTY & SUPPORT

VCHOO is committed to providing quality products and customer service. We strictly check and control every link of the product. If you have any questions about your front door lock, please contact us. We are at your service.

For any inquiries regarding operation, after-sales service, or technical support, please reach out to the VCHOO support team. We aim to resolve any problems within 24 hours.

This product may be eligible for extended protection plans. Please refer to your purchase documentation for details on available protection plans.