

Motovecor Suv Camping Tent

Motovecor Universal SUV Camping Tent Instruction Manual

Model: Suv Camping Tent

1. INTRODUCTION

Thank you for choosing the Motovecor Universal SUV Camping Tent. This manual provides essential information for the safe and efficient use, setup, and maintenance of your new tent. Please read these instructions carefully before assembly and use, and retain them for future reference.

This tent is designed for versatility, offering a spacious shelter that can attach to various SUVs, vans, jeeps, and trucks with a rear door, or be used as a standalone ground tent. It features a 4000mm waterproof coating, UPF 50+ silver fabric for UV protection, and robust construction for durability in outdoor conditions.

2. SAFETY INFORMATION

- **Fire Safety:** Keep all flame and heat sources away from this tent fabric. The tent is made of flame-resistant fabric, but it is not fireproof.
- **Ventilation:** Ensure adequate ventilation to prevent condensation and maintain air quality, especially when using heating or cooking equipment (which should ideally be used outside the tent).
- **Weather Conditions:** While designed for 4-season use and 4000mm waterproof, extreme weather conditions (heavy snow, strong winds, severe thunderstorms) can damage the tent and pose safety risks. Seek alternative shelter in such conditions.
- **Assembly:** Assembly is recommended for two people to ensure stability and ease of setup. Follow all setup instructions carefully.
- **Anchoring:** Always properly anchor the tent using all provided ropes and stakes to prevent it from being lifted or damaged by wind.
- **Site Selection:** Choose a level, clear site free from sharp objects, overhanging branches, and potential flood areas.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly:

- Tent Body (1)

- Long Fiberglass Poles (18.7 ft) (2)
- Short Fiberglass Poles (5.4 ft) (5)
- Awning Boom Poles (2M/6.5ft) (2, 8 section poles each)
- Extra Large Steel Nails (6)
- Wind Ropes (4)
- Carry Bag (1)
- Nails Bag (1)
- Pole Bag (1)



Image: Detailed dimensions and package contents of the Motovecor SUV Camping Tent.

4. SETUP INSTRUCTIONS

For optimal setup, it is recommended that two people assemble the tent. Allow approximately 30 minutes for initial setup.

4.1. Attaching to a Vehicle

1. **Prepare the Vehicle:** Park your SUV, van, jeep, or truck with the rear door facing the desired tent location. Open the rear door/tailgate.
2. **Unfold the Tent:** Lay the tent body flat on the ground behind your vehicle, ensuring the vehicle attachment sleeve is aligned with the rear of your vehicle.
3. **Insert Main Poles:** Assemble the two long fiberglass poles. Guide these poles through the main support sleeves of the tent, forming the primary arch structure.
4. **Attach to Vehicle:** Carefully pull the vehicle attachment sleeve over the rear of your vehicle. Secure it using the adjustable sleeve straps around the vehicle's tire and roof rack (if applicable) to create a bug-free and watertight fit.
5. **Open Tailgate:** Once the sleeve is secured, open the vehicle's tailgate fully to integrate the vehicle space with the tent interior.

6. **Insert Secondary Poles:** Assemble the five short fiberglass poles and insert them into their designated sleeves to provide additional structure and shape to the tent.
7. **Set Up Awning:** Assemble the two awning boom poles. Position them to support the large awning, extending the shaded area. Secure the awning with wind ropes and steel nails.
8. **Stake and Guy Out:** Secure the tent to the ground using the extra-large steel nails and wind ropes at all designated anchor points. Ensure the tent is taut and stable.

LARGE ROOM AND GREAT VENTILATION



4000MM WATER RESISTANT



STEINBRÜCKE



3 Doors with Mesh, Extendable Awning

Image: The Motovecor SUV Camping Tent fully set up and attached to a vehicle, demonstrating its spacious design and awning.

SUITABLE FOR

ALL KINDS OF CARS, SUVs, VANS, CARS AND
OTHER CARS WITH A TAILGATE



STEINBRÜCKE



Image: The Motovecor SUV Camping Tent attached to a vehicle, highlighting the universal fitment for various car types.

4.2. Standalone Ground Tent Setup

The Motovecor SUV Camping Tent can also be used independently as a ground tent.

1. **Assemble Tent Structure:** Follow steps 2, 3, and 6 from the "Attaching to a Vehicle" section to erect the main tent body and secondary poles.
2. **Close Vehicle Sleeve:** At the rear of the tent, where the vehicle attachment sleeve would normally connect, utilize the integrated cinch cords. Tighten the drawstring closure securely to seal off the opening, transforming it into a closed tent wall.
3. **Set Up Awning (Optional):** If desired, set up the awning as described in step 7 of the vehicle attachment instructions.
4. **Stake and Guy Out:** Secure the tent to the ground using all provided stakes and wind ropes.



Image: The Motovecor SUV Camping Tent in standalone mode, with the rear cinched closed.

5. OPERATING INSTRUCTIONS

5.1. Doors and Ventilation

The tent features three doors on the sides of the main section and multiple multi-position mesh windows. These can be opened or closed from both the inside and outside to provide cross-ventilation and maintain a comfortable interior climate. The mesh layers help keep insects out while allowing airflow.



Image: Detail of the tent's mesh window for ventilation and insect protection, along with the upgraded zipper.

5.2. Awning Use

The large awning provides extended shade and rain protection. When fully opened and supported by the awning poles, it extends the tent's usable space by up to 2.8 meters, creating an ideal area for camping tables and chairs.

LARGE AWNING SUN SHELTER

Waterproof and High Sun Protection

UV50+



Image: The tent's large awning providing ample shade, suitable for outdoor seating.

5.3. Internal Gear Pockets

The tent includes internal gear pockets for convenient storage of small items, helping to keep the interior organized.



6. MAINTENANCE

- **Cleaning:** Clean the tent with a soft brush or sponge and mild soap. Do not use harsh detergents or bleach. Rinse thoroughly with water.
- **Drying:** Always ensure the tent is completely dry before packing it away to prevent mildew and odor.
- **Storage:** Store the tent in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Zippers:** Keep zippers clean and free of dirt. Lubricate with a silicone-based spray if they become stiff.
- **Poles:** Inspect fiberglass poles for cracks or damage before and after each use. Replace damaged poles promptly.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Tent is difficult to set up.	Attempting single-person setup; poles getting bunched.	Assembly is easier with two people. Take your time and work poles through sleeves in sections. Refer to setup instructions.
Water leakage.	Improper sealing around vehicle; damaged fabric/seams.	Ensure vehicle sleeve straps are tightly adjusted for a secure fit. Inspect tent for tears or seam issues. Apply seam sealer if necessary.
Tent unstable in wind.	Insufficient anchoring.	Always use all provided steel nails and wind ropes. Ensure ropes are taut and stakes are firmly in the ground.
Bugs entering the tent.	Gaps in vehicle attachment; mesh windows not fully closed.	Adjust vehicle sleeve straps to eliminate gaps. Ensure all mesh windows and doors are fully zipped when closed.

8. SPECIFICATIONS

- **Brand:** Motovecor
- **Model Name:** Suv Camping Tent
- **Product Dimensions:** 172.8"L x 117.6"W x 82.8"H
- **Item Weight:** 21.2 Pounds
- **Occupancy:** 4 Person (2 adults, 2 kids or 3 adults recommended)
- **Seasons:** 4 Season
- **Water Resistance Technology:** 4000mm Waterproof Coating
- **Special Features:** Rainproof, UV Protection (UPF 50+ silver fabric), Windproof
- **Design:** Vehicle Mounted Tent / Standalone Ground Tent
- **Material:** 210D Polyester with PU4000 Coating
- **Color:** Blue
- **Installation Type:** Attached to Vehicle Back
- **Pole Material Type:** Fiberglass
- **Number of Doors:** 3

- **Base Material:** Polyester
- **Tent Floor Material:** Polyethylene or Polyurethane
- **Stake Material:** Steel

9. WARRANTY AND SUPPORT

The Motovecor Universal SUV Camping Tent comes with a **2-Year Manufacturer's Warranty**.

For warranty claims, technical support, or any inquiries regarding your product, please contact Motovecor customer service. Refer to the contact information provided with your purchase or visit the official Motovecor website for assistance.



**WITH 2 YEAR
FACTORY
WARRANTY**



EASY SERVICE

Give Us A Call Or Message, You Will See How Easy For Customers To Get Their Problem Solved.

Image: The tent's carry bag, emphasizing the 2-year factory warranty and easy service.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question