

kk Kinderkraft ESME KSESME00BLK3000

Kinderkraft ESME 3-in-1 Stroller with Mink PRO I-Size Car Seat User Manual

Model: ESME KSESME00BLK3000

INTRODUCTION

The Kinderkraft ESME is a versatile 3-in-1 travel system designed for children from birth up to 25 kg (approximately 4 years). It features a convertible 2-in-1 seat that transforms from a spacious bassinet into a comfortable stroller seat, which can be parent-facing or forward-facing. This manual provides essential information for the safe and proper use, assembly, and maintenance of your ESME stroller and accompanying MINK PRO i-Size car seat. The ESME stroller is equipped with large, shock-absorbing, puncture-proof TPE rubber wheels, suitable for various terrains. It folds compactly without removing the seat, making it convenient for travel and storage. The included MINK PRO i-Size car seat (40-75 cm) and adapters allow for a seamless travel system, ensuring your child's safety and comfort during car journeys and transitions.



Kinderkraft

10
ANS
GARANTIE

STANDARD
DE QUALITÉ SUPÉRIEUR

Plus d'information sur kinderkraft.com



**ESME: CONFORTABLE, À LA MODE,
FONCTIONNELLE !**

Image: Kinderkraft ESME stroller in bassinet mode, pushed by an adult in a park setting.

IMPORTANT SAFETY WARNINGS

- Always ensure all locking devices are engaged before use.
- Do not leave the child unattended in the stroller or car seat.
- Ensure the child is secured with the harness at all times.
- Do not overload the storage basket; maximum capacity is 3 kg.
- The car seat is designed for rear-facing installation (RWF) only, using the vehicle's seat belt.
- Regularly check the stroller and car seat for any loose parts, damage, or wear.
- Do not use accessories or spare parts other than those supplied or approved by the manufacturer.
- The car seat is suitable for children 40-75 cm (i-Size standard).

- The stroller is suitable for children up to 25 kg.

LA SÉCURITÉ EST UNE PRIORITÉ !
SIÈGE AUTO MINK PRO I-SIZE 40-75 CM INCLUS,
TESTÉ LORS DE CRASH-TESTS RIGOUREUX.



i-Size

Image: The MINK PRO i-Size car seat is crash-tested to ensure child safety.

PACKAGE CONTENTS

The Kinderkraft ESME 3-in-1 travel system package includes the following components:

- ESME Stroller Frame
- 2-in-1 Convertible Seat (Bassinet/Stroller Seat)
- MINK PRO i-Size Car Seat (40-75 cm)
- Car Seat Adapters
- Cup Holder
- Universal Footmuff

- Rain Cover
- Parent Bag



SAC SPACIEUX POUR LES PARENTS




Image: Included accessories such as the spacious parent bag and cup holder.

SETUP AND ASSEMBLY

1. Unfolding the Stroller Frame

1. Place the folded stroller on a flat surface.
2. Release the locking mechanism (if engaged).
3. Lift the handlebar and pull the frame upwards until it clicks into place, indicating it is fully unfolded.

2. Attaching the Wheels

- Insert the front wheels into their respective slots until they click.
- Attach the rear wheels by pushing them onto the axle until they lock securely.

3. Converting the 2-in-1 Seat

The ESME seat can be easily converted between bassinet and stroller seat mode:

- **Bassinet Mode:** Ensure the backrest is fully reclined and the fabric sides are extended to form the bassinet.
- **Stroller Seat Mode:** Adjust the straps and buckles to raise the backrest and form a seat. The footrest can also be adjusted.

4. Attaching the Seat to the Frame

- Align the seat connectors with the slots on the stroller frame.
- Push down firmly until the seat clicks securely into place.
- Verify that the seat is properly attached by gently pulling upwards.

5. Installing the MINK PRO i-Size Car Seat (Travel System)

1. Attach the included adapters to the stroller frame.
2. Place the MINK PRO i-Size car seat onto the adapters, ensuring it clicks securely into place.
3. Always ensure the car seat is rear-facing when installed in a vehicle. Refer to the separate MINK PRO i-Size car seat manual for detailed vehicle installation instructions.

ESME – PRÊTE POUR L'AVENTURE !

MOBILITÉ



PROXIMITÉ LORS
DES PREMIÈRES
PROMENADES



DÈS LA NAISSANCE
JUSQU'À 4 ANS

LA DÉCOUVERTE
DU MONDE



CONTACT
VISUEL



Image: The ESME stroller offers multiple configurations from birth to 4 years, including car seat, bassinet, and stroller modes.

SYSTÈME DE VOYAGE (TRAVEL SYSTEM)



Image: The Travel System allows easy transfer of the MINK PRO i-Size car seat to the stroller frame using adapters.

OPERATING INSTRUCTIONS

1. Adjusting the Handlebar

The handlebar can be adjusted to 9 different height levels for ergonomic pushing. Press the buttons on both sides of the handle and move it up or down to your desired position. Release the buttons to lock.

DES RÉGLAGES SIMPLES QUI ASSURENT LE CONFORT DE VOTRE ENFANT ET QUI VOUS SIMPLIFIENT LA VIE !



Image: The handlebar adjusts to 9 levels, and the seat has 2 recline positions.

2. Reclining the Stroller Seat

The stroller seat offers multiple recline positions for your child's comfort. Use the lever or button on the back of the seat to adjust the recline angle. Ensure the child is properly supported in all positions.

3. Using the 5-Point Harness

Always secure your child with the 5-point harness. Adjust the shoulder straps to the appropriate height for your child's shoulders. Fasten the buckle securely. The harness pads provide additional comfort.

FONCTIONNALITÉ, SÉCURITÉ ET CONFORT AU PLUS HAUT NIVEAU !



Image: The 5-point harness with protection and a removable bumper bar ensure child safety. The basket holds up to 3 kg.

4. Using the Bumper Bar

The bumper bar is removable from both sides for easy access to your child. Press the release buttons on either side to detach or pivot the bar.

5. Engaging the Brakes

To engage the brakes, press down on the brake pedal located near the rear wheels. Ensure the stroller is stationary before placing or removing your child.

6. Swivel Front Wheels and Locking Mechanism

The front wheels can swivel for easy maneuverability or be locked into a straight position for stability on rougher terrain. Use the locking mechanism above each front wheel to switch between swivel and locked modes.



ABSORBENT LES CHOCS



INCREVABLES



ROTATION AVEC BLOCAGE

Image: The wheels feature shock absorbers, are puncture-proof, and have a rotation lock for stability.

7. Using the Canopy and Ventilation Panel

The large canopy protects your child from sun and wind. It includes a ventilation panel that can be opened for improved airflow, especially in warm weather. The canopy also features a peek-a-boo window.

**CONFORTABLE DÈS LA PREMIÈRE PROMENADE
ET MÊME PAR TEMPS CHAUD.**



Image: The bassinets features a removable ventilation panel for comfort in warm weather.

8. Folding the Stroller

The ESME stroller can be folded compactly without removing the seat. Follow these steps:

1. Ensure the seat is in the forward-facing position and fully upright.
2. Engage the brakes.
3. Locate the folding mechanisms (usually on the handlebar or sides of the frame).
4. Follow the specific folding sequence as indicated by the manufacturer (refer to illustrations in the full manual if available).
5. Once folded, ensure the locking latch is engaged for secure transport.

TRANSPORT LÉGER ET FACILE – MÊME AVEC BÉBÉ DANS LES BRAS !



Image: The ESME stroller folds easily for light and convenient transport, even while carrying a baby.

MAINTENANCE AND CARE

Cleaning the Fabric

- The main fabric components are machine washable. Refer to the care label for specific temperature and cycle recommendations.
- For spot cleaning, use a mild soap and warm water. Do not use harsh detergents or bleach.
- Allow fabric to air dry completely before reassembly or storage.

Cleaning the Frame and Wheels

- Wipe the frame with a damp cloth and mild soap. Dry thoroughly.
- Clean the wheels regularly to remove dirt and debris.

- Periodically check wheel axles for smooth rotation and lubricate if necessary.

Storage

- Store the stroller and car seat in a clean, dry place away from direct sunlight and extreme temperatures.
- Ensure the stroller is folded and locked for compact storage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Stroller does not fold/unfold smoothly.	Locking mechanisms engaged; debris in joints.	Ensure all locks are released. Clean joints and lubricate if needed.
Wheels are stiff or squeaky.	Dirt/debris in axles; lack of lubrication.	Clean wheels and axles. Apply a silicone-based lubricant.
Harness is difficult to buckle/unbuckle.	Buckle mechanism is dirty or jammed.	Clean the buckle with a damp cloth. Ensure no fabric is obstructing the mechanism.
Car seat does not attach securely to adapters.	Incorrect alignment; adapters not fully engaged.	Re-align the car seat and push down firmly until a click is heard. Ensure adapters are correctly installed on the frame.

If you encounter issues not listed here or require further assistance, please contact Kinderkraft customer support.

SPECIFICATIONS

Feature	Detail
Model Number	KSESME00BLK3000
Stroller Weight	11.5 kg
Maximum Child Weight (Stroller)	22 kg
Maximum Child Weight (Rear-facing car seat)	25 kg
Car Seat Child Height Range	40-75 cm (MINK PRO i-Size)
Harness Type	5-point
Main Material	Metal (Frame: Aluminum)
Wheel Material	TPE Rubber (Puncture-resistant)

Feature	Detail
Stroller Dimensions (Unfolded L x W x H)	100 x 60 x 102.5 cm
Stroller Dimensions (Folded)	Specific dimensions not provided in JSON, listed as '[SMALL]'
Care Instructions	Machine washable (fabric)
Safety Standard (Car Seat)	ECE R129 (i-Size)



Image: Detailed dimensions of the ESME stroller in various configurations.

WARRANTY AND SUPPORT

Warranty Information

Kinderkraft products are designed for durability and safety. The ESME stroller and MINK PRO i-Size car seat come

with a manufacturer's warranty. This product includes a 10-year warranty. Please refer to the official Kinderkraft website or the warranty card included with your product for specific terms and conditions.

Customer Support

For any questions, technical assistance, or warranty claims, please contact Kinderkraft customer support. You can find contact information on the official Kinderkraft website or through your retailer.

Official Kinderkraft Website: www.kinderkraft.com