RBROHANT RWST81005

RBROHANT Exposed Shower System with Tub Spout User Manual

Model: RWST81005

Introduction Features Package Contents Dimensions Setup & Installation Operating Instructions Maintenance Troubleshooting Specifications Warranty & Support

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your RBROHANT Exposed Shower System with Tub Spout. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product. Keep this manual for future reference.



Image: RBROHANT Brushed Gold Exposed Shower System with Tub Spout.

2. Key Features

- **3-Functional Shower Valve:** Features a 10-inch high-pressure rain shower head, a handheld sprayer with a 59-inch hose, and a tub spout for versatile use.
- **Adjustable Shower Height:** Both the rainfall shower head and the hand shower are adjustable to suit individual preferences.
- **10-inch High-Pressure Rain Shower Head:** Utilizes Air-in technology to mix air and water, providing a comfortable, high-pressure shower experience while saving water by at least 30%.
- **Durable Construction:** Made with 304SUS stainless steel for the rain shower head, shower pipe, and hose, and brass for the shower valve, trim kit, and handheld. Handles are zinc alloy.
- **Certifications:** CEC and cUPC certified for safety and durability.
- **Easy Installation & Maintenance:** Standard US 1/2" NPT connection for compatibility. Wall-mounted exposed pipe

design simplifies installation and maintenance.

3. Package Contents

Verify that all components are present and undamaged before beginning installation.

- 10 Inch Round Stainless Steel Rain Shower Head
- 3-Way Brass Shower Valve and Handle Trim Kit
- Brass Handheld Shower and Holder
- SUS304 59-Inch Shower Hose
- Brass Tub Spout with High-End NEOPERL Aerator
- Height Adjustable Slide Bar Pipe and Shower Arm
- Necessary Installation Tools Kit




Image: All components included in the RBROHANT Exposed Shower System package.

4. Dimensions

Refer to the diagram below for detailed product dimensions.



Image: Detailed dimensions of the RBROHANT Exposed Shower System, including shower head diameter, pipe height, and valve spacing.

Product Dimensions: 35.8 x 16.9 x 4.1 inches

Head Size: 10 Inch

Standard US 1/2" NPT connection size.

5. Setup & Installation

Before installation, ensure you have all necessary tools and that water supply is turned off. It is recommended to wear gloves to protect the finish during installation.

Installation Video Guide

Your browser does not support the video tag.

Video: A step-by-step guide on how to install the RBROHANT Exposed Shower System.

General Installation Steps:

1. **Prepare the Wall:** Ensure the wall is clean and ready for mounting. The water supply pipes should be correctly positioned and secured.
2. **Install Offset Connectors:** Screw the offset connectors into the decorative covers, then insert the rubber rings into the main body. Screw the offset connectors into the main body.
3. **Mount the Main Body:** Fix the main body to the wall and connect the water inlet. Ensure a secure and watertight connection.
4. **Install Switch Handle:** Attach the switch handle to the main body and tighten it using a hexagon key.
5. **Attach Shower Rod:** Install the top spray shower rod onto the main body and secure it with the fixing seat.
6. **Connect Shower Heads:** Install the top spray shower head and the handheld shower separately. Ensure all connections are tight.

Important: Please protect the finish carefully during installation. It is recommended to wear gloves to avoid scratches.

6. Operating Instructions

3-Functional Shower Valve

The shower system features a convenient 3-functional valve to switch between the rain shower, handheld shower, and tub spout.



Image: The 3-functional valve allowing selection between tub spout, hand shower, and rain shower.

- **Temperature and Flow Control:** Use the single handle to easily adjust water flow and temperature. Push the handle up for increased flow and rotate for hot or cold water.
- **Function Selector:** Rotate the selector knob on the valve to choose between the tub spout, handheld shower, or rain shower head.

Adjustable Shower Height

Both the rain shower head and the handheld shower can be adjusted for height.



Image: Instructions for adjusting the height of the rain shower head and handheld shower.

- **Rain Shower Head:** Loosen the knob on the shower arm, then press down or lift up the shower arm to adjust the height. Tighten the knob to secure.
- **Handheld Shower:** Press and hold the button on the handheld holder to slide it up or down the bar to the desired height. Release to lock in place.

Adjustable Tub Spout Flow Angle

The tub spout features an adjustable flow angle for convenience.



Image: Demonstrates how to adjust the tub spout flow angle and highlights the aerator.

- The tub spout can be rotated to adjust the water flow angle, providing flexibility for different filling needs.
- The high-end aerator ensures a gentle and quiet water flow.

Rain Shower Head

The 10-inch rain shower head provides a full-body shower experience.

RBROHANT®

Accessories List



Image: Close-up of the 10-inch rain shower head, showing air-in technology and soft silicone nozzles.

- Features Air-in technology for higher pressure bubble water, saving water.
- Soft silicone nozzles are easy to clean; simply rub them with your finger to dislodge any mineral buildup (limescale) and maintain consistent water flow.
- The shower head is 360° rotatable for optimal positioning.

Product Overview Video

Your browser does not support the video tag.

Video: An overview of the RBROHANT 3-Function Adjustable Exposed Shower System, demonstrating its features and operation.

7. Maintenance

Regular cleaning and maintenance will ensure the longevity and optimal performance of your shower system.

- **Cleaning the Finish:** Use a soft cloth and mild soap or a non-abrasive cleaner specifically designed for brushed gold finishes. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish.
- **Cleaning Nozzles:** The rain shower head features soft silicone nozzles. Periodically rub these nozzles with your finger to dislodge any mineral buildup (limescale) and maintain consistent water flow.
- **Aerator Maintenance:** The tub spout's NEOPERL aerator can be removed and cleaned if water flow becomes restricted. Refer to the aerator manufacturer's instructions for specific cleaning procedures.
- **Hose Care:** Regularly check the shower hose for kinks or damage. Clean the hose with a soft cloth and mild soap.
- **General Inspection:** Periodically inspect all connections for leaks and tighten if necessary.

8. Troubleshooting

This section addresses common issues you might encounter. For problems not listed here, please contact customer support.

Problem	Possible Cause	Solution
Low Water Pressure	◦ Clogged shower head nozzles or aerator. ◦ Water flow restrictor (if present). ◦ Low household water pressure.	◦ Clean shower head nozzles by rubbing them. Clean or replace the tub spout aerator. ◦ Consult a plumber regarding water flow restrictors or low household pressure.
Leaks from Connections	◦ Loose connections. ◦ Damaged O-rings or washers.	◦ Carefully tighten all connections. Do not overtighten. ◦ Inspect O-rings and washers; replace if damaged.
Water Temperature Issues	◦ Incorrect handle adjustment. ◦ Water heater settings.	◦ Adjust the single handle to achieve the desired temperature. ◦ Check your water heater settings.

9. Specifications

Attribute	Detail
Brand	RBROHANT
Model Number	RWST81005
Color	Brushed Gold
Material	Brass, Stainless Steel, Zinc (Handle), ABS (Handheld holder)
Finish Type	Brushed
Number of Handles	1

Attribute	Detail
Mounting Type	Wall Mount
Head Size	10 Inch
Connection Size	Standard US 1/2" NPT
Certifications	CEC, cUPC
Item Weight	11.73 pounds (5.33 Kilograms)
Product Dimensions	35.8 x 16.9 x 4.1 inches

10. Warranty & Support

RBROHANT is committed to providing high-quality products and excellent customer service.

- **Lifetime Warranty:** RBROHANT offers a lifetime warranty for all its shower fixtures.
- **Customer Support:** If you encounter any problems with your exposed shower system, please do not hesitate to contact RBROHANT customer service. They aim to reply within 24 hours and will resend free new replacement parts if necessary.
- **Contact Information:** (Please refer to your purchase documentation or the RBROHANT official website for specific contact details.)

© 2026 RBROHANT. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question