

## GOOLOO GT-Truck (JS-275)

# GOOLOO 6750A Jump Starter GT-Truck User Manual

Model: GT-Truck (JS-275)

## INTRODUCTION

---

Thank you for choosing the GOOLOO 6750A Jump Starter GT-Truck. This heavy-duty portable jump starter is designed to provide reliable power for starting a wide range of vehicles, including large trucks, and also serves as a versatile power bank for your electronic devices. This manual provides essential information for safe and effective use, maintenance, and troubleshooting of your device. Please read it thoroughly before operation.



Image: The GOOLOO 6750A Jump Starter GT-Truck with its booster clamps, showcasing its robust design.

## Safety Information

Always observe the following safety precautions to prevent injury or damage to the device and vehicle:

- Do not expose the jump starter to rain or wet conditions.
- Do not operate the jump starter if it has been dropped or damaged.
- Ensure proper polarity connection (red clamp to positive, black clamp to negative) to avoid sparks and damage.
- Keep out of reach of children.
- Do not disassemble the unit. Refer all servicing to qualified personnel.
- Avoid short-circuiting the clamps.
- Do not jump start a frozen battery.
- Ensure the vehicle is in park/neutral with the parking brake engaged before jump starting.

# SUPERSAFE JUMP STARTER



AI-Software  
monitoring



Reverse-Polarity  
Protection



Over-Charge  
Protection



Over-Voltage  
Protection



Spark-Proof  
Protection



Short-Circuit  
Protection



High and Low-TEMP  
Protection



Over-Current  
Protection



Over-Load  
Protection



Reverse-Charge  
Protection



Image: Diagram illustrating the various safety protections built into the GOOLOO jump starter, including AI-Software monitoring, reverse-polarity, over-charge, over-voltage, spark-proof, short-circuit, high and low-temperature, over-current, over-load, and reverse-charge protection.

## PACKAGE CONTENTS

Verify that all items are present in your package:

- GOOLOO Heavy-Duty Portable Car Battery Jump Starter GT-TRUCK
- Wall Charger
- USB Type-A to Type-C Cable
- User Manual



# WHAT YOU GET



Image: The GOOLOO GT-Truck jump starter, its packaging, wall charger, and USB-C cable, illustrating the complete contents of the box.

## PRODUCT OVERVIEW: LAYOUT & CONTROLS

Familiarize yourself with the various components and controls of your GT-Truck jump starter:



# LAYOUT & CONTROLS

1. MULTI-MODE LED FLASHLIGHT
2. FLASHLIGHT POWER BUTTON
3. WORKLIGHT POWER BUTTON
4. DC OUTPUT PORT
5. BOOST BUTTON
6. CHARGE LEVEL INDICATOR LIGHTS

7. MAIN POWER BUTTON
8. USB TYPE-C INPUT PORT
9. USB TYPE-A STANDARD OUTPUT PORT
10. USB TYPE-A QUICK CHARGE OUTPUT PORT
11. LED WORKLIGHT



Image: Detailed diagram of the GOOLOO GT-Truck jump starter, labeling its various ports, buttons, and indicators.

1. Multi-mode LED Flashlight
2. Flashlight Power Button
3. Worklight Power Button
4. DC Output Port
5. Boost Button
6. Charge Level Indicator Lights
7. Main Power Button
8. USB Type-C Input Port
9. USB Type-A Standard Output Port
10. USB Type-A Quick Charge Output Port
11. LED Worklight

## SETUP AND CHARGING



Before first use, fully charge your GOOLOO GT-Truck jump starter. It is recommended to recharge the unit after each use and at least every 3-6 months to maintain battery health.

### Charging the Jump Starter:

- Connect the provided USB Type-C cable to the USB Type-C Input Port (8) on the jump starter.
- Connect the other end of the USB Type-C cable to the included wall charger.
- Plug the wall charger into a standard electrical outlet.
- The Charge Level Indicator Lights (6) will illuminate to show the charging progress. All lights will be solid when fully charged.



Image: The GOOLOO GT-Truck jump starter connected to its wall charger, demonstrating the charging process.

### OPERATING INSTRUCTIONS: JUMP STARTING A VEHICLE

Follow these steps carefully to jump start your vehicle:

1. Ensure the jump starter has at least 75% (three bars) remaining power.
2. Connect the red (positive) clamp to the positive (+) terminal of the vehicle's battery.
3. Connect the black (negative) clamp to the negative (-) terminal of the vehicle's battery.
4. Ensure the clamps are securely attached and have good contact.
5. If the car battery is completely dead, press the "BOOST" button (5) on the jump starter.
6. Start your car engine.
7. Once the engine starts, immediately disconnect the clamps from the vehicle battery, first the black (negative) clamp, then the red (positive) clamp.
8. Disconnect the clamps from the jump starter.



Image: A visual guide showing the two main steps for jump starting a vehicle: connecting the clamps and starting the engine.

# JUMP START DEAD VEHICLES

Lifesaver for Truck Driver



**12** | **ALL** | **13L** | **80**  
**VOLT** | **GAS** | **DIESEL** | **STARTS**

Image: The GOOLOO GT-Truck jump starter connected to a vehicle battery, ready to jump start, highlighting its capability for various engine types.

## CHARGING PORTABLE DEVICES

The GT-Truck jump starter can also function as a power bank to charge your electronic devices.

- Turn on the jump starter by pressing the Main Power Button (7).
- Connect your device's charging cable to either the USB Type-A Standard Output Port (9) or the USB Type-A Quick Charge Output Port (10).
- The jump starter will automatically begin charging your device.
- The 118Wh battery capacity allows for multiple charges of smartphones, tablets, cameras, and other USB-powered devices.






Image: The GOOLOO GT-Truck jump starter connected to a laptop and smartphone, demonstrating its function as a portable power bank with 118Wh battery capacity.

## LED LIGHT FUNCTIONS

The integrated LED light provides illumination for various situations:

- **Stable Light:** Press the Flashlight Power Button (2) once for a steady beam.
- **Strobe Light:** Press the Flashlight Power Button (2) a second time for a flashing strobe light.
- **SOS Mode:** Press the Flashlight Power Button (2) a third time for an SOS signal.
- **Worklight:** Press the Worklight Power Button (3) to activate the side worklight (11) for broader illumination.
- Press the respective button again to turn off the light.



# BRIGHT LED WORKLIGHT

Stable Light  
Strobe Light  
SOS




Image: A person working under the hood of a car, illuminated by the bright LED worklight of the GOOLOO GT-Truck, showing its utility in low-light conditions.

## 118WH

Charge 2 devices at the same time

USB-A 5V/2.4A Out

USB-A 5V/9V/12V Out



Image: The GOOLOO GT-Truck jump starter illuminating a campsite at night, demonstrating its three emergency LED light modes: SOS, Spotlight, and Strobe.

## MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your jump starter:

- Store the unit in a cool, dry place away from direct sunlight.
- Recharge the unit every 3-6 months, even if not used, to prevent deep discharge and prolong battery life.
- Clean the exterior with a soft, damp cloth. Do not use harsh chemicals or abrasives.
- Keep the clamp jaws clean and free of corrosion.

## TROUBLESHOOTING

If you encounter issues with your GOOLOO GT-Truck, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Unit does not turn on.	Battery is completely discharged.	Charge the unit fully using the provided wall charger.
Vehicle does not start.	Incorrect clamp connection; Insufficient charge; Vehicle battery too damaged.	Check clamp polarity and connection; Ensure unit is at least 75% charged; Consult a mechanic if vehicle battery is severely damaged. Press BOOST button if battery is completely dead.
LED lights not working.	Unit is off; Low battery.	Turn on the unit; Recharge the unit.
Cannot charge external devices.	Unit is off; Cable issue; Device not compatible.	Turn on the unit; Try a different USB cable; Ensure device is compatible with USB charging.

## SPECIFICATIONS

Key technical specifications for the GOOLOO 6750A Jump Starter GT-Truck:

- **Brand:** GOOLOO
- **Model:** GT-Truck (JS-275)
- **Peak Output Current:** 6750 Amps
- **Battery Capacity:** 118Wh (Lithium Polymer)
- **Product Dimensions:** 4.5"D x 10"W x 10"H
- **Item Weight:** 7 pounds
- **Engine Compatibility:** Up to 16.0L Diesel & All Gas Engines
- **Operating Temperature:** -4°F to 122°F (-20°C to 50°C)
- **Input:** USB Type-C
- **Output:** Dual USB Type-A (Standard & Quick Charge), DC Output Port



# BEST GIFT CHOICE



Image: A detailed graphic showcasing the GOOLOO GT-Truck from different angles, highlighting its various ports and features, along with a list of specifications.



## SPECIFICATION

- 1.MULTI-MODE LED FLASHLIGHT
- 2.FLASHLIGHT POWER BUTTON
- 3.WORKLIGHT POWER BUTTON
- 4.DC OUTPUT PORT
- 5.BOOST BUTTON
- 6.CHARGE LEVEL INDICATOR LIGHTS
- 7.MAIN POWER BUTTON
- 8.USB TYPE-C INPUT PORT
- 9.USB TYPE-A STANDARD OUTPUT PORT
- 10.USB TYPE-A QUICK CHARGE OUTPUT PORT
- 11.LED WORKLIGHT





Image: The GOOLOO GT-Truck depicted in both cold (-4°F) and hot (122°F) environments, illustrating its wide operating temperature range.

## WARRANTY AND SUPPORT

GOOLOO provides comprehensive support for its products:

- **Warranty:** 18 Months Warranty
- **Technical Support:** Lifetime Tech Support
- For any inquiries or assistance, please contact GOOLOO customer service.

## Related Documents

	<p><a href="#">GOOLOO G1500-PLUS Multi-function Car Jump Starter User Manual</a></p> <p>Comprehensive user manual for the GOOLOO G1500-PLUS multi-function car jump starter, detailing its features, product layout, operation guidance, charging, jump-starting procedures, smart cable indicator functions, LED light usage, parts list, technical specifications, troubleshooting, safety warnings, warranty information, and customer support.</p>
	<p><a href="#">GOOLOO GP2000 2000A Jump Starter User Manual</a></p> <p>Comprehensive user manual for the GOOLOO GP2000 2000A car jump starter, covering its features, operation, safety precautions, troubleshooting, and warranty information.</p>
	<p><a href="#">GOOLOO G7 3000A Jump Starter User Manual</a></p> <p>Comprehensive user manual for the GOOLOO G7 3000A Jump Starter, detailing its features, operation instructions, technical specifications, safety warnings, FAQ, and warranty information. Learn how to jump-start vehicles, charge devices, and use the LED flashlight.</p>
	<p><a href="#">GOOLOO GT4000S Jump Starter User Manual</a></p> <p>Comprehensive user manual for the GOOLOO GT4000S Jump Starter (Model JS-271), covering product features, operation, safety instructions, troubleshooting, and technical specifications.</p>