

[Manuals.plus](#) /

> [TEMEIKE](#) /

> TEMEIKE Evaporative Air Cooler, Swamp Cooler Air Conditioner w/12H Timer for Auto-off, 6 Upgraded Ice Packs, 3-Speed Windowless AC, Smart Remote, DualTank Portable Air Cooler for Room, 65 watts, White User Manual

TEMEIKE DL2

TEMEIKE Evaporative Air Cooler User Manual

MODEL: DL2

Introduction

Thank you for choosing the TEMEIKE Evaporative Air Cooler. This 4-in-1 unit combines the functions of an air cooler, humidifier, and fan, designed to provide efficient and comfortable cooling for your indoor spaces. Its portable, windowless design and user-friendly controls make it an ideal solution for various rooms. Please read this manual thoroughly before operation to ensure proper use, maintenance, and safety.

Important Safety Information

- Always place the unit on a stable, level surface to prevent tipping.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the appliance from the power outlet before cleaning, filling, or performing any maintenance.
- Keep the unit out of reach of children and pets.
- Do not block the air inlets or outlets.
- Use only clean water in the water tank. Do not add any chemicals or additives other than recommended by the manufacturer.
- Ensure the power cord is not damaged or pinched.
- This appliance is for indoor use only.

Package Contents

- TEMEIKE Evaporative Air Cooler Unit (Model: DL2)
- Remote Control
- Ice Packs (x6)
- User Manual

Product Overview

Familiarize yourself with the components of your TEMEIKE Evaporative Air Cooler.



Figure 1: TEMEIKE Evaporative Air Cooler with included remote and ice packs.

Touch Panel & Remote Control



Figure 2: Touch Control Panel and Remote Control for easy operation.

Wider Coverage

Deliver the cool breeze at each corner of your room



70°
Oscillation



300 sq.ft
Max area



Figure 3: Dual water tanks provide extended cooling, with a 1-gallon detachable water tank.

Setup

1. **Unpack the Unit:** Carefully remove the air cooler and all accessories from the packaging.
2. **Positioning:** Place the air cooler on a firm, level surface. Ensure there is adequate space around the unit

for proper airflow. This unit does not require hoses or window installation.

3. Fill the Water Tank:

- Open the top cover of the water tank.
- Pour clean, cool water into the tank. Do not exceed the 'MAX' fill line. The unit features a dual water tank design for convenient top filling.
- For enhanced cooling, place the provided ice packs in a freezer until completely frozen. Once frozen, add them to the water tank.

Your browser does not support the video tag. Please update your browser.

Video: Instructions on how to add ice packs for an extra boost of coolness.



Figure 4: Components for easy cleaning, including the cooling pad and water tank.

4. **Connect Power:** Plug the power cord into a standard electrical outlet.

Operating Instructions

The TEMEIKE Air Cooler can be operated using the touch control panel on top of the unit or the included remote control.

Control Panel & Remote Functions:

- **Power Button:** Press to turn the unit ON or OFF.
- **Speed Button:** Cycles through 3 fan speeds: Low, Medium, and High.
- **Timer Button:** Sets the auto-off timer from 1 to 12 hours.
- **Mode Button:** Selects operating modes: Normal, Sleep, or Cooling.
- **Cool Button:** Activates or deactivates the evaporative cooling function.
- **Swing Button:** Activates or deactivates the 70° automatic oscillation for wider air distribution.

Customize Your Climate

3 Modes & 3 speeds, fulfilling all your cooling needs




Figure 5: Customize your climate with 3 modes and 3 speeds.

Detailed Operation:

1. **Turning On/Off:** Press the **Power** button once to turn the unit on. Press it again to turn it off.
2. **Adjusting Fan Speed:** Press the **Speed** button repeatedly to cycle through Low, Medium, and High fan speeds. The current speed will be indicated on the control panel.

Your browser does not support the video tag. Please update your browser.

Video: Demonstrating the three adjustable wind speeds (Low, Medium, High).

3. **Selecting Operating Mode:** Press the **Mode** button to switch between Normal, Sleep, and Cooling modes.



Figure 6: The 4-IN-1 Portable Air Conditioner meets various cooling needs.

Your browser does not support the video tag. Please update your browser.

Video: Experience cooling comfort on hot days with the air cooler.

4. **Activating Cooling Function:** Press the **Cool** button to enable the evaporative cooling. This function requires water in the tank.
5. **Setting the Timer:** Press the **Timer** button to set the auto-off timer in increments from 1 to 12 hours. The unit will automatically turn off after the set time.

Reliable Bedtime Companion



Sleep Mode



12H Timer



40dB



0-30dB
Breathing

30-40dB
TEMEIKE Air Cooler

50-70dB
Talking

>80dB
Industrial Noise

Figure 7: The air cooler is a reliable bedtime companion with its sleep mode and 12-hour timer.

6. **Activating Oscillation:** Press the **Swing** button to activate the 70° automatic oscillation, distributing cool air across a wider area.



Figure 8: Wider coverage with 70° oscillation, delivering cool breeze to every corner.

Your browser does not support the video tag. Please update your browser.

Video: Demonstrating the air cooler's ability to cool every corner with its oscillation feature.

Maintenance

Regular cleaning and maintenance will ensure optimal performance and extend the lifespan of your air cooler.

1. Cleaning the Water Tank:

- Unplug the unit from the power outlet.
- Remove the detachable water tank.
- Empty any remaining water.
- Clean the tank with a soft cloth and mild detergent. Rinse thoroughly with clean water.
- Allow the tank to air dry completely before reattaching.

2. Cleaning the Cooling Pad and Grill:

- Unplug the unit.
- Remove the rear grill and the cooling pad.
- Rinse the cooling pad under running water to remove dust and mineral deposits. For stubborn dirt, use a soft brush.
- Clean the grill with a damp cloth.
- Ensure both the cooling pad and grill are completely dry before reassembling.

3. **Exterior Cleaning:** Wipe the exterior of the unit with a soft, damp cloth. Do not use abrasive cleaners or solvents.

4. **Storage:** If storing the unit for an extended period, ensure all parts are clean and dry. Store in a cool, dry place. Close the air outlet to prevent dust accumulation.

Troubleshooting

| Problem | Possible Cause | Solution |
|----------------------------|--|---|
| Unit does not turn on | No power supply; Power cord not properly plugged in; Power button not pressed. | Check power outlet; Ensure power cord is securely plugged in; Press the Power button. |
| Weak or no airflow | Fan speed too low; Air inlets/outlets blocked; Cooling pad dirty. | Increase fan speed; Clear any obstructions; Clean the cooling pad and grill. |
| No cooling effect | Water tank empty; Cool function not activated; Cooling pad dry. | Fill water tank; Press the Cool button; Ensure cooling pad is wet. |
| Unusual noise | Unit not on a level surface; Foreign object inside; Water pump issue. | Place on a level surface; Check for and remove foreign objects; Contact customer support if noise persists. |
| Remote control not working | Batteries dead or incorrectly inserted; Obstruction between remote and unit. | Replace batteries; Ensure clear line of sight to the unit's sensor. |

Specifications

- **Model:** DL2
- **Brand:** TEMEIKE
- **Wattage:** 65W
- **Fan Speeds:** 3 (Low, Medium, High)
- **Functions:** Air Cooler, Humidifier, Fan (Normal/Sleep/Cooling Modes)
- **Max Humidifier Usage Time (Max Water Level):** 8 Hours
- **Cord Length:** 4FT (50-Inch Extension Cord)
- **Product Dimensions:** 27.94 x 25.4 x 55.88 cm (11 x 10 x 22 inches)
- **Weight:** 4.08 kg (9 lbs)
- **Material:** Plastic
- **Mounting Type:** Freestanding
- **Special Features:** Portable (4x360° Wheels), Lightweight, Built-In Handle, Removable Cooling Pad & Detachable Water Tank, Remote Control (20FT Range) & Touch Control, Silent Operation (40dB Low Noise), No Screws Needed, 1-12H Timer, UL Listed, Safe Bladeless Design, Closable Air Outlet, 2024 Upgraded Efficient Motor, Max Air Flow: 1440 CFM, 2S Fast Powerful Cooling, Includes 6 Upgraded Ice Packs, 70° Oscillation, Covers Area: Up to 300 sq.ft.
- **Color:** White

Warranty and Support

TEMEIKE products are manufactured to the highest quality standards. For warranty information, technical support, or any questions regarding your product, please contact TEMEIKE customer service. Details can typically be found on the product packaging or the official TEMEIKE website.

Please retain your proof of purchase for warranty claims.