

[Manuals.plus](#) /

› [Pawfly](#) /

› Pawfly Ultra-Silent USB Rechargeable Bait Aerator Instruction Manual

Pawfly Pawfly-CW2426-BK

Pawfly Ultra-Silent USB Rechargeable Bait Aerator

Model: Pawfly-CW2426-BK

Brand: Pawfly

1. INTRODUCTION

The Pawfly Ultra-Silent USB Rechargeable Bait Aerator is designed to provide essential oxygenation for live bait, fish transport, and emergency aquarium use during power outages. This portable air pump features a built-in rechargeable battery, adjustable airflow modes, and quiet operation, ensuring the well-being of your aquatic life.

2. SAFETY INFORMATION

- Read all instructions thoroughly before operating the device.
- Keep the aerator out of reach of children and pets.
- Do not attempt to disassemble or modify the device. Unauthorized modifications may void the warranty and pose safety risks.
- Ensure the charging port is completely dry before connecting the USB cable to prevent electrical hazards.
- While the device is waterproof, avoid prolonged submersion beyond 10 minutes to prevent potential damage.
- Use only the provided Type-C charging cable or a compatible, certified cable.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- 1 x Pawfly Ultra-Silent USB Rechargeable Bait Aerator (Model: Pawfly-CW2426-BK)
- 2 x Air Stones
- 2 x 1.2 m Airline Tubing
- 1 x Check Valve
- 1 x Type-C USB Charging Cable

All in One Package



Air Stone x 2



1.2 m Airline Tubing x 2



Check Valve



Type-C Charging Port

Image: All components included in the Pawfly Bait Aerator package.

4. PRODUCT FEATURES

- **Rechargeable Battery:** Equipped with a built-in 3350 mAh lithium battery, offering 30-36 hours of continuous operation in normal mode and 36-42 hours in intermittent mode.
- **USB Rechargeable:** Features a Type-C interface for convenient charging via a phone charger, power bank, or laptop.
- **Adjustable Modes & Flow:** Provides two operating modes (Normal/Continuous and Intermittent) and four

adjustable airflow levels.

- **Constant Output:** Delivers a maximum flow rate of 190 L/H (50 GPH) and a pressure of ≥ 0.018 MPa, suitable for 40-230 L (10-60 gallon) tanks or buckets.
- **Ultra-Silent Operation:** Operates at less than 35 dB, ensuring minimal disturbance to your environment or fish.
- **Waterproof Design:** Designed to be waterproof, allowing temporary immersion without damage (do not soak for more than 10 minutes).

Rechargeable Battery

Large capacity of **3350 mAh** with long working time

Normal Mode:

work for 30-36 h

Intermittent Mode:

last for 36-42 h




Attached

Type-C Charging Port

Image: Rechargeable battery and Type-C charging port.

Reliable Life Saver

Supplement oxygen in time to keep fish and bait alive



Battery Indicator

Display of battery level

Mode Indicator

Keep On: continuous mode

Flash: intermittent mode

Intermittent Mode

Work for 10 s and stop for another 10 s

ON/OFF Button


Air Flow Adjustment

4 air flow levels available

Image: Control panel and indicators.

Noise Less Than 35 dB

Won't disturb your daily life or scare the fish away



10 dB



35 dB



40-60 dB



70-90 dB

Image: Illustrating the ultra-silent operation.

Waterproof

Completely immerse it in deep water without damage
(Do not soak it for more than 10 minutes)



Image: Waterproof feature demonstration.

5. SETUP

1. **Connect Tubing:** Attach one end of each airline tubing to the air pump's outlet ports.
2. **Attach Air Stones:** Connect an air stone to the other end of each airline tubing.
3. **Install Check Valve:** For optimal performance and to prevent water backflow into the pump, install the check valve in one of the airline tubings between the pump and the air stone. Ensure the check valve is oriented correctly, following the airflow direction indicated on the valve.

4. **Position Air Stones:** Place the air stones into the water (aquarium or bait bucket).
5. **Initial Charge:** Ensure the pump is fully charged before its first use. Connect the Type-C charging cable to the pump and a suitable USB power source.

6. OPERATING INSTRUCTIONS

- **Power On/Off:** Press the power button (labeled with a circle and vertical line) to turn the pump on or off.
- **Select Mode:** Press the 'INT' button to switch between Normal (continuous airflow) and Intermittent modes. The mode indicator light will show the current mode (steady for normal, flashing for intermittent).
- **Adjust Airflow:** Use the '+/-' buttons to select one of the four available airflow levels.
- **Battery Indicator:** Monitor the battery level using the indicator lights on the display to know when recharging is needed.

7. MAINTENANCE

- **Cleaning Air Stones:** Periodically clean air stones to prevent clogging and maintain efficient airflow. Soaking them in a mild vinegar solution can help remove mineral buildup. Replace air stones if they become heavily clogged or damaged.
- **Tubing Inspection:** Regularly check airline tubing for kinks, cracks, or blockages that could impede airflow. Replace damaged tubing as necessary.
- **Charging:** Recharge the battery when the indicator shows low power to ensure the pump is always ready for use.
- **Storage:** When not in use, store the pump in a dry, cool place. Ensure it is clean and fully charged before storing for extended periods to preserve battery life.

8. TROUBLESHOOTING

- **No Airflow:**
 - Check if the pump is powered on and adequately charged.
 - Inspect airline tubing for kinks or blockages.
 - Clean or replace air stones if they appear clogged.
- **Weak Airflow:**
 - Ensure the battery is sufficiently charged.
 - Adjust the airflow level using the '+/-' buttons to a higher setting.
 - Check for partial blockages in the tubing or air stones.
- **Pump Not Charging:**
 - Verify the Type-C cable is securely connected to both the pump and the power source.
 - Try a different USB power adapter or a different USB port.
 - Ensure the charging port on the pump is dry and free of any debris.
- **Unusual Noise:**
 - Ensure the pump is placed on a stable, flat surface.
 - Check for any foreign objects obstructing the air intake or outlet.

Steady Output

Work great for fish tanks or buckets of 40-230 L

Power Source:
Lithium Battery

Max Flow Rate:
50 GPH (3 L/min)

Pressure:
≥ 0.018 MPa

Power:
3 W



Image: Product dimensions and key specifications.

Model Number	Pawfly-CW2426-BK
Power Source	Rechargeable Lithium Battery
Battery Capacity	3350 mAh

Max Flow Rate	190 L/H (50 GPH)
Pressure	≥ 0.018 MPa
Power	3 W
Operating Modes	Normal (Continuous), Intermittent (10s on/10s off)
Noise Level	< 35 dB
Suitable for	40-230 L (10-60 Gallon) tanks/buckets
Charging Interface	Type-C USB
Material	Polypropylene
Dimensions (approx.)	13.5 cm (5.3 in) H x 8 cm (3.8 in) W x 4.3 cm (1.7 in) D
Weight	430 grams

10. WARRANTY INFORMATION

This Pawfly product is covered by a standard manufacturer's warranty. For specific details regarding warranty duration, coverage, and claims process, please refer to the warranty card included with your purchase or visit the official Pawfly website. Keep your proof of purchase for warranty validation.

11. SUPPORT

For technical assistance, troubleshooting guidance, or any product-related inquiries, please contact Pawfly customer support. You can typically find contact information, including email addresses or support portals, on the product packaging, the official Pawfly website, or through your retailer's customer service channels.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0D6W31YWP>

More documents and user manuals: <https://manuals.plus/>