

## Bazyths ZY760A

# Bazyths Smart Toilet with Bidet, Model ZY760A - Instruction Manual

Your comprehensive guide to installation, operation, and maintenance.

## 1. INTRODUCTION

Thank you for choosing the Bazyths Smart Toilet with Bidet, Model ZY760A. This advanced toilet system combines innovative technology with ergonomic design to enhance your bathroom experience. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new smart toilet. Please read it thoroughly before use and retain it for future reference.

## 2. IMPORTANT SAFETY WARNINGS

**Failure to follow these instructions may result in electric shock, fire, injury, or product damage.**

- Do not dismantle or repair the product without permission. This intelligent toilet contains precision components.
- Do not pour water or detergent directly onto the product or power plug.
- Use waterproof safety sockets. All power sockets must be properly grounded.
- Pay attention to low-temperature burns. Adjust the seat temperature to the "low" position when using the toilet for extended periods.
- Do not trample on the toilet body or cover.
- It is strictly forbidden to wipe or touch the product with chemical solutions or gasoline.
- Do not turn the cover ring forcibly, as this may cause damage.
- Lit cigarettes and other incendiary objects should not be placed into the toilet.

- Avoid soaking the unit in water.
- Do not expose the unit to open flames or excessive heat.
- Do not stretch any components forcibly.

### 3. PACKAGE CONTENTS

Verify that all items are present before beginning installation:

- Bazyths Smart Toilet (Model ZY760A)
- Remote Control
- Battery Box (batteries not included)
- Angle Valve
- User Manual
- Wax Ring
- Other Accessories (mounting hardware, hoses, etc.)



**Description:** A visual representation of all items included in the Bazyths Smart Toilet package, laid out neatly on a dark surface. This includes the remote control, a black battery box, an angle valve, the user manual, a wax ring, and

various other small accessories like screws and hoses.

## 4. PRODUCT SPECIFICATIONS

Feature	Specification
Model Number	ZY760A
Color	White
Product Dimensions (D x W x H)	27.95" x 15.75" x 17.91"
Material	Plastic (Seat), Ceramic (Bowl)
Installation Type	Floor Mounted
Item Weight	114.8 pounds
Rough-In	12 inches
Voltage	110V–120V (Standard US)
Power Cord Length	1.2 meters (approx. 3.9 feet)

## 5. SETUP AND INSTALLATION

Installation of the Bazyths Smart Toilet is designed to be straightforward, similar to a standard toilet. However, due to its electrical components, professional installation is recommended if you are unfamiliar with plumbing and electrical work.

### 5.1 Pre-Installation Checks

- Ensure you have a 12-inch rough-in for proper fitment.
- Verify a standard 110V–120V grounded electrical outlet is available near the installation site. A GFCI outlet or breaker is recommended for safety.
- Confirm the water supply line is accessible and compatible with the included angle valve.

### 5.2 Installation Steps

1. **Prepare the Area:** Turn off the water supply to the existing toilet and flush to empty the tank. Disconnect and remove the old toilet. Clean the flange area thoroughly.
2. **Install Wax Ring:** Place the included wax ring onto the toilet flange on the floor.
3. **Position the Toilet:** Carefully lift and place the Bazyths Smart Toilet onto the wax ring and align it with the floor bolts. Gently press down and twist slightly to create a seal.
4. **Secure the Toilet:** Install the washers and nuts onto the floor bolts and tighten them evenly until the toilet is secure. Do not overtighten.
5. **Connect Water Supply:** Connect the included angle valve to your water supply line. Then,

connect the toilet's water inlet hose to the angle valve.

6. **Connect Power:** Plug the toilet's power cord into a grounded electrical outlet.
7. **Restore Water Supply:** Slowly turn on the water supply and check for leaks.
8. **Initial Power-On:** The toilet will perform an initial self-check. Follow any on-screen prompts or refer to the detailed manual for first-time setup.

### 5.3 Power Outage Backup

In the event of a power outage, the toilet can still be flushed using the included battery backup system. This system requires 10 AA alkaline batteries (not included). Install the batteries into the battery box and connect it to the designated port on the toilet.




**Description:** A close-up image of the Bazyths Smart Toilet's top panel, showing a hand pressing a flush button. An icon of a battery box is visible, indicating the toilet's power-outage flushing capability, which requires 10 AA alkaline batteries.

## 6. OPERATING INSTRUCTIONS

Your Bazyths Smart Toilet offers a range of intelligent features for comfort and hygiene. Most functions are controlled via the remote control or integrated sensors.

### 6.1 Automatic Lid Opening and Closing

- **Auto Open/Close:** The lid automatically opens when you approach the toilet and closes two minutes after you leave the seat.
- **Foot Sensor:** A foot sensor located at the base of the toilet allows you to open the seat or initiate a flush by simply tapping your foot near it.



### Why the ZY760A Outshines Other Tankless Smart Toilets

Factors Affecting Flushing Noise	Other Tankless Smart Toilets	ZY760A
Flushing Sound Duration	15s	4s (Ultra-Fast Flush)
Water Usage per Flush	About 1.27 gallons	About 1.1 gallons
High-Volume Quiet Pump	✗	✓
Quiet design with optimized ceramic structure to reduce water flow noise	✗	✓
Single flush in low-pressure environments	✗	✓

**Description:** A graphic demonstrating the touch-free operation of the Bazyths Smart Toilet. It shows a person approaching the toilet, which automatically opens its lid. A foot sensor at the base allows for hands-free opening of

the seat or flushing.

## 6.2 Flushing

- **4-Second Quiet Flush:** The ZY760A features an ultra-quiet, powerful flush that completes in just 4 seconds.
- **Off-Seat Auto Flush:** The toilet automatically flushes after you leave the seat.
- **Manual Flush:** A manual flush button is available on the side of the toilet for direct activation.

**Video Description:** An official Bazyths video demonstrating the 4-second quiet flush feature of the ZY760A Smart Toilet. The video highlights the rapid and efficient flushing action, emphasizing its quiet operation.

## 6.3 Bidet Functions

The bidet offers multiple cleansing modes with adjustable settings:

- **Cleansing Modes:** Rear wash, feminine wash, oscillating wash, and warm/cool wash.
- **Adjustable Settings:** Customize spray position, water temperature, and water pressure using the remote control.
- **Self-Cleaning Nozzle:** The nozzle self-cleans before and after each use to maintain hygiene.
- **Detachable Nozzle:** For thorough cleaning, the nozzle can be easily detached.



**Description:** A graphic showcasing the automatic cleaning capabilities of the Bazyths Smart Toilet. It highlights the rimless design for easy cleaning, a self-cleaning nozzle, warm water cleansing, oscillating cleaning, and a detachable nozzle for enhanced hygiene.

## 6.4 Heated Seat

Enjoy a comfortable experience with the heated seat feature:

- **Temperature Adjustment:** Adjust the seat temperature to your preference (Normal, 95°F, 100°F, 104°F).
- **Four-Season Temperature Sensing:** Built-in sensors automatically adjust the seat temperature based on room temperature for optimal comfort.



**Description:** A visual guide to the warmth features of the Bazyths Smart Toilet, including adjustable seat and water temperatures, and a powerful warm air dryer with multiple temperature settings for maximum comfort.

## 6.5 Warm Air Dryer

After cleansing, use the warm air dryer for a complete and comfortable experience:

- **Temperature Settings:** The dryer has 4 temperature settings (Normal, 95°F, 113°F, 131°F).
- **Drying Cycle:** Each drying cycle lasts up to 3 minutes.

## 6.6 Ambient Lighting and Nightlight

Enhance your bathroom ambiance and visibility with customizable lighting:

- **Multi-Color Ambient Lighting:** Features 64 adjustable color levels. Refer to the remote control section for adjustment instructions.
- **Nightlight:** Provides gentle illumination for safe, undisturbed use during the night.

# Multi-Color Ambient Lighting with 64 Adjustable Levels

Use the Remote Control to Adjust Lighting: Press the Ambient Light Button Off and On, Then Press Rear or Feminine Wash to Cycle Through 64 Levels. Press Stop to Confirm Your Choice



**Description:** A close-up view of the Bazyths Smart Toilet's top panel, highlighting the customizable ambient lighting with 64 adjustable color levels. The image also shows the digital display on the toilet.

## 6.7 Dual User Memory

Personalize your experience with settings for two users:

- **Save Settings:** Press and hold the "User 1" or "User 2" button on the remote for 3 seconds to save current preferences for seat temperature, water temperature, drying temperature, and cleaning mode.
- **Restore Settings:** Briefly press the corresponding user button to recall saved personalized settings.

## Power-Outage Flushing, Just Press

Reliable Flushing Even Without Power



### Backup Battery Box for Power Outage Flush

Requires 10 AA alkaline batteries to enable flushing during a power outage (batteries not included).



**Description:** A graphic explaining the dual user memory function of the ZY760A. It shows how to select a user, save preferred settings (position, air temp, water temp, seat temp) by long-pressing a button, and then apply those saved settings with a brief press.

## 6.8 Remote Control and Control Knob

Manage all features effortlessly:

- **Remote Control:** Provides full access to all functions from a distance.
- **Control Knob:** An intuitive knob on the toilet allows for basic operations like female wash (counter-clockwise), rear wash (clockwise), and stop/flush (press).



**Description:** A detailed image of the Bazyths Smart Toilet's control options, featuring both the intelligent control knob on the toilet itself and the comprehensive remote control. The image highlights the various buttons and their corresponding functions for easy management of the toilet's features.

## 7. MAINTENANCE AND CLEANING

Regular cleaning ensures optimal performance and hygiene.

### 7.1 General Cleaning

- **Rimless Ceramic Bowl:** The rimless design minimizes areas where dirt and residue can accumulate, making cleaning quicker and easier.
- Wipe soiled areas with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals.

### 7.2 Foam Shield

The high-density foam shield helps control splashes and block odors. To utilize this feature:

- Use Bazyths Foam Shield Cleaner (available separately) by pouring it into the designated reservoir on the toilet.
- Alternatively, some toilet tablets (e.g., Ty-D-Bol) can be placed in the designated compartment for continuous cleaning and foam generation.


# Cleaning Has Never Been This Easy

## Off-Seat Flush

Automatically flushes when the user leaves the seat.

## Auto Soft Close After 2 Minutes

The seat and lid softly close automatically 2 minutes after the user leaves the toilet's sensor range.



**Description:** A graphic detailing the Foam Shield technology used in the Bazyths Smart Toilet. It illustrates how a dense foam layer helps prevent splashes and blocks odors, contributing to a cleaner and fresher bathroom environment.

## 7.3 Nozzle Cleaning

- In normal operation, the nozzle self-cleans.
- For manual cleaning, press the nozzle cleaning button on the remote control. The nozzle will extend and auto-clean. You can use a soft toothbrush to clean it simultaneously. Do not stretch the nozzle forcibly. Press the "Stop" button to stop cleaning.
- The nozzle is detachable for more thorough cleaning.

## 8. TROUBLESHOOTING

Here are solutions to common questions and issues:

- **Water droplets inside the toilet upon opening:** This is normal. Each toilet undergoes a water test before shipping to ensure proper function. Any residual water is from this quality check and is not a defect.
- **Small cracks in unglazed areas:** Small cracks in unglazed areas are normal and occur due to the high-temperature firing process at 1280°C. These do not affect quality, cause leakage, or impact performance. The toilet passes strict quality inspection before shipping.
- **Ambient light adjustment with different remotes:** If your remote does not have a dedicated ambient light button as shown in some manuals, long-press the night light button for approximately 4 seconds to disable/enable the ambient light. To cycle through colors (1-64), long-press the night light button again to enter selection mode. Use the rear wash button to cycle UP options and the front wash button to cycle DOWN options.



**Description:** A factory image showing a Bazyths Smart Toilet undergoing a water test, confirming quality control procedures before shipment. This explains why some units may have residual water upon delivery.



**Description:** An image depicting ceramic toilets inside a high-temperature firing kiln. This illustrates the manufacturing process and explains why minor unglazed cracks may occur without affecting product quality.

## 9. WARRANTY AND SUPPORT

For warranty information, technical support, or any questions not covered in this manual, please contact Bazyths customer support. Refer to the product packaging or the official Bazyths website for contact details.

**Customer Support:** Amazon Customer Service